

ANTI-DIARRHEAL- loperamide hydrochloride capsule, liquid filled
Strategic Sourcing Services LLC

Drug Facts

Active ingredient (in each capsule)

Loperamide HCl 2 mg

Purpose

Anti-diarrheal

Use

controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

Heart alert: Taking more than directed can cause serious heart problems or death

Do not use

- if you have bloody or black stool
- in children under 12 years of age

Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Loperamide may interact with certain prescription drugs.

When using this product

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea.**
- **not for use in children under 12 years of age**
- adults and children 12 years and over: 2 capsules after the first loose stool; 1 capsule after each subsequent loose stool; but no more than 4 capsules in 24 hours

Other information

- store at 20°-25°C (68°-77°F). Protect from Light.
- avoid excessive heat above 40°C (104°F)
- do not use if carton or blister unit is open or torn
- see side panel for lot number and expiration date

Inactive ingredients

butylated hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil, purified water

Questions or comments?

call toll free **1-888-235-2466**

THIS PRODUCT IS PACKAGED IN A CHILD-RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

†All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Imodium ® A-D

MCKESSON

Another Quality Product

Distributed by Mckesson

6555 State Highway 161, Irving, TX 75039

Money Back Guarantee

healthmart.com

Lot #

Expiration Date

Principal Display Panel

Health Mart ®

NDC 62011-0390-1

Compare to Imodium ® A-D

active ingredient †

Anti-Diarrheal

Loperamide HCl Soft Gelatin Capsules, 2 mg

Suitable for adults and children 12 years and over

24 Softgels*

*each liquid-filled capsule contains 2 mg loperamide HCl

Drug Facts

Active ingredient (in each capsule) Loperamide HCl 2 mg

Purpose Anti-diarrheal

Warnings Do not use if you have ever had a rash or other allergic reaction to loperamide HCl. **Heart alert:** Taking more than directed can cause serious heart problems or death. Do not use if you have bloody or black stool or in children under 12 years of age. Ask a doctor before use if you have fever, mucus in the stool, a history of liver disease, a history of abnormal heart rhythm, or if you are taking a prescription drug. Loperamide may interact with certain prescription drugs.

When using this product dizziness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery. Stop use and ask a doctor if symptoms get worse, diarrhea lasts for more than 2 days, or you get abdominal swelling or bulging. These may be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions Drink plenty of clear fluids to help prevent dehydration caused by diarrhea. Adults and children 12 years and over: 2 capsules after the first loose stool; 1 capsule after each subsequent loose stool; but no more than 4 capsules in 24 hours. Not for use in children under 12 years of age.

Other information Store at 20°-25°C (68°-77°F). Protect from light. Do not use if carton or blister unit is open or torn. Avoid excessive heat above 40°C (104°F). See side panel for lot number and expiration date.

Inactive ingredients purified hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glycerol caprylate, polyoxyl 40 hydrogenated castor oil, purified water.

Questions or comments? call toll free 1-888-235-2466

HealthMart

Anti-Diarrheal
Loperamide HCl Soft Gelatin Capsules, 2 mg

L0000671
R0322



ANTI-DIARRHEAL

loperamide hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0390
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII: 6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	

WATER (UNII: 059QF0KO0R)

Product Characteristics

Color	blue	Score	no score
Shape	CAPSULE	Size	10mm
Flavor		Imprint Code	P13
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0390-1	2 in 1 CARTON	12/15/2018	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021855	12/15/2018	

Labeler - Strategic Sourcing Services LLC (116956644)

Registrant - Bionpharma Inc. (079637826)

Establishment

Name	Address	ID/FEI	Business Operations
Patheon Softgels Inc.		002193829	manufacture(62011-0390)

Revised: 5/2022

Strategic Sourcing Services LLC