

GUAIFENESIN- guaifenesin liquid
Method Pharmaceuticals, LLC

Guaifenesin

NDC 58657-508-16

Guaifenesin

Liquid USP

100 mg/5 mL

Expectorant

Sugar Free • Alcohol Free

Cherry Flavor

Loosens and Relieves Chest Congestion

16 fl. oz. (473 mL)

Drug Facts

Active ingredient (in each 5 mL)

Guaifenesin 100 mg

Purpose

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

Warnings

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

When using this product

- Do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period

age	dose
adults and children 12 years and over	2 to 4 teaspoonfuls every 4 hours
children 6 years to under 12 years	1 to 2 teaspoonfuls every 4 hours
children 2 to under 6 years	1/2 to 1 teaspoonful every 4 hours
children under 2 years	ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- packaged with tamper evident seal under cap
- **each 5 mL contains:** sodium 3 mg

Inactive ingredients

Caramel, citric acid anhydrous, dextrose, FD&C red #40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin, sodium, sodium benzoate

Questions or Comments

1-877-250-3427

Manufactured For:

Method Pharmaceuticals, LLC

Southlake, TX 79092

LR-205

Rev-2024

PRINCIPAL DISPLAY PANEL

NDC 58657- 508- 16

Guaifenesin

Liquid USP

100 mg/ 5 mL

Expectorant

16 fl. oz. (473 mL)



NDC 58657-508-16

Guaifenesin Oral Solution USP

100 mg/5 mL

Expectorant

Cherry Flavor

Loosens and Relieves Chest Congestion

DO NOT USE IF TAMPER EVIDENT SEAL UNDER CAP IS BROKEN OR MISSING

16 fl. oz. (473 mL)

Drug Facts

Active ingredient (in each 5 mL or 1 teaspoonful) **Purpose**
Guaifenesin, USP 100 mg Expectorant

Uses
■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

Warnings
Ask a doctor before use if you have
■ cough that occurs with too much phlegm (mucus)
■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

When using this product
■ Do not use more than directed

Stop use and ask a doctor if
■ cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
■ do not take more than 6 doses in any 24-hour period

Drug Facts (continued)

age	dose
adults and children 12 years and over	2 to 4 teaspoonfuls every 4 hours
children 6 years to under 12 years	1 to 2 teaspoonfuls every 4 hours
children 2 years to under 6 years	½ to 1 teaspoonful every 4 hours
children under 2 years	ask a doctor

Other information
■ store at 20°-25°C (68°-77°F)
■ packaged with tamper evident seal under cap
■ each 5 mL contains: sodium 3 mg

Inactive ingredients
Caramel, citric acid anhydrous, dextrose, FD&C red # 40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

Questions or Comments
1-877-250-3427

Manufactured For:
Method Pharmaceuticals, LLC
Southlake, TX 76092

LR-205
Rev 02/2024



3 58657-50816 6

GUAIFENESIN

guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58657-508
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
MENTHOL (UNII: L7T10EIP3A)	
CARMEL (UNII: T9D99G2B1R)	
DEXTROSE (UNII: IY9XDZ35W2)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58657-508-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/01/2024	

Labeler - Method Pharmaceuticals, LLC (060216698)

Revised: 10/2025

Method Pharmaceuticals, LLC