

**ACETAMINOPHEN REGULAR STRENGTH- acetaminophen tablet**  
**WinCo Foods, LLC**

-----  
**WNC - 1001 - 2024-0709**

***Drug Facts***

**Active ingredient (in each tablet)**

Acetaminophen 325 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert**

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if the user is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if the user has** liver disease.

**Ask a doctor or pharmacist before use if the user is** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>▪ take 2 tablets every 4 to 6 hours while symptoms last</li><li>▪ do not take more than 10 tablets in 24 hours</li><li>▪ do not use for more than 10 days unless directed by a doctor</li></ul>
children 6-11 years	<ul style="list-style-type: none"><li>▪ take 1 tablet every 4 to 6 hours while symptoms last</li><li>▪ do not take more than 5 tablets in 24 hours</li><li>▪ do not use for more than 5 days unless directed by a doctor</li></ul>
children under 6 years	<ul style="list-style-type: none"><li>▪ ask a doctor</li></ul>

**Other information**

- store between 20-25°C (68-77°F)
- retain carton for complete product information

**Inactive ingredients**

povidone, pregelatinized starch, sodium starch glycolate, stearic acid

**Questions?**

Call 800-824-1706 Monday - Friday 9am - 4pm MST

**PRINCIPAL DISPLAY PANEL**

WinCo® Foods

\*Compare to the active ingredient in TYLENOL® Regular Strength

REGULAR STRENGTH

Acetaminophen

ACETAMINOPHEN / PAIN RELIEVER - FEVER REDUCER

100 Tablets

325 mg EACH

INK AND COATING FREE  
FOR LOT AND  
EXPIRATION STAMPING

6 070552 23030 0



6 070552 23030 0

DO NOT USE IF IMPRINTED SEAL  
UNDER CAP IS BROKEN OR MISSING



F100102WNC\_R1 WF2404

**Drug Facts**

**Active Ingredient (in each tablet)**  
Acetaminophen 325 mg

**Purpose**  
Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - minor pain of arthritis
  - toothache
  - backache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warnings:** This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- hives
- rash
- if a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if the user is allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if the user has liver disease.**

**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if the user is** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

**Do not take more than directed (see overdose warning)**

adults and children 12 years and over	take 2 tablets every 4 to 6 hours while symptoms last	do not take more than 10 tablets in 24 hours	do not use for more than 10 days unless directed by a doctor
children 6-11 years	take 1 tablet every 4 to 6 hours while symptoms last	do not take more than 5 tablets in 24 hours	do not use for more than 5 days unless directed by a doctor
children under 6 years	ask a doctor		

**Drug Facts (continued)**

**Other Information**

- store between 20-25°C (68-77°F)
- retain carton for complete product information

**Inactive ingredients** polydioxane, polyethylene glycol, sodium starch glycolate, stearic acid

**Questions?** Call 800-824-1706

Monday - Friday 9am - 4pm MST

DISTRIBUTED BY: WINCO FOODS, LLC, BOULDER, CO 80504  
 \*This product is not manufactured or distributed by MOORE CONSUMER HEALTHCARE, distributor of TYLENOL® Regular Strength.  
**100% SATISFACTION GUARANTEE**  
 Comments & Questions? [www.wincfoods.com](http://www.wincfoods.com)

**WinCo FOODS**

REGULAR STRENGTH  
**Acetaminophen**

ACETAMINOPHEN/  
PAIN RELIEVER - FEVER REDUCER

**100**  
Tablets

\*Compare to the active ingredient in  
TYLENOL® Regular Strength

**325 mg EACH**

**WinCo FOODS**

REGULAR STRENGTH  
**Acetaminophen**

ACETAMINOPHEN/  
PAIN RELIEVER - FEVER REDUCER

**100**  
Tablets

\*Compare to the active ingredient in  
TYLENOL® Regular Strength

**325 mg EACH**

<b>ACETAMINOPHEN REGULAR STRENGTH</b>			
acetaminophen tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67091-132
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

**Inactive Ingredients**

Ingredient Name	Strength
POVIDONE (UNII: FZ989GH94E)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

**Product Characteristics**

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	M2A3;57344
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-132-10	1 in 1 CARTON	12/15/2014	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/15/2014	

**Labeler** - WinCo Foods, LLC (056098817)

Revised: 7/2024

WinCo Foods, LLC