MINERAL OIL- mineral oil oil Geritrex LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Mineral Oil

Active Ingredient

Mineral Oil 99.99%

Purpose:

Lubricant Laxative

Uses

For relief of occasional constipation (irregularity) generally produces bowel movement in 6 to 8 hours

Warnings

Do not use

- if you have difficulty swallowing
- in children under 6 years of age
- if you are pregnant
- for a period longer than one week
- if you are bedridden or aged

Ask a doctor before use if you have

- abdominal pain, nausea or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor of pharmamcist before use if you are

- Presently taking a stool softener laxative
- Taking any other drug
- Take this product 2 or more hours before or after drugs
- Laxatives may affect how other drugs work

When using this product

do not take with meals. take only at bedtime

Stop use and ask a doctor

If you have rectal bleeding or failure to have a bowel movement after use.

These could be signs of a serious condition

If pregnant or breast feeding,

ask a health professional before use.

Keep out of the reach of children

In case of accidental overdose, get medical help or contact a Poison Control Center right away

Directions

- Do not take with meals
- take only at bedtime
- may be taken as a single daily dose or in divided doses

Age	Dose
adults and children over 12 years	1 to 3 tablespoons (15 to 45 ml)
	maximum 3 tablespoons (45mL) in 24 hours
children 6 years to under 12 years	1 to 3 teaspoons(15 to 45 ml)
	maximum 3 teaspoons (45mL) in 24 hours
Children under 6 years	Do not use, consult a doctor

Other Information

Keep tightly closed. Protect from sunlight. For more info call 800-736-3437

Inactive Ingredients

Mixed tocopherols (added as a stabilizer)

Principal Display Panel

Geritrex Mineral Oil USP Lubricant Laxative Odorless Tasteless Colorless 16 OZ (472 ml)







LUBRICANT LAXATIVE

ODORLESS • TASTELESS • COLORLESS

16 FL. OZ. (472mL)

		e Roa
	ional constipation (irregularity). Generally novement in 6 to 8 hours.	Spine State
years of age • if you are p if you are bedridden or a Ask a doctor before u vomiting • noticed a sud period of 2 weeks. Ask a doctor or pharm taking a stool softener lay	e difficulty swallowing • in children under 6 oregnant • for a period longer than one week • ged. se if you have • abdominal pain, nausea, or den change in bowel habits that persist over a nacist before use if you are • presently kative • taking any other drug. Take this before or after drugs. Laxatives may affect	Geritrex Corporation 144 Kingsbridge Road East Mount Vernon, NY 10550 1-800-736-3437
bedtime. Stop use and ask a do have a bowel movement serious condition If breast feeding , ask a	uct do not take with meals. Take only at a too after use. These could be signs of a a health professional before use. dren. Incase of overdose, get medical help or Center right away.	
	ake with meals • take only at bedtime • may dose or in divided doses	
Adults and children over 12 years of age	1 to 3 tablespoons (15 to 45 mL) maximum 3 tablespoons (45 mL) in 24 hours	
Children 6 to	1 to 3 teaspoons (5 to 15 mL) maximum 3 teaspoons (15 mL) in 24 hours	
under 12 years of age	Bo not use consult a doctor	
Children under 6 years	Do not use, consult a doctor	

MINERAL OIL						
mineral oil oil						
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source) ND		NDC:54162-190		
Route of Administration	ORAL					
Active Ingredient/Active Moiety						
Ingredient Name Basis of Strength Strength						

Ir	Inactive Ingredients					
Ingredient Name						Strength
ALPHA-TOCOPHEROL (UNII: H4N855PNZ1)						
_						
Packaging						
#	Item Code		Package Description	Marketing Sta Date	rt	Marketing End Date
1	NDC:54162-190- 16	472 m Produ	L in 1 BOTTLE, PLASTIC; Type 0: Not a Combination ct	07/31/2015		
Marketing Information						
	Marketing Categ	ory	Application Number or Monograph Citation	Marketing Start Da	te	Marketing End Date
OTC monograph not final part334 07/31/2015						

Labeler - Geritrex LLC (112796248)

Registrant - Geritrex LLC (112796248)

Establishment						
Name	Address	ID/FEI	Business Operations			
Geritrex LLC		112796248	repack(54162-190)			
Establishment						

Name	Address	ID/FEI	Business Operations
Calumet Penreco LLC		114222776	manufacture(54162-190)

Revised: 7/2015

Geritrex LLC