

**FREEGELLS COUGH DROPS MENTHOL 80CT- menthol lozenge**  
**R.L. ALBERT & SON, INC**

-----  
**Drug Facts**

**Active ingredient**

Menthol 5.4 mg

**Purpose**

Cough Suppressant / Oral anesthetic

**Use**

Temporarily relieves:

- cough as may occur with a cold
- occasional minor irritation and sore throat

**Warning**

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. if sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious.

**Ask a doctor before use if you have :**

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

**stop use and ask doctor if**

- cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
- sore throat is severe, or irritation, pain or redness lasts or worsens
- sore mouth does not improve in 7 days

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children**

**Directions**

Adults and children 5 years and over

dissolve 1 lozenges slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor

children under 5 years , ask a doctor

### Other information

- 11 calories per drop
- do not use if bag is torn or open
- **Contains : Soy**

### Inactive ingredients

Corn Syrup, eucalyptus oil, FD&C blue no. 1, FD&C red no.40, gum Arabic, maltodextrin, natural flavor, soy lecithin, sucrose and water

### Product label



# FREEGELLS COUGH DROPS

## Drug Facts

| Active ingredient (in each drop) | Purpose                               |
|----------------------------------|---------------------------------------|
| Menthol 5.4 mg                   | Cough suppressant/<br>Oral anesthetic |

### Uses temporarily relieves:

- cough as may occur with a cold
- occasional minor irritation and sore throat

### Warnings

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious.

### Ask a doctor before use if you have:

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

### Stop use and ask doctor if

- cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
- sore throat is severe, or irritation, pain or redness lasts or worsens
- sore mouth does not improve in 7 days

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

### Directions

adults and children  
5 years and over

dissolve 1 lozenge slowly in  
mouth. Repeat every 2 hours as  
needed or as directed by a doctor.

children under 5 years

ask a doctor

**Other information** ■ 11 calories per drop ■ do not use if bag  
is torn or open ■ Contains: Soy.

**Inactive ingredients:** corn syrup, sucralose, FD&C Blue no. 1, FD&C Red  
no. 40, gum arabic, methylcellulose, natural flavor, soy lecithin, sacrose and water.

Made in Brazil by Riclan S.A.

In USA:

Distributed by:  
R.L. Albert & Son, Inc.,  
Stamford, CT 06902  
Sole Importers U.S.A.



## FREEGELLS COUGH DROPS MENTHOL 80CT

menthol lozenge

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:83002-004 |
| <b>Route of Administration</b> | ORAL           |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength |
|--|-------------------|----------|
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL           | 5.4 mg   |

### Inactive Ingredients

| Ingredient Name            | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) |          |

|   |  |
|---|--|
| <b>CORN SYRUP</b> (UNII: 9G5L16BK6N)          |  |
| <b>EUCALYPTOL</b> (UNII: RV6J6604TK)          |  |
| <b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)   |  |
| <b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA) |  |
| <b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD) |  |
| <b>ACACIA</b> (UNII: 5C5403N26O)              |  |
| <b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)        |  |

### Product Characteristics

|                 |      |                     |          |
|-----------------|------|---------------------|----------|
| <b>Color</b>    | blue | <b>Score</b>        | no score |
| <b>Shape</b>    | OVAL | <b>Size</b>         | 20mm     |
| <b>Flavor</b>   |      | <b>Imprint Code</b> |          |
| <b>Contains</b> |      |                     |          |

### Packaging

| # | Item Code        | Package Description                            | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:83002-004-01 | 6 in 1 CARTON                                  | 07/05/2023           |                    |
| 1 |                  | 80 in 1 BAG; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     | 07/05/2023           |                    |

**Labeler - R.L. ALBERT & SON, INC (005900899)**

Revised: 10/2025

R.L. ALBERT & SON, INC