

DOVE- clinical protection original clean antiperspirant and deodorant stick
Conopco Inc. d/b/a/ Unilever

Dove Clinical Protection Original Clean Antiperspirant & Deodorant

DOVE CLINICAL PROTECTION ORIGINAL CLEAN ANTIPERSPIRANT & DEODORANT - aluminum zirconium tetrachlorohydrex gly stick

Drug Facts

Active ingredient

Aluminum Zirconium Tetrachlorohydrex GLY (20.0 %)

Purpose

antiperspirant

Uses

- reduces underarm wetness
- extra effective

Warnings

- **For external** use only.
- **Do not use** on broken skin .
- **Ask a doctor before use if you have** kidney disease.
- **Stop use** if rash or irritation occurs.
- **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply to underarms only
- before bed, apply two clicks of product to each underarm

Other information

Do not store over 115°F

Inactive ingredients

Cyclopentasiloxane, Dimethicone, Microcrystalline Wax, Paraffin, Fragrance (Parfum),

Silica, Dimethicone Crosspolymer, Helianthus Annuus (Sunflower) Seed Oil, BHT, Benzyl Alcohol, Benzyl Salicylate, Cinnamyl Alcohol, Citronellol, Eugenol, Geraniol, Hexyl Cinnamal, Isoeugenol, Linalool

Questions?

Call toll-free 1-800-761-3683

Packaging



Dove clinical protection
The strength you need, infused with the beauty and care you expect from Dove.

- Provides clinically proven prescription strength protection against wetness
- Delivers all-day freshness through odor-fighting technology
- Soothes and conditions skin with Dove 1/4 moisturizers
- Features a signature fragrance to leave you feeling clean, fresh, and beautiful

The ultimate combination of strength & beauty.

Drug Facts	
Active Ingredient Aluminum Zirconium Tetrachlorohydrate GLY (20%)	Purpose antiperspirant
Uses • reduces underarm wetness • odor effective	
Warnings • Do not use on broken skin • Do not use on irritated skin • Ask a doctor before use if you have kidney disease • Stop use if rash or irritation occurs • Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.	
Directions • apply to underarms only • before bed, apply two dots of product to each underarm	
Other important information Do not use over 110°F	
Inactive Ingredients Cyclomethicone, Dimethicone, Helianthus Annuus Seed Oil, Paraffin, Fragrance (Parfum), Water, Potassium Chloride, Polydimethylsiloxane, Benzyl Alcohol, BHT, Benzyl Salicylate, Hexyl Cinnamal, Cinnamyl Alcohol, Citronellol, Eugenol, Geraniol, Isoeugenol, Linalool.	
Questions? call toll-free 1-800-761-3683	

Tested against a leading prescription product with 6.25% (w/v) aluminum chloride

Who is Dove clinical protection for?
Women seeking prescription strength protection from wetness, but without the irritation.

Satisfaction Guaranteed
We guarantee your full satisfaction or we will replace or refund your purchase.

1-800-761-3683
Tested against a leading prescription product with 6.25% (w/v) aluminum chloride

Actual Size

Dove
clinical protection
prescription strength wetness protection
with 1/4 moisturizers

original clean

48h odor protection anti-perspirant
ALUMINUM ZIRCONIUM TETRACHLOROXYDREX GLY
NET WT 1.7 OZ (48g)

Directions:
Dove clinical protection can be applied in the morning. For best results, apply Dove clinical protection to underarms before going to bed. While resting, the Dove clinical solid formula acclimates to the body, forming a deep level of protection. This protection lasts throughout the following day.

HYPO-ALLERGENIC
Dove and Dove clinical protection are Registered Trademarks

PETA
APPROVED
Vegan
Global Animal Test Policy

Unilever
©UNILEVER
Trumbull, CT 06611
Mfg. in Canada with US materials.
64347556

DOVE

clinical protection original clean antiperspirant and deodorant stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64942-2269
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM ZIRCONIUM TETRACHLOROXYDREX GLY (UNII: 8O386558JE) (ALUMINUM ZIRCONIUM TETRACHLOROXYDREX GLY - UNII:8O386558JE)	ALUMINUM ZIRCONIUM TETRACHLOROXYDREX GLY	20 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
EUGENOL (UNII: 3T8H1794QW)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
PARAFFIN (UNII: I9O0E3H2ZE)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
CINNAMYL ALCOHOL (UNII: SS8YOP444F)	
GERANIOL (UNII: L837108USY)	
BENZYL SALICYLATE (UNII: WAO5MNK9TU)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
ISOEUGENOL (UNII: 5M0MWY797U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64942-2269-2	1 in 1 CARTON	04/14/2023	
1	NDC:64942-2269-1	48 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M019	04/14/2023	

Labeler - Conopco Inc. d/b/a/ Unilever (001375088)

Revised: 4/2024

Conopco Inc. d/b/a/ Unilever