ALLERGY RELIEF COMPLETE- diphenhydramine hcl tablet, film coated WinCo Foods, LLC

Winco 44-329

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - itchy, watery eyes
 - runny nose
 - sneezing
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and	1 to 2
over	tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- each tablet contains: calcium 30 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions?

Call **800-824-1706** Monday - Friday 9am - 4pm MST

Principal Display Panel

WinCo® FOODS

*Compare to the active ingredient in BENADRYL® Allergy Ultratab®

COMPLETE

Allergy Relief

DIPHENHYDRAMINE HCl 25 mg/ ANTIHISTAMINE

Relieves: Sneezing, Runny Nose, Itchy, Watery Eyes & Itchy Throat

24

Minitabs

DISTRIBUTED BY:

WINCO FOODS, LLC, BOISE, ID 83704

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by JOHNSON & JOHNSON CORPORATION, distributor of BENADRYL® Allergy Ultratab®.

50844 REV0721B32908 WF2107

The Supermarket Low Price Leader®

100% SATISFACTION GUARANTEE

Comments & Questions? 800-824-1706 www.wincofoods.com

EO

EMPLOYEE-OWNED CERTIFIED

20844 REVO721B32908 WF2107

BENADRYL® Allergy Ultratab®.

JOHNSON & JOHNSON CORPORATION, distributor of This product is not manufactured or distributed by

MINCO FOODS, LLC, BOISE, ID 83704

DISTRIBUTED BY:

Comments & Questions? ON GUARANTEE



The Supermarket Low Price Leader®

800-824-1706 · www.wincofoods.com

12M mq4 - me9 QUESTIONS? Call 800-824-1706 Monday - Friday

steanc acid, talc, titanium dioxide polyethylene glycol, polyvinyl alcohol, silicon dioxide, magnesium stearate, microcrystalline cellulose, aluminum lake, dibasic calcium phosphate dihydrate, Tnactive ingredients com starch, D&C red #27

- see end flap for expiration date and lot number
 - protect from moisture

120-30°C (590-86°F)

- store at 25°C (77°F); excursions permitted between IS OPENED OR BLISTER IS TORN OR BROKEN
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE
 - esch tablet contains: calcium 30 mg

Other information

children under 6 years	asn 100 op	
children 6 to under 12 years	fablet t	
adults and children 12 years and over	steldst S of f	

- do not take more than 6 times in 24 hours ■ take every 4 to 6 hours, or as directed by a doctor
- Directions do not take more than directed

medical help or contact a Poison Control Center right Keep out of reach of children. In case of overdose, get

If pregnant or breast-feeding, ask a health professional

Orug Facts (continued)

excitability may occur, especially in children

- use caution when driving a motor vehicle or operating drowsiness
 - alcohol, sedatives, and tranquilizers may increase
 - avoid alcoholic beverages
 - marked drowsiness may occur

When using this product

sedatives or tranquilizers.

Ask a doctor or pharmacist before use if you are taking

- difficulty in unination due to enlargement of the pronchitis = glaucoma
- a breathing problem such as emphysema or chronic Ask a doctor before use if you have

even one used on skin

 with any other product containing diphenhydramine, Do not use to make a child sleepy Warnings

> Buizaaus ■ coursuou cojq: I truuù sose

- temporarily relieves these symptoms due to the ■ itching of the nose or throat Buizaaus ■
 - ідсілу, матегу еуеѕ ason ∖innun ■
 - or other upper respiratory allergies:
- temporarily relieves these symptoms due to hay fever

Anthistamine

Ophenhydramine HCI 25 mg

(in each tablet) Active ingredient

Purpose

PRODUCT INFORMATION KEEP OUTER PACKAGE FOR COMPLETE

Drug Facts



No print/No varnish

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

11

п

п

п

п

п 11

11

11

11

11 11

8-2150-329-08 REV0721B32908 WinCo

COMPLETE **Allergy Relief**

24 MINITABS

WinCo

Allerg Reli

*Compare to the active ingredient in BENADRYL® Allergy Ultratab®

> Relieves: Sneezing, Runny Nose, Itchy, Watery Eyes & Itchy Throat



ALLERGY RELIEF COMPLETE

diphenhydramine hcl tablet, film coated

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67091-200
--------------	----------------	--------------------	---------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40)	DIPHENHYDRAMINE	25 mg

(DIPHENHYDRAMINE - UNII:8GTS82S83M)

HYDROCHLORIDE

Inactive	Ingred	ients

Ш		ingredient Name	Strengtn
	STARCH CORN (LINII: 08232NY3SI)		

STARCH, CORN (UNII: 08232NY3SJ)

D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)

DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)

MAGNESIUM STEARATE (UNII: 70097M6I30)

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3MQ0SDW1A)

POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
STEARIC ACID (UNII: 4ELV7Z65AP)

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

_	_	
Product	Charact	torictice
FIUUUCL	Cilarac	rei i2rir2

Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	44;329
Contains			

P	Packaging				
#	t Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:67091- 200-24	2 in 1 CARTON	03/02/1990		
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product			
2	NDC:67091- 200-10	1 in 1 CARTON	03/02/1990		
2		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

Marketing Information			
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date			
OTC Monograph Drug	M012	03/02/1990	

Labeler - WinCo Foods, LLC (056098817)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(67091-200)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(67091-200) , pack(67091-200)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(67091-200)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(67091-200)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(67091-200)

Revised: 11/2024 WinCo Foods, LLC