

**DRMTLGY RADIANCE POWDER- titanium dioxide, zinc oxide powder  
DRMTLGY**

-----

**DRMTLGY Radiance Powder**

**DRMTLGY Radiance Powder**

**Directions** • Shake well before use  
• Apply liberally 15 minutes before sun exposure  
• Reapply:  
• Use a water resistant sunscreen if swimming or sweating  
• at least every 2 hours  
• Children under 6 months of age: Stop use and ask a doctor if rash occurs.  
• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:  
• limit your time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

**Inactive Ingredients**  
Butylacetyl Salicylate, Calcium Sodium  
Borotetraborate, Caprylic/Capric Triglyceride,  
Cetylal Glycol Dimethylacrylate,  
Dimethylacrylate/Dimethylacrylate  
Copolymer, Glycerin, Glyceryl  
Stearate (Lecithin) Root Extract, Iron  
Oxide, Isocyanate-10, Isodecyl Salicylate,  
Menthone, Mica, Mucic acid,  
Octyldecyl, Phenylpropanol,  
Physalis Angulata Extract,  
Polyvinylpyrrolidone, Propylene Glycol,  
Squalene, Silica, Sodium Hydroxide,  
Tocopherol, Triethyl Salicylate

**Uses** • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decrease the risk of skin cancer and early skin aging caused by the sun

# DRMTLGY Radiance Powder

<b>Drug Facts</b>	
Active Ingredients	Purpose
Hydroquinone 12.5%	Lightens
Retinol 0.5%	Smooths
Vitamin C 10%	Brightens

# DRMTLGY Radiance Powder

**Warnings**

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

# DRMTLGY Radiance Powder

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Titanium Dioxide 12.52%	Sunscreen
Zinc Oxide 27.55%	Sunscreen

# DRMTLGY Radiance Powder

**Warnings**

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

# DRMTLGY Radiance Powder

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Titanium Dioxide 12.50%.....	Sunscreen
Zinc Oxide 22.50%.....	Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures, this sunscreen decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b>	
• For external use only.	
• Do not use on damaged or broken skin.	
• When using this product keep out of eyes. Rinse with water to remove.	
• Stop use and ask a doctor if skin rash occurs.	
• Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Shake well before use	
• Apply liberally 15 minutes before sun exposure	
• Reapply	
• Use a water resistant sunscreen if swimming or sweating	
• at least every 2 hours	
• Children under 6 months of age: Stop use and ask a doctor if rash occurs.	
• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit your time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other Information</b>	
• Protect the product in this container from excessive heat and direct sun	
<b>Inactive Ingredients</b>	
Butylparaben, Salicylic Acid, Calcium Sodium Borosilicate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Glycol, Glycerin, Glycerol Stearate (Licorice) Root Extract, Iron Oxides, Isocetane-10, Isodecyl Salicylate, Methicone, Mica, Niacinamide, Polydimethylsiloxane, Polymethylsiloxane, Propylparaben, Resorcinol, Silica, Sodium Hyaluronate, Tocopherol, Zinc Oxide, Zinc Stearate	
<b>Questions or comments?</b>	
Call 808.607.1600	

# DRMTLGY RADIANCE POWDER

titanium dioxide, zinc oxide powder

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83286-191
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.125 g in 1 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.225 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIDECYL SALICYLATE</b> (UNII: AZQ08K38Z1)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>ISOCETETH-10</b> (UNII: 1K92T9919H)	
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)	
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)	
<b>PHYSALIS ANGULATA</b> (UNII: W4TKW9D5GG)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>RESVERATROL</b> (UNII: Q369O8926L)	
<b>GLYCYRRHIZA GLABRA</b> (UNII: 2788Z9758H)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>ISODECYL SALICYLATE</b> (UNII: S7097PPF4C)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

## Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83286-191-02	1 in 1 CARTON	03/18/2024	
1	NDC:83286-191-01	6.5 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/18/2024	

**Labeler** - DRMTLGY (094762235)

**Registrant** - Nanophase Technologies Corporation (623502044)

### Establishment

Name	Address	ID/FEI	Business Operations
Nanophase Technologies Corporation		050383046	api manufacture(83286-191)

### Establishment

Name	Address	ID/FEI	Business Operations
Nanophase Technologies Corporation		118812921	manufacture(83286-191) , pack(83286-191)

### Establishment

Name	Address	ID/FEI	Business Operations
Nanophase Technologies Corporation		623502044	api manufacture(83286-191) , manufacture(83286-191)

Revised: 4/2024

DRMTLGY