

**DRMTLGY RADIANCE POWDER- titanium dioxide, zinc oxide powder
DRMTLGY**

DRMTLGY Radiance Powder

DRMTLGY Radiance Powder

Directions • Shake well before use
• Apply liberally 15 minutes before sun exposure
• Reapply:
• Use a water resistant sunscreen if swimming or sweating
• at least every 2 hours
• Children under 6 months of age: Stop use and ask a doctor if rash occurs.
• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
• limit your time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients
Butylacetyl Salicylate, Calcium Sodium Borate/Borate, Caprylic/Capric Triglyceride, Cetylal Glycol Dimethylsiloxane, Dimethicone/Vinyl Dimethylsiloxane Crosspolymer, Glycerin, Glycerin Hexa (1,3-Octyl) Root Extract, Iron Oxide, Isocyanate-10, Isodecyl Salicylate, Menthone, Mica, Mucic Acid, Octyldecyl Alcohol, Phenylpropanol, Physalis Angulata Extract, Polymethylsilsesquioxane, Propylene Glycol, Stearic Acid, Sodium Hydroxide, Tocopherol, Triethyl Salicylate

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decrease the risk of skin cancer and early skin aging caused by the sun

DRMTLGY Radiance Powder

Drug Facts	
Active Ingredients	Purpose
Hydroquinone 12.5%	Lightens
Salicylic Acid 2.5%	Exfoliates

DRMTLGY Radiance Powder

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DRMTLGY Radiance Powder

Drug Facts	
Active Ingredients	Purpose
Titanium Dioxide 12.52%	Sunscreen
Zinc Oxide 27.55%	Sunscreen

DRMTLGY Radiance Powder

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DRMTLGY Radiance Powder

Drug Facts	
Active Ingredients	Purpose
Titanium Dioxide 12.50%.....	Sunscreen
Zinc Oxide 22.50%.....	Sunscreen
Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings <ul style="list-style-type: none">• For external use only.• Do not use on damaged or broken skin.• When using this product keep out of eyes. Rinse with water to remove.• Stop use and ask a doctor if skin rash occurs.• Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Shake well before use <ul style="list-style-type: none">• Apply liberally 15 minutes before sun exposure.• Reapply.• Use a water resistant sunscreen if swimming or sweating.• At least every 2 hours.• Children under 6 months of age: Stop use and ask a doctor if rash occurs.• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:<ul style="list-style-type: none">• Limit your time in the sun, especially from 10 a.m. - 2 p.m.• Wear long-sleeved shirts, pants, hats, and sunglasses.	
Other Information <ul style="list-style-type: none">• Protect the product in this container from excessive heat and direct sun.	
Inactive Ingredients Butylglycol Salicylate, Calcium Sodium Borosulfate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Glycol, Glycerin, Glycerin Stearate (Licorice) Root Extract, Iron Oxides, Isocetyl-10, Isodecyl Salicylate, Methicone, Mica, Niacinamide, Polydimethylsiloxane, Polymethylsiloxane, Propylparaben, Resorcinol, Silica, Sodium Hyaluronate, Tocopherol, Zinc Oxide Salicylate.	
Questions or comments? Call 808.607.1600	

DRMTLGY RADIANCE POWDER

titanium dioxide, zinc oxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83286-191
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.125 g in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.225 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
TRIDECYL SALICYLATE (UNII: AZQ08K38Z1)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
ISOCETETH-10 (UNII: 1K92T9919H)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
PHYSALIS ANGULATA (UNII: W4TKW9D5GG)	
PROPANEDIOL (UNII: 5965N8W85T)	
RESVERATROL (UNII: Q369O8926L)	
GLCYRRHIZA GLABRA (UNII: 2788Z9758H)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
NIACINAMIDE (UNII: 25X51I8RD4)	
ISODECYL SALICYLATE (UNII: S7097PPF4C)	
TOCOPHEROL (UNII: R0ZB2556P8)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83286-191-02	1 in 1 CARTON	03/18/2024	
1	NDC:83286-191-01	6.5 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/18/2024	

Labeler - DRMTLGY (094762235)

Revised: 9/2025

DRMTLGY