

**MINOXIDIL TOPICAL SOLUTION 2%- minoxidil topical solution 2% solution  
SUN PHARMACEUTICAL INDUSTRIES, INC.**

-----  
**Drug Facts**

**Active ingredient**

Minoxidil USP 2% w/v

**Purpose**

Hair regrowth treatment

**Use**

to regrow hair on the scalp

**Warnings**

**For external use only.**

**Flammable:**Keep away from fire or flame

**Do not use if**

- your degree of hair loss is different than that shown on the side of this carton, because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have** heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results.
- the amount of hair regrowth is different for each person.

This product will not work for everyone

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**

### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

### **Other information**

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- In clinical studies of mostly white women aged 18 to 45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 19% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 8 months (19% had moderate regrowth; 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using the placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth).
- store at controlled room temperature 20° to 25° C (68° to 77° F)

### **Inactive ingredients**

alcohol (59.85% v/v), propylene glycol, purified water

### **Questions?**

Call toll-free **1-866-923-4914**

### **Package/Label Principal Display Panel**

NDC 51672-2152-4

Women's Minoxidil Topical Solution USP, 2%

HAIR REGROWTH TREATMENT

REACTIVATES HAIR FOLLICLES TO STIMULATE REGROWTH

CLINICALLY PROVEN TO HELP REGROW HAIR

UNSCENTED

One Month Supply

One 60 mL (2 fl oz) Bottle

114  
10-0325-01

**Drug Facts (continued)**

**Other information**

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- In clinical studies of mostly white women aged 18 to 45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 12% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 8 months (15% had moderate regrowth, 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using the placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth, 23% had minimal regrowth).
- store at controlled room temperature 20° to 25° C (68° to 77° F)

**Inactive ingredients**  
alcohol (9.85% w/v), propylene glycol, purified water

**Questions?**  
• Call toll-free 1-888-923-4914

Women's Minoxidil Topical Solution USP 2% is for women who have a general thinning of hair on the top of the scalp as shown below.

Women's Minoxidil Topical Solution USP 2% has been shown to regrow hair in women with the following degrees of thinning hair or hair loss.



If women have more hair loss than shown above, Women's Minoxidil Topical Solution USP 2% may not work.



Do not use if you have patchy hair loss as shown above.

Women's  
**Minoxidil Topical Solution USP, 2%**  
HAIR REGROWTH TREATMENT

NDC 51672-2152-4

**ohm**  
LABORATORIES INC.  
a SUN PHARMA company

Women's  
**Minoxidil Topical Solution USP, 2%**  
HAIR REGROWTH TREATMENT

REACTIVATES HAIR FOLLICLES TO STIMULATE REGROWTH

CLINICALLY PROVEN TO HELP REGROW HAIR

UNSCENTED

**Topical Solution**

#1 DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT\*

One Month Supply  
One 60 mL (2 fl oz) Bottle

\*OHM and OHM Logo are trademarks of Ohm Laboratories, Inc. All other trademarks are the property of their respective owners.  
†In the U.S. Source: AlphaImpactRx

Distributed by:  
Ohm Laboratories Inc.  
New Brunswick, NJ 08901  
Made in Israel

**THIS PACKAGE CONTAINS**



- One 60 mL (2 fl oz) Bottle of Women's Minoxidil Topical Solution USP, 2% (one month supply)
- One child-resistant dropper applicator
- Information leaflet with complete directions on how to use and obtain best results

**Drug Facts**

Active ingredient	Purpose
Minoxidil USP 2% w/v	Hair regrowth treatment

**Use**  
to regrow hair on the scalp

**Warnings**  
For external use only.  
Flammable: Keep away from fire or flame

**Do not use if**

- your degree of hair loss is different than that shown on the side of this carton, because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp.

**Ask a doctor before use if you have heart disease**

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for everyone.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222)

**Directions**

- apply one mL, with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again



N 3 51672-21524 8

THIS FLAP FOR LOT # AND EXP DATE PRINT

## MINOXIDIL TOPICAL SOLUTION 2%

minoxidil topical solution 2% solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51672-2152
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>			<b>Basis of Strength</b>	<b>Strength</b>
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)			MINOXIDIL	20 mg in 1 mL
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
ALCOHOL (UNII: 3K9958V90M)				
WATER (UNII: 059QF0K00R)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51672-2152-4	1 in 1 CARTON	09/01/2025	
1		60 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		
2	NDC:51672-2152-9	3 in 1 CARTON	09/01/2025	
2		60 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA218175		09/01/2025	

**Labeler** - SUN PHARMACEUTICAL INDUSTRIES, INC. (146974886)

### **Establishment**

Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries Ltd.		600072078	manufacture(51672-2152)

Revised: 12/2025

SUN PHARMACEUTICAL INDUSTRIES, INC.