

LIQUID BANDAGE- benzethonium chloride plus dyclonine hydrochloride liquid
WinCo Foods LLC

WinCo Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%
Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic
Topical analgesic

Uses

- first aid to prevent bacterial contamination in minor cuts, scrapes and burns
- for the temporary relief of pain

Warnings

For external use only.

Flammable:

Keep away from fire or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds
- deep cuts
- animal bites
- serious burns

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- conditions persists or gets worse
- infection occurs
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- for adults and children 2 years of age and older
- clean affected area
- apply a small amount on the area 1 to 3 times daily and let dry
- a second coating may be applied for extra protection
- children under 2 years of age: consult a doctor

Other information

- cap bottle tightly
- store between 20° to 25°C (68° to 77°F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions

Call 1-866-964-0939

Principal Display Panel

WinCo

Foods

Liquid Bandage

FIRST AID ANTISEPTIC/ BENZETHONIUM CHLORIDE 0.2%

TOPICAL ANALGESIC / DYCLONINE HYDROCHLORIDE 0.75%

Kills 99.9% of germs to help prevent infection

Helps Prevent Infection with an Invisible,

Flexible, Water-Resistant Barrier

For Small Cuts & Wounds

TOPICAL ANALGESIC & ANTISEPTIC

SEALS TO PROTECT

0.3 FL OZ (9mL)



Compare to the active ingredient in COMPOUND W



MAXIMUM STRENGTH Liquid Wart Remover

SALICYLIC ACID 17%

53-012WO

DISTRIBUTED BY:
WINCO FOODS, LLC,
BOISE, ID 83704
**MADE IN USA WITH U.S.
AND IMPORTED PARTS**



MAXIMUM STRENGTH Liquid Wart Remover

SALICYLIC ACID 17%

Removes Common & Plantar Warts

Convenient Brush Applicator

Safe & Effective for Use on Feet & Hands

NET 0.31 FL. OZ. (9 mL)

CARE:

- Wipe top of bottle clean after each use
- For optimal use, discard when signs of wart no longer appear
- Avoid surrounding skin when applying product
- Do not allow to come into contact with fabrics, floors, countertops or other surfaces - will stain

*This product is not manufactured or distributed by PRESTIGE CONSUMER HEALTHCARE, INC., owner of the registered trademark Compound W®.



100% SATISFACTION GUARANTEE
Comments & Questions? www.wincofoods.com

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

Questions? Call 800-824-1706 Monday - Friday 9am - 4pm MST

Active Ingredient Salicylic acid 17% w/w
Purpose Wart remover

Use ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough, cauliflower-like appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings
 For external use only.
 Flammable
 ■ keep away from fire or flame
 ■ cap bottle tightly and store at room temperature away from heat

Do not use
 ■ if you are diabetic or have poor blood circulation
 ■ on genital warts and warts on the face
 ■ on moles, birthmarks and warts with hair growing from them
 ■ on mucous membranes
 ■ on irritated, infected or reddened skin

When using this product
 ■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes
 ■ avoid inhaling vapors


Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ wash affected area, may soak wart in warm water for 5 minutes
 ■ dry area thoroughly
 ■ carefully apply one drop at a time with applicator to sufficiently cover each wart
 ■ do not apply to face or neck
 ■ let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

Other information
 ■ store between 20°C - 25°C (68° - 77°F)
 ■ close tightly to prevent solidification
 ■ store in a cool place

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose



LIQUID BANDAGE

benzethonium chloride plus dyclonine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67091-751
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	2 mg in 1 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)	DYCLONINE HYDROCHLORIDE	7.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ACETONE (UNII: 1364PS73AF)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
CASTOR OIL (UNII: D5340Y2I9G)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
PYROXYLIN (UNII: KYR8BR2X6O)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-751-09	1 in 1 CARTON	04/11/2024	
1		9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	04/11/2024	

Labeler - WinCo Foods LLC (056098817)

Revised: 10/2025

WinCo Foods LLC