

LIQUID WART REMOVER- salicylic acid liquid
WinCo Foods LLC

WinCo Liquid Wart Remover

Active ingredient

Salicylic acid 17% w/w

Purpose

Wart remover

Uses

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

Do not use

- if you are diabetic or have poor blood circulation
- on genital warts and warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes
- on irritated, infected or reddened skin

When using this product

- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- carefully apply one drop at a time with applicator to sufficiently cover each wart
- do not apply to face or neck
- let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

Other information

store between 20° to 25°C (68° - 77°F)

- close tightly to prevent solidification
- store in a cool place

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 800-824-1706 Monday-Friday 9am-4pm MST

Principal Display Panel

WinCO

Foods

MAXIMUM STRENGTH

Liquid Wart

Remover

Salicylic Acid 17%

Removed Common & Plantar Warts

Convenient Brush Applicator

Safe & Effective for Use on Feet & Hands

NET 0.31 FL. OZ. (9mL)



Liquid Wart Remover

SALICYLIC ACID 17%

53-012WO

DISTRIBUTED BY:
WINCO FOODS, LLC,
BOISE, ID 83704
**MADE IN USA WITH U.S.
AND IMPORTED PARTS**

**WinCo
FOODS**
MAXIMUM STRENGTH
**Liquid Wart
Remover**

SALICYLIC ACID 17%

Removes Common & Plantar Warts
.....
Convenient Brush Applicator
.....
Safe & Effective for Use on Feet & Hands

NET 0.31 FL. OZ. (9 mL)

CARE:

- Wipe top of bottle clean after each use
- For optimal use, discard when signs of wart no longer appear
- Avoid surrounding skin when applying product
- Do not allow to come into contact with fabrics, floors, countertops or other surfaces - will stain.

*This product is not manufactured or distributed by PRESTIGE CONSUMER HEALTHCARE, INC., owner of the registered trademark Compound W®.

100% SATISFACTION GUARANTEE
Comments & Questions? www.wincofoods.com



IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

Drug Facts

Active ingredient Salicylic acid 17% w/v.....Wart remover

Purpose

Use ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough, cauliflower-like appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings
For external use only.
Flammable
■ keep away from fire or flame
■ cap bottle tightly and store at room temperature away from heat

Do not use
■ if you are diabetic or have poor blood circulation
■ on genital warts and warts on the face
■ on moles, birthmarks and warts with hair growing from them
■ on mucous membranes ■ on irritated, infected or reddened skin

When using this product
■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ wash affected area, may soak wart in warm water for 5 minutes ■ dry area thoroughly
■ carefully apply one drop at a time with applicator to sufficiently cover each wart ■ do not apply to face or neck
■ let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

Other information
■ store between 20°-25°C (68°-77°F)
■ close tightly to prevent solidification ■ store in a cool place

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions? Call 800-824-1706 Monday - Friday 9am - 4pm MST

DO NOT USE IF NECKBAND IS BROKEN

DO NOT USE IF NECKBAND IS BROKEN

Active ingredient: Salicylic acid (17% w/w) **Purpose:** Wart remover **Use:** For the removal of common and plantar warts. The common wart is easily recognized by the rough, cauliflower-like appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern. **Warnings:** For external use only. **Flammable:** Keep away from fire or flame. **Cap bottle tightly** and store at room temperature away from heat.

WinCo
FOODS

MAXIMUM
STRENGTH
**Liquid
Wart
Remover**

SALICYLIC ACID 17%

NET 0.31 FL. OZ. (9 mL)

Do not use this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist. **Do not use** on irritated, infected or reddened skin or on moles, birthmarks, warts with hair growing from them, genital warts, warts on the face and mucous membranes.

When using this product avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors. **Stop use and ask a doctor** if discomfort persists. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Wash affected area, may soak wart in warm water for 5 minutes. Dry area thoroughly. Carefully apply one drop at a time with applicator to sufficiently cover each wart. Let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks. **Other**

Information: Store between 20° – 25°C (68° – 77°F). Close tightly to prevent solidification. Store in a cool place.

Inactive ingredients: camphor, castor oil, ethanol, ethyl ether, nitrocellulose **Questions?** Call 800-824-1706

Keep packaging for complete drug facts information. Do not allow to come into contact with fabrics, floors, countertops or other surfaces — will stain.

DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 83704

MADE IN USA WITH U.S. AND IMPORTED PARTS

WF2301

50-012WO

LIQUID WART REMOVER

salicylic acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67091-752
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
CASTOR OIL (UNII: D5340Y2I9G)	
ETHER (UNII: 0F5N573A2Y)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-752-09	1 in 1 CARTON	04/11/2024	

1	9 mL in 1 BOTTLE, WITH APPLICATOR; Type O: Not a Combination Product		
---	--	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	04/11/2024	

Labeler - WinCo Foods LLC (056098817)

Revised: 4/2024

WinCo Foods LLC