

**LIQUID WART REMOVER- salicylic acid liquid**  
**WinCo Foods LLC**

-----  
**WinCo Liquid Wart Remover**

***Active ingredient***

Salicylic acid 17% w/w

***Purpose***

Wart remover

***Uses***

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

***Warnings***

For external use only.

**Flammable**

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

**Do not use**

- if you are diabetic or have poor blood circulation
- on genital warts and warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes
- on irritated, infected or reddened skin

**When using this product**

- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors

**Stop use and ask doctor if**

discomfort persists.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- carefully apply one drop at a time with applicator to sufficiently cover each wart
- do not apply to face or neck
- let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

**Other information**

store between 20° to 25°C (68° - 77°F)

- close tightly to prevent solidification
- store in a cool place

**Inactive ingredients**

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

**Questions?**

Call 800-824-1706 Monday-Friday 9am-4pm MST

**Principal Display Panel**

WinCO

Foods

MAXIMUM STRENGTH

Liquid Wart

Remover

Salicylic Acid 17%

Removed Common & Plantar Warts

Convenient Brush Applicator

Safe & Effective for Use on Feet & Hands

NET 0.31 FL. OZ. (9mL)



# Liquid Wart Remover

SALICYLIC ACID 17%

53-012WO

**DISTRIBUTED BY:**  
WINCO FOODS, LLC,  
BOISE, ID 83704  
**MADE IN USA WITH U.S.  
AND IMPORTED PARTS**

**WinCo  
FOODS**  
MAXIMUM STRENGTH  
**Liquid Wart  
Remover**

SALICYLIC ACID 17%

Removes Common & Plantar Warts

Convenient Brush Applicator

Safe & Effective for Use on Feet & Hands

NET 0.31 FL. OZ. (9 mL)

## CARE:

- Wipe top of bottle clean after each use
- For optimal use, discard when signs of wart no longer appear
- Avoid surrounding skin when applying product
- Do not allow to come into contact with fabrics, floors, countertops or other surfaces -- will stain

**100% SATISFACTION GUARANTEE**  
Comments & Questions? [www.wincofoods.com](http://www.wincofoods.com)

\*This product is not manufactured or distributed by PRESTIGE CONSUMER HEALTHCARE, INC., owner of the registered trademark Compound W®.



**IMPORTANT: CLOSE CAP TIGHTLY AFTER USE**

**DO NOT USE IF NECKBAND IS BROKEN**

## Drug Facts

### Active Ingredient

Salicylic acid 17% w/v.....Wart remover

### Purpose

■ for the removal of common and plantar warts. The common

Use ■ is easily recognized by the rough cauliflower-like appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

### Warnings

For external use only.

■ keep away from fire or flame  
■ cap bottle tightly and store at room temperature away from heat

Do not use

■ if you are diabetic or have poor blood circulation

■ on genital warts and warts on the face

■ on moles, birthmarks and warts with hair growing from them

■ on mucous membranes

■ on irritated, infected or reddened skin

When using this product

■ avoid contact with eyes. If product gets into the eye, flush with water

for 15 minutes

■ avoid inhaling vapors

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or

contact a Poison Control Center right away.

Directions

■ wash affected area, may soak wart in warm

water for 5 minutes

■ dry area thoroughly

■ carefully apply one drop at a time with applicator to sufficiently cover

each wart

■ do not apply to face or neck

■ let dry and repeat this procedure once or twice daily as needed until

wart is removed for up to 12 weeks

Other information

■ store between 20°-25°C (68°-77°F)

■ close tightly to prevent solidification

■ store in a cool place

Inactive ingredients

nitrocellulose

camphor, castor oil, ethanol, ethyl ether,

Questions? Call 800-824-1706 Monday - Friday 9am - 4pm MST



# LIQUID WART REMOVER

salicylic acid liquid

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:67091-752
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)			SALICYLIC ACID	170 mg in 1 mL
Inactive Ingredients				
Ingredient Name				Strength
PYROXYLIN (UNII: KYR8BR2X6O)				
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)				
CASTOR OIL (UNII: D5340Y2I9G)				
ETHER (UNII: 0F5N573A2Y)				
ALCOHOL (UNII: 3K9958V90M)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-752-09	1 in 1 CARTON	04/11/2024	
		0.31 FL. OZ. (9 mL) BOTTLE WITH APPLICATOR; Type 0; Not a		

1	9 mL in 1 BOTTLE, WITH APPLICATOR; Type O: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	04/11/2024	

**Labeler -** WinCo Foods LLC (056098817)