

TOPCARE SLEEP AID- doxylamine succinate tablet
Topco Associates LLC

Topco Associates LLC. Sleep Aid Tablets Drug Facts

Active ingredient (in each tablet)

Doxylamine succinate 25 mg

Purpose

Nighttime sleep-aid

Use

- helps to reduce difficulty in falling asleep

Warnings

Do not use

in children under 12 years of age

Ask a doctor before use if you have

- a breathing problem such as asthma, emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking any other drugs

When using this product

- avoid alcoholic beverages
- take only at bedtime

Stop use and ask a doctor if

- sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years of age and over: take one tablet 30 minutes before going to bed; take once daily or as directed by a doctor
- children under 12 years of age: do not use

Other information

- store at 68°-77°F (20°-25°C)
- retain in carton until time of use
- see carton end panel for lot number and expiration date

Inactive ingredients

anhydrous dibasic calcium phosphate, dibasic calcium phosphate dihydrate, FD&C blue no. 1 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

Questions or comments?

1-888-423-0139

Principal Display Panel

TopCare® health

COMPARE TO UNISOM® SLEEPTABS® ACTIVE INGREDIENT

NIGHTTIME

Sleep Aid

DOXYLAMINE SUCCINATE TABLETS, 25 mg

NIGHTTIME SLEEP-AID

- Clinically Tested, Proven Effective
- One Tablet Per Dose

32 TABLETS

actual size

This product is not manufactured or distributed by Chatham, Inc., distributor of Unisom® SleepTabs®.



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.



Scan here for more information or call 1-888-423-0139



DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE
IL 60007
@TOPCO P BR A0521
QUESTIONS?
1-888-423-0139
topcare@topco.com
www.topcarebrand.com

Questions or comments? 1-888-423-0139

Inactive ingredients anhydrous dibasic calcium phosphate, dibasic calcium phosphate dihydrate, FD&C blue no. 1 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

Other information
■ store at 68°-77°F (20°-25°C)
■ retain in carton until time of use
■ see carton end panel for lot number and expiration date

Directions
■ adults and children 12 years of age and over: take one tablet 30 minutes before going to bed; take once daily or as directed by a doctor
■ children under 12 years of age: do not use

Drug Facts (continued)

Drug Facts
Active ingredient (in each tablet) Purpose
Doxylamine succinate 25 mg.....Nighttime sleep-aid
Use
■ helps to reduce difficulty in falling asleep
Warnings
Do not use in children under 12 years of age
Ask a doctor before use if you have
■ a breathing problem such as asthma, emphysema or chronic bronchitis
■ glaucoma
■ trouble urinating due to an enlarged prostate gland
Ask a doctor or pharmacist before use if you are taking any other drugs
When using this product
■ avoid alcoholic beverages
■ take only at bedtime
Sleep and ask a doctor if
■ sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN. IF DIFFICULT TO OPEN, USE SCISSORS.

CONVENIENT RECLOSING TAB

OPEN OTHER END

00016 / 19234

44164 88 C7



NIGHTTIME

Sleep Aid

DOXYLAMINE SUCCINATE TABLETS, 25 mg
NIGHTTIME SLEEP-AID



COMPARE TO UNISOM® SLEEPTABS® ACTIVE INGREDIENT*

NIGHTTIME

Sleep Aid

DOXYLAMINE SUCCINATE TABLETS, 25 mg
NIGHTTIME SLEEP-AID

- Clinically Tested, Proven Effective
- One Tablet Per Dose

32 TABLETS

actual size



NDC 36800-441-64



TOPCARE SLEEP AID

doxylamine succinate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-441
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOXYLAMINE SUCCINATE (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	25 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Product Characteristics

Color	BLUE	Score	no score
Shape	OVAL	Size	10mm
Flavor		Imprint Code	L441
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-441-64	32 in 1 CARTON	01/29/1997	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA040167	01/29/1997	

Labeler - Topco Associates LLC (006935977)

Revised: 1/2023

Topco Associates LLC