

**TOPCARE SLEEP AID- doxylamine succinate tablet**  
**Topco Associates LLC**

-----  
**Topco Associates LLC. Sleep Aid Drug Facts**

**Active ingredient (in each tablet)**

Doxylamine succinate 25 mg

**Purpose**

Nighttime sleep-aid

**Use**

- helps to reduce difficulty in falling asleep

**Warnings**

**Do not use**

- in children under 12 years of age
- with any other product containing doxylamine
- unless you have time for a full night's sleep

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

taking

- a sedative or any other sleep-aid
- tranquilizers
- any other antihistamines
- any other drugs

**When using this product**

- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery
- take only at bedtime

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- adults and children 12 years of age and over: take one tablet 30 minutes before going to bed; take once daily or as directed by a doctor
- children under 12 years of age: do not use

**Other information**

- store at 20°-25°C (68°-77°F)
- keep carton. It contains important information.

**Inactive ingredients**

anhydrous dibasic calcium phosphate, dibasic calcium phosphate dihydrate, FD&C blue no. 1 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

**Questions or comments?**

**1-888-423-0139**

**Principal Display Panel**

TopCare® health

COMPARE TO UNISOM® SLEEPTABS® ACTIVE INGREDIENT

NIGHTTIME

Sleep Aid

DOXYLAMINE SUCCINATE TABLETS, 25 mg

NIGHTTIME SLEEP-AID

- Clinically Tested, Proven Effective
- One Tablet Per Dose

32 TABLETS

actual size

OPEN OTHER END

44164 88 C8



DISTRIBUTED BY  
TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE  
L 6007  
©TOPCO PERA0423  
QUESTIONS?  
1-888-423-0139  
topcare@topco.com  
www.topcarebrand.com



Scan here for more information or call 1-888-423-0139



GLUTEN FREE QUANTITY GUARANTEED

CONVENIENT RECLOSING TAB

**Drug Facts (continued)**

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.
- If pregnant or breast-feeding, ask a health professional before use.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- adults and children 12 years of age and over: take one tablet 30 minutes before going to bed; take once daily or as directed by a doctor
- children under 12 years of age: do not use

**Other information**

- store at 20°-25°C (68°-77°F)
- keep carton. It contains important information.

**Inactive ingredients** anhydrous dibasic calcium phosphate, dibasic calcium phosphate dihydrate, FD&C blue no. 1 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

**Questions or comments?** 1-888-423-0139

◀ This product is not manufactured or distributed by Chatham, Inc., a Sanofi Company, distributor of Unisom® Sleep Tabs®.

**Drug Facts**

**Active ingredient**  
(in each tablet)  
Doxylamine succinate 25 mg.....Nighttime sleep-aid

**Use**  
helps to reduce difficulty in falling asleep

**Warnings**  
Do not use  
in children under 12 years of age  
with any other product containing doxylamine  
unless you have time for a full night's sleep  
Ask a doctor before use if you have  
a breathing problem such as emphysema or chronic bronchitis  
glaucoma  
trouble urinating due to an enlarged prostate gland  
Ask a doctor or pharmacist before use if you are taking  
a sedative or any other sleep-aid  
tranquilizers  
any other antihistamines  
any other drugs

**When using this product**  
do not drive a motor vehicle or operate machinery  
avoid alcoholic beverages  
take only at bedtime

DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN, IF DIFFICULT TO OPEN, USE SCISSORS.



# NIGHTTIME Sleep Aid

DOXYLAMINE SUCCINATE TABLETS, 25 mg  
NIGHTTIME SLEEP-AID



COMPARE TO UNISOM® SLEEPTABS® ACTIVE INGREDIENT\*

# NIGHTTIME Sleep Aid

DOXYLAMINE SUCCINATE TABLETS, 25 mg  
NIGHTTIME SLEEP-AID

- Clinically Tested, Proven Effective
- One Tablet Per Dose

32 TABLETS



NDC 36800-441-64





# TOPCARE SLEEP AID

doxylamine succinate tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-441
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	25 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS DIBASIC CALCIUM PHOSPHATE</b> (UNII: L11K75P92J)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SODIUM STARCH GLYCOLATE TYPE A</b> (UNII: H8AV0SQX4D)	

## Product Characteristics

<b>Color</b>	BLUE	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	L441
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-441-64	32 in 1 CARTON	01/29/1997	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

ANDA

ANDA040167

01/29/1997

**Labeler** - Topco Associates LLC (006935977)

Revised: 2/2025

Topco Associates LLC