BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE- liquid bandage liquid Harris Teeter, LLC

Harris Teeter Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic

Topical analgesic

Uses

• first aid to prevent bacteria contamination in minor cuts and scrapes

Warnings

For external use only.

Flammable:

do not use while smoking or near heat or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

Ask a doctor before use if you have

- deep puncture wounds
- deep cuts
- animal bites
- serious bleeding
- diabetes
- poor circulation
- serious burns

When using this product

do not sotre at temperaure above 120 °F

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Stop use and ask a doctor if

- conditions persists or gets worse
- infection occurs

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- Clean affected area
- apply a small amount on the area 1-3 times daily
- let dry
- a second coating may be applied for extra protection
- to remove, apply more Liquid Bandage and quickly wipe off
- finger nail polish remover may dissolve Liquid Bandage

Other information

- cap bottle tightly
- store at room temperature away from heat
- may temporarily sting upon application
- do not allow to come in contact with floors, countertops, or other finished surfaces will stain

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD slcohol 40

Questions

Call 1-866-964-0939

Principal Display Panel

Harris Teeter

For Small Cuts & Wounds

Liquid Bandage

Antiseptic To Help Prevent Infection

- Invisible
- Waterproof


- Flexible
- Easy to use

Use liquid bandage for:

blisters, chapped & cracked finger tips, hangnails, paper cuts & shaving nicks Also used by:

bowlers, dancers, fishermen, golfers, hikers, musicians, runners and tennis players

0.3 FL OZ (9 mL)



■ clean affected area	en 2 years of age and older	■ for adults and childr	Directions
lp or call a Poison	swallowed, get medical he		Keep out of r Control Cente
	ays or clear up and occur agai		
	d contact with eyes	this product a avoid	
spu eeeb cnts	e a deep or puncture wour		Ask a doctor l ■ animal bites
	er large areas of the body	in the eyes	
.eme	e: Keep away from fire or fla		Warnings For external
■ first sid to prevent bacterial contamination in minor cuts, scrapes and burns ■ for the temporary relief of pain			
First aid antisepticTopical analgesic		rochloride 0.75%	
Active ingredients Benzethonium chloride 0.2%			
_			Drug Fa
D I BBOKEN	<u>NECKBAN</u>	NZE IŁ	TON 00

BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE

liquid bandage liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69256-037
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII: 1VU15B70BP)	BENZ ETHONIUM CHLORIDE	0.2 mg in 9 mL	
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q30O)	DYCLONINE HYDROCHLORIDE	0.75 mg in 9 mL	

Inactive Ingredients			
Ingredient Name	Strength		
PYROXYLIN (UNII: KYR8BR2X6O)			
ALCOHOL (UNII: 3K9958V90M)			
ACETONE (UNII: 1364PS73AF)			
AMYL ACETATE (UNII: 92Q24NH7AS)			
CASTOR OIL (UNII: D5340Y2I9G)			
ETHYL ACETATE (UNII: 7684508NMZ)			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69256- 037-03	9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	07/10/2014	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	07/10/2014	

Labeler - Harris Teeter, LLC (048463103)

Revised: 12/2024 Harris Teeter, LLC