# ALLERGIEMITTEL- cardiospermum halicacabum flowering top, galphimia glauca flowering top, luffa operculata fruit tablet Schwabe Mexico S.A. de C.V.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

### Allergiemittel Tablets

Cardiospermum halicabum 3X

Galphimia glauca 3X

Luffa operculate 4X

Inactive Ingredients:

Lactose monohydrate

Magnesium stearate

Microcrystalline cellulose

### **OTC** Purpose

Temporarily relieves minor allergic symptoms: sneezing, runny, stuffy, itchy nose, red, itchy, watery eyes, scratchy throat.

Keep out of reach of children.

### Indications and Usage:

For temporary relief of minor allergic symptoms such as sneezing; runny, stuffy, itchy nose; red, watery, or itching eyes; scratchy throat.

Stop use and ask a doctor if symptoms worsen, do not improve, are accompanied by a fever, or if new symptoms occur..

In the event of severe allergic reactions, consult a doctor immediately.

### Dosage and Administration:

Sublingual medication: Place under tongue and let dissolve.

Take before exposure to allergen or as soon after symptoms appear as possible, at least 15 minutes before or half an hour after eating, brushing teeth, or drinking anything except water.

Adults and Children 12 Years and older: Take 1 tablet every hour until symptoms subside, then 1 tablet 3 times per day until relieved.

Children 6 to 12: Take 1/2 tablet every hour until symptoms subside, then 1/2 tablet 2 times a day until relieved.

Children under 2: Consult a doctor.

Preventative use: Take 4-6 weeks before allergy season starts: 1 tablet 3 times a day

### Pregnancy or Breast Feeding:

If pregnany or breastfeeding, ask a healthcare professional before use.

### Overdosage:

In case of overdose, seek medical help or contact a Poison Control Center immediately.

### Ask the Doctor:

Stop use and ask a doctor if symptoms worsen, do not improve, are accompanied by a fever, or if new symptoms occur.

In the event of severe allergic reactions, consult a doctor immediately.

# Allergiemittel AllerAide® RELIEVES SYMPTOMS OF ALLERGIES"

Allergiemittel AllerAide® relieves a wide variety of allergic symptoms.†† It contains no antihistamines or central nervous system stimulants.

### Drug Facts

Active ingredient (199.40 mg in each tablet) Cardiospermum halicacabum 3X, Galphimia glauca 3X, Luffa operculata 4X..

Purpose...Temporary relief of allergy symptoms

**Uses** Temporarily relieves minor allergic symptoms:
■ sneezing<sup>††</sup> ■ runny, stuffy, itchy nose<sup>††</sup> ■ red, itchy, watery eyes<sup>††</sup> ■ scratchy throat<sup>††</sup>

Stop use and ask a doctor if symptoms worsen, do not improve, are accompanied by a fever, or if new symptoms occur In the event of severe allergic reactions, consult a doctor immediately.

If pregnant or breast-feeding, ask a healthcare professional before use. Keep out of reach of children. In case of overdose, seek medical help or contact a Poison Control Center immediately.

Directions ■ Sublingual medication. Place under tongue and let dissolve. ■ Take before exposure to allergen or as soon after symptoms appear as possible at least 15 minutes before or 30 minutes after eating, brushing teeth or drinking anything except water. ■ Preventative use, take 4-6 weeks before allergy season starts, 1 tablet 3 times a day.

Age
Adults & children 12 years of age and older Dose Take 1 tablet every hour until symptoms subside, then 1 tablet 3 times a day until relieved. Children 6-12 years of age Take 1/2 tablet every hour until symptoms subside, then 1/2 tablet 2 times a day until relieved Children under 6 years of age | Consult a doctor

Other Information ■ Store at room temperature 20-25° C (68-77° F). ■ Keep in a dry place out of direct sunlight

Inactive ingredients cellulose, lactose monohydrate, magnesium stearate

Questions? 1-800-9NATURE / naturesway.com

#There are no valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic prin

Print Carton Contact: Sue McVey
Dieline: turnkey sue.mcvey@naturesway.com
920.469.1313 X61550



Allergiemittel AllerAide







All plates change from previous version.

LBN21812590.05

Allermed® ©2017 Distributed by: Boericke & Tafel a division of Vature's Way Brands, LLC Green Bay, WI 54311 USA Product of Mexico



HOMEOPATHIC \*HerAide



SNEEZING, ITCHY EYES, NASAL CONGESTIONT

For Relief of



NDC 23466-6260-1

• Dust & Mold • Pet Dander • Grass, Bush & Tree Pollen

MULTI-SYMPTOM RELIEF Allergienia i Alleraide

 WATERY EYESH
 RUNNY NOSEH CONCESTION# THARAN .

 ITCHY EYES# SNEEZINC++

RELIEVES SYMPTOMS OF:

No Drowsiness

Relief Multi-Symptom

Allergy Relief"

M788-04

Allergiemittel

# Allergiemittel AllerAide® RELIEVES SYMPTOMS OF ALLERGIES"

Allergiemittel AllerAide® relieves a wide variety of allergic symptoms.†† It contains no antihistamines or central nervous system stimulants.

### Drug Facts

Active ingredient (199.40 mg in each tablet) Cardiospermum halicacabum 3X, Galphimia glauca 3X, Luffa operculata 4X..

Purpose...Temporary relief of allergy symptoms

**Uses** Temporarily relieves minor allergic symptoms:
■ sneezing<sup>††</sup> ■ runny, stuffy, itchy nose<sup>††</sup> ■ red, itchy, watery eyes<sup>††</sup> ■ scratchy throat<sup>††</sup>

Stop use and ask a doctor if symptoms worsen, do not improve, are accompanied by a fever, or if new symptoms occur In the event of severe allergic reactions, consult a doctor immediately.

If pregnant or breast-feeding, ask a healthcare professional before use. Keep out of reach of children. In case of overdose, seek medical help or contact a Poison Control Center immediately.

Directions ■ Sublingual medication. Place under tongue and let dissolve. ■ Take before exposure to allergen or as soon after symptoms appear as possible at least 15 minutes before or 30 minutes after eating, brushing teeth or drinking anything except water. ■ Preventative use, take 4-6 weeks before allergy season starts, 1 tablet 3 times a day.

Age
Adults & children 12 years of age and older Dose Take 1 tablet every hour until symptoms subside, then 1 tablet 3 times a day until relieved. Children 6-12 years of age Take 1/2 tablet every hour until symptoms subside, then 1/2 tablet 2 times a day until relieved Children under 6 years of age | Consult a doctor

Other Information ■ Store at room temperature 20-25° C (68-77° F). ■ Keep in a dry place out of direct sunlight

Inactive ingredients cellulose, lactose monohydrate, magnesium stearate

Questions? 1-800-9NATURE / naturesway.com

#There are no valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic prin

Print Carton Contact: Sue McVey
Dieline: turnkey sue.mcvey@naturesway.com
920.469.1313 X61550



Allergiemittel AllerAide







All plates change from previous version.

LBN21812590.05

Allermed® ©2017 Distributed by: Boericke & Tafel a division of Vature's Way Brands, LLC Green Bay, WI 54311 USA Product of Mexico



HOMEOPATHIC \*HerAide



SNEEZING, ITCHY EYES, NASAL CONGESTIONT

For Relief of



NDC 23466-6260-1

• Dust & Mold • Pet Dander • Grass, Bush & Tree Pollen

MULTI-SYMPTOM RELIEF Allergienia i Alleraide

 WATERY EYESH
 RUNNY NOSEH CONCESTION# THARAN .

 ITCHY EYES# SNEEZINC++

RELIEVES SYMPTOMS OF:

No Drowsiness

Relief Multi-Symptom

Allergy Relief"

M788-04

Allergiemittel



### ALLERGIEMITTEL

cardiospermum halicacabum flowering top, galphimia glauca flowering top, luffa operculata fruit tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68466- 2590
Route of Administration	SUBLINGUAL, SUBLINGUAL, SUBLINGUAL, SUBLINGUAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CARDIO SPERMUM HALICACABUM FLO WERING TOP (UNII: MZP2508BRR) (CARDIO SPERMUM HALICACABUM FLO WERING TOP - UNII: MZP2508BRR)	CARDIOS PERMUM HALICACABUM FLOWERING TOP	3 [hp_X]	
GALPHIMIA GLAUCA FLOWERING TOP (UNII: 93PH5Q8M7E) (GALPHIMIA GLAUCA FLOWERING TOP - UNII:93PH5Q8M7E)	GALPHIMIA GLAUCA FLOWERING TOP	3 [hp_X]	
LUFFA OPERCULATA FRUIT (UNII: C4MO6809HU) (LUFFA OPERCULATA FRUIT - UNII:C4MO6809HU)	LUFFA OPERCULATA FRUIT	4 [hp_X]	

Inactive Ingredients		
Ingredient Name	Strength	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)		
MAGNESIUM STEARATE (UNII: 70097M6130)		
CELLULO SE, MICRO CRYSTALLINE (UNII: OP1R32D61U)		

Product Characteristics				
Color	white (BT)	Score	no score	
Shape	ROUND (BT)	Size	10 mm	
Flavor		Imprint Code	B;T	
Contains				

ı	Packaging				
l	#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
	1	NDC:68466-2590- 4	4 in 1 CARTON	0 4/0 1/20 17	0 1/30/2025
	1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		0 4/0 1/20 17	0 1/30/20 25

# Labeler - Schwabe Mexico S.A. de C.V. (812805901)

# Establishment

Name	Address	ID/FEI	Business Operations
Schwabe Mexico S.A. de C.V.		812805901	manufacture(68466-2590)

Revised: 4/2020 Schwabe Mexico S.A. de C.V.