

**TREATONIC LIDOCAINE NUMBING CREAM- lidocaine cream**  
**Orange Lab, Inc**

-----  
**Treatonic Lidocaine Numbing Cream**

**Drug Facts**

<b><i>DRUG FACTS</i></b>	
<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Lidocaine 5% .....	Local Anesthetic
Menthol 0.7% .....	Local Anesthetic

**Purpose**

<b><i>DRUG FACTS</i></b>	
<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Lidocaine 5% .....	Local Anesthetic
Menthol 0.7% .....	Local Anesthetic

**Warnings**

<p><b><i>Warning</i></b> (For external use only) <b>Do not use this product if</b></p> <ul style="list-style-type: none"><li>■ Pregnant or breastfeeding, ask a health professional before use.</li><li>■ If there is any allergic reaction to this product.</li><li>■ In case of accidental overdose, get medical help, or contact the poison control center immediately.</li></ul>
--

**When using this product**

<p><b>When using this product</b></p> <ul style="list-style-type: none"><li>■ Only take the recommended daily dosage unless otherwise instructed by a doctor.</li><li>■ Some individuals may experience allergic reactions to the ingredients contained in this product.</li><li>■ Never put it into the rectum by using the finger or any medical device. ►</li></ul>
--

**Stop use and ask a doctor if**

## **DRUG FACTS** (Continued)

**Stop using and ask a doctor** ■ If discomfort persists for 7 days.

■ The symptoms being treated do not subside or if redness irritation swelling, pain, or other symptoms develop or increase.

### **Keep out of reach of children**

Avoid contact with eyes. In case of accidental ingestion, seek medical attention immediately.

**Keep out of reach of children**

### **Keep out of reach of children**

Avoid contact with eyes. In case of accidental ingestion, seek medical attention immediately.

**other information (storage)**

**Other information** ■ Keep away from direct sunlight or heat.

■ Store at room temperature 59°-86°F (15°-30°C).

### **Customer care :**

For any questions, please contact us for a quick and satisfactory solution : [service@treatonic.com](mailto:service@treatonic.com)

Made in USA

**Inactive Ingredients**

**Inactive ingredients** Di Water, Dimethyl Isosorbide, Ethylhexyl Palmitate, Hydrogenated Polydecene, Propylene Glycol, Arnica Montana Flower Extract, Helianthus Annuus (Sunflower) Seed Oil, Emu Oil, Phenoxyethanol, Sodium Polyacrylate, Trideceth-6, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Allantoin, Tocopheryl Acetate, Ethylhexylglycerin, Tetrasodium Edta

**Directions for use**

**Directions** ■ For adults: Cleanse the affected area with mild soap and warm water, and rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product. ■ Apply up to 6 times a day. ■ For children under 12 years of age: Consult a doctor.

**Active ingredient**

**DRUG FACTS**

**Active ingredients**


Lidocaine 5% .....	Local Anesthetic
Menthol 0.7% .....	Local Anesthetic

**Purpose**

**Usage section**

**Uses** For temporary relief local discomfort, itching, pain, soreness, or burning in the perianal area associated with anorectal disorders and anorectal inflammation.

**Label Images**





## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	05/01/2024	

**Labeler** - Orange Lab, Inc (004862271)

Revised: 5/2024

Orange Lab, Inc