LAXATIVE PILLS MAXIMUM STRENGTH- sennosides tablet H E B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you

• are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product

• do not use for a period longer than 1 week

Stop use and ask a doctor if

• rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Posion Control Center right away.

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole, do not crush, break, or chew

| adults and children 12 years | take 2 tablets once or |
|-------------------------------|------------------------|
| of age and older | twice daily |
| children 6 to under 12 years | take 1 tablet once or |
| of age | twice daily |
| children under 6 years of age | ask a doctor |

Other information

- each tablet contains: calcium 50 mg
- very low sodium
- store between 20-25°C (68-77°F)

Inactive ingredients

acacia, ammonium hydroxide*, calcium carbonate*, calcium phosphate dehydrate*, calcium sulfate anhydrous*, carnauba wax, corn starch*, croscarmellose sodium, dicalcium phosphate*, FD&C blue #1, hypromellose*, iron oxide*, iron oxide black, iron oxide yellow*, isopropyl alcohol*, kaolin*, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil*, n-butyl alcohol*, polyethylene glycol, polyvinyl alcohol*, povidone*, propylene glycol*, shellac*, silicon dioxide*, sodium lauryl sulfate*, stearic acid, sucrose, talc, titanium dioxide, white wax*

Questions or comments?

Call toll free: 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to ex-lax® Maximum Strength active ingredient**

Maximum Strength

Laxative Pills

Sennosides USP, 25 mg

Stimulant Laxative

^{*}contains one or more of these ingredients

Gentle, Dependable, Overnight Relief

TABLETS

**This product is not manufactured or distributed by GlaxoSmithKline plc, distributor of Ex-Lax®.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

MADE WITH PRIDE AND CAEW FOR H-E-B® SAN ANTONIO, TX 78204

Product Label

or twice daily

take 2 tablets once

Lot No.: Exp. Date:

BROKEN

USE IF CARTON IS OPENED OR IF OR SHOWS ANY SIGNS OF TAMPE

years of age and older adults and children 12 ■ swallow tablet(s) whole, do not crush, break, or chew swallow tablet(s) with a glass of water DILECTIONS

medical help or contact a Poison Control Center right away. keep out of reach of children. In case of overdose, get before use.

If pregnant or breast-feeding, ask a health professional

SELIONS COUDIDOU"

- occur after use of a laxative. These may be signs of a ■ rectal bleeding or failure to have a bowel movement Stop use and ask a doctor if
 - do not use for a period longer than 1 week When using this product

before or after other drugs.

other drugs work. Take this product 2 or more hours ■ are taking a prescription drug. Laxatives may affect how Ask a doctor or pharmacist before use if you

Drug Facts (continued)

contains one or more of these ingredients acid, sucrose, talc, titanium dioxide, white wax* spellac", silicon dioxide, sodium lauryl sulfate", stearic glycol, polyvinyl alcohol*, povidone*, propylene glycol*, cellulose, mineral oil*, n-butyl alcohol*, polyethylene magnesium stearate, maltodextrin, microcrystalline oxide black, iron oxide yellow*, isopropyl alcohol*, kaolin*, phosphate*, FD&C blue #1, hypromellose*, iron oxide*, iron com starch*, croscarmellose sodium, dicalcium dihydrate*, calcium sulfate anhydrous*, carnauba wax, hydroxide", calcium carbonate", calcium phosphate Inactive ingredients acacia, ammonium

41550"54782

- store between 20-25°C (68-77°F)
 - very low sodium
- escu tablet contains: calcium 50 mg потьтоти тэпто

| sak a doctor | children under 6 years of age |
|--------------------|----------------------------------|
| or twice daily | years of age |
| take 1 tablet once | Children 6 to under 12 |

Drug Facts (continued)

over a period of 2 weeks ■ voticed a sudden change in bowel habits that persists Ask a doctor before use if you have

nausea, or vomiting are present unless directed by a doctor. Do not use laxative products when abdominal pain, Warnings

Drug Facts (confinued)

 denerally produces bowel movement in 6 to 12 hours ■ relieves occasional constipation (irregularity) SƏSN

Sennosides USP, 25 mg.

(in each tablet) Active ingredient

Drug Facts

Compare to ex-lax® Maximum Strength active ingredient"

Stimulant laxative

Purpose

NDC 37808-492-24



Maximum Strength

Sennosides USP, 25 mg

Stimulant Laxative

Gentle, Dependable Overnight Relief

actual size

24 TABLETS

H-E-B Maximum Strength Laxative

distributor of ex-lax® "This product is not manufactured or distributed by GlaxoSmithKline plc.

Drug Facts (continued) **Questions or comments?** \all toll free: 1-877-753-3935 Monday-Friday 9AM-5PM EST

LAXATIVE PILLS MAXIMUM STRENGTH

sennosides tablet

Product Information

WHITE WAX (UNII: 7G1J5DA97F)

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37808-492

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)

SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| ACACIA (UNII: 5C5403N26O) | |
| AMMONIA (UNII: 5138Q19F1X) | |
| CALCIUM CARBONATE (UNII: H0G9379FGK) | |
| CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP) | |
| CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H) | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| CROSCARMELLOSE SODIUM (UNII: M28OL1HH48) | |
| ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| HYPROMELLOSES (UNII: 3NXW29V3WO) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| FERROSOFERRIC OXIDE (UNII: XM0M87F357) | |
| FERRIC OXIDE YELLOW (UNII: EX43802MRT) | |
| ISOPROPYL ALCOHOL (UNII: ND2M416302) | |
| KAOLIN (UNII: 24H4NWX5CO) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | |
| MINERAL OIL (UNII: T5L8T28FGP) | |
| BUTYL ALCOHOL (UNII: 8PJ61P6TS3) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) | |
| POVIDONE (UNII: FZ 989GH94E) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| SHELLAC (UNII: 46N107B710) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| SUCROSE (UNII: C151H8M554) | |
| TALC (UNII: 7SEV7J4R1U) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

| Product Characteristics | | | |
|-------------------------|-------|--------------|------------|
| Color | blue | Score | no score |
| Shape | ROUND | Size | 10mm |
| Flavor | | Imprint Code | TCL083;S25 |
| Contains | | | |

| P | Packaging | | | |
|---|----------------------|--|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:37808-492- 24 | 24 in 1 CARTON | 04/30/2016 | 04/30/2025 |
| 1 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|-------------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph not final | part334 | 04/30/2016 | 04/30/2025 |
| | | | |

Labeler - H E B (007924756)

Revised: 2/2023 H E B