BACITRACIN ZINC- bacitracin zinc ointment Ezricare Lic

EZRI CARETM Bacitracin Zinc Ointment USP

Drug Facts

Active ingredient

Bacitracin Zinc (500 units in each gram)

Purpose

First Aid Antibiotic

Uses

First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings

For external use only

Do not use • in the eyes or apply over large areas of the body • if you are allergic to any of the ingredients • longer than 1 week unless directed by a doctor

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if the condition persists or get worse, or if a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Other information

• Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal • Store at room temperature • See crimp of tube or carton for Lot Number and Expiry Date

Inactive ingredients:

Mineral Oil, Paraffin, White Petrolatum

Questions or comments?

718-502-6610 between 9 am to 4 pm EST, Monday-Friday.

Helps Prevent Infection

In Minor Cuts, Scrapes & Burns

First Aid to Help Prevent Infection in Minor Cuts, Scrapes & Burns

Distributed by:

EzriCare, LLC

Lakewood, NJ

www.EzriCare.com

Made in India

Packaging

OUTER PACKAGE LABEL







Distributed by: EzriCare, LLC Lakewood, NJ

Mfg. Lic. No.: KD/503

Questions or comments? 718-502-6610 between 9 am to 4 pm EST, Monday-Friday.

Inactive ingredients: Mineral Oil, Paraffin, White Petrolatum

Other information ■ Do not use it seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal ■ Store at room temperature ■ See crimp of tube or carton for Lot Number and Expiry Date

on the area 1 to 3 times daily. May be covered with a sterile bandage.

Directions
Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger)

Stop use and ask a doctor If the condition persists or get worse, or if a rash or other allergic reaction develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns

■ longer than 1 week unless directed by a doctor

Do not use ■ in the eyes or apply over large areas of the body ■ if you are allergic to any of the ingredients

Warnings For external use only

Uses First aid to help prevent infection in minor cuts, scrapes, and burns

First Aid Antibiotic

Bacitracin Zinc (500 units in each gram)

esognid

Active ingredient

Drug Facts

First Aid Antibiotic



Bacitracin Zinc, Ointment, USP



INNER PACKAGE LABEL



First Aid Antibiotic



Drug Facts	Drug Facts (Continued)	
	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Uses First aid to help prevent infection in minor cuts, scrapes, and burns	Directions	
Warnings For external use only	Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times dai May be covered with a sterile bandage.	
Do not use ■ in the eyes or apply over large areas of the body ■ if you are allergic to any of the ingredients	Other information Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal Slore at room	

visible. To open, unscrew cap, pull tab to remove foil seal Store at room temperature See crimp of tube or carton for Lot Number and Expiry Date Inactive ingredients: Mineral Oil, Paraffin, White Petrolatum

Questions or comments?718-502-6610 between 9 am to 4 pm EST, Monday-Friday



Mfg. Lic. No.: KD/503 Made in India

Distributed by: EzriCare, LLC Lakewood, NJ www.EzriCare.com

DRUG FACTS LABEL

Drug Facts

Active ingredient

Ask a doctor before use if you have deep or puncture wounds, animal bites,

Stop use and ask a doctor If the condition persists or get worse, or if a rash or other allergic reaction develops

Purpose

Bacitracin Zinc (500 units in each gram) First Aid Antibiotic

Uses First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings

For external use only

Do not use ■ in the eyes or apply over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if the condition persists or get worse, or if a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Other information ■ Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal ■ Store at room temperature ■ See crimp of tube or carton for Lot Number and Expiry Date

Inactive ingredients: Mineral Oil, Paraffin, White Petrolatum

Questions or comments? 718-502-6610 between 9 am to 4 pm EST, Monday-Friday.

BACITRACIN ZINC

bacitracin zinc ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79503-107
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I)	BACITRACIN	500 [USP'U] in 1 g

Inactive Ingredients			
Ingredient Name	Strength		
MINERAL OIL (UNII: T5L8T28FGP)			
PARAFFIN (UNII: 1900E3H2ZE)			
WHITE PETROLATUM (UNII: B6E5W8RQJ4)			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79503-107- 30	1 in 1 CARTON	08/19/2021	07/01/2025
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	08/19/2021	07/01/2025

Labeler - Ezricare Llc (117573818)

Revised: 1/2024 Ezricare Llc