HUMCO CHARCOAL ACTIVATED- activated charcoal powder Humco Holding Group. Inc.					
Humco Charcoal Activated					
Drug Facts					
Active Ingredient					
Charcoal Activated					
Purpose					
First Aid Poison Adsorbent					
If possibl;e, call a Poison Control Center, emergency facility, or health professional for help before using this product. If help cannot be reached quickly, follow the directions in this label. Read the warnings and directions as soon as you buy this product. Insert emergency phone number(s) in space proviedd on the label.					
Poison Control Center: 1-800-222-1222					
Emergency Medical Facility:					

Warning:

Do not use if Tamper Evident Seal imprinted "Sealed for Your Protection" is broken or missing. This product is sealed with either a shrink band around the cap or foil seal under cap.

Use

For emergency use to adsorb swallowed poisons.

Health Professional:

Warnings

- Do not give Activated Charcoal until after patient has vomited unless directed by a health professional.
- Do not use in persons who are not fully conscious.
- Do not use this product unless directed by a health professional if turpentine, corrosives such as alkalies (lye) and strong acids or petroleum didtillates, such as kerosene, gasoline, paint thinner, cleaning fluid or furniture polish have been ingested.
- Do not give if poison victim is unconscious or having convulsions. Keep patient active

and moving.

Keep out of reach of children.

In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Directions for 1 oz bottle

When Activated Charcoal is indicated for use, give 3 to 4 heaping tablespoonfulls (20 to 30 g) mixed in a minimum of 8 ounces of liquid or as directed by a health professional. If an emergency, fill this bottle with water.

Mix well and have poison victim drink all of this mixture. Repeat dose immediately, if possible. If previous attempts to contact a poison control center, emergency medical center or health professional were unsuccessful, continue trying. If possible save the container of poison.

Directions for 8 oz bottle

When Activated Charcoal is indicated, the usual dose is as follows:

- 0-10 years of age: 1 to 3 heaping tablespoonfulls (10 -25 g) mixed in a minimum of 8 ounces of liquid.
- 10 12 yrs of age: 3 6 tablespoonfulls (25 50 g) mixed in a minimum of 8 ounces of liquid.
- Greater than 12 years of age: 3 to 12 tablespoonfulls (25 100g) mixed with a
 minimum of 8 ounces of liquid or as directed by a health professional. mix well and
 have poison victim drink all of this mixture. Repeat dose immediately, if possible. If
 the previous attempts to contact poison control center, emergency medical center or
 health professional were unsuccessful, continue trying. If possible save the container
 of poison.

Other Information

- Activated Charcoal has a very gritty texture and will coat the mouth, lips and tonge.
- Keep tightly closed in a cool dry place.

Inactive Ingredients

None

Principal Display Panel

If possible, call a Poison Control Center, emergency medical facility, or health professional for help before using this product. If help cannot be reached quickly, follow the directions on this label. Read the warnings and directions as soon as you buy this product. Insert emergency phone number(s) in space provided on the label. 1,200,232,1339. 1-800-222-1222 ocal Poison Control Center: Emergency Medical Facility: .

WARNING: Do not use if Tamper Evident Seal imprinted "Sealed For Your Protection" is broken or missing. This product is sealed with either a shrink band around cap or foil seal under cap.

Drug Facts

Active ingredient Charcoal Activated

Purpose .First Aid Poison Adsorbent

Use

For emergency use to adsorb swallowed poisons.

Warnings

- Do not give Activated Charcoal until after patient has vomited unless directed by a health professional.
- Do not use in persons who are not fully conscious.
 Do not use this product unless directed by a health professional if turpentine, corrosives such as alkalies (lye) and strong acids or petroleum distillates, such as kerosene, gasoline, paint thinner, cleaning fluid or furniture polish have been ingested
- Do not give if poison victim is unconscious or having convulsions.

Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Continued >



A trusted name

in home health care



USP

8 oz

(227g)

(Drug Facts continued)

Directions

Mix 1:4 or 1:8 parts charcoal to water

Mix. 1.4 or 1.0 peris charcoan to water.

Initial dose: 12 years of age or older: 25 - 100gm in water, then 12.5gm every hr. or 25gm every 2 hrs.

Initial dose: 1-12 years of age: 25 - 50gm in water or 0.5 - 1gm/kg of body weight mixed with water, then 1 - 2gm/kg of body weight mixed with water than alexan 2-4 hre.

Weight infixed with water, after 1 - zgmixtg or body weight mixed with water given every 2-4 hrs.

If previous attempts to contact a poison control center, emergency medical center or health professional were unsuccessful, continue trying. Keep patient active and moving. If possible save the container of poison.

Other information

- Activated Charcoal has a very gritty texture and will coat the mouth, lips and tongue.
- Keep tightly closed in a cool dry place.



A34576 08 2023

Packed by: HUMCO, Texarkana, TX 75501 Questions or Comments? ②1-800-6
"We Help People Feel Better"

Go to: www.simplehomeremedies.com to find helpful hints. and learn more about Charcoal Activated.

HUMCO CHARCOAL ACTIVATED

activated charcoal powder

Product Information

NDC:0395-0527 **Product Type** HUMAN OTC DRUG Item Code (Source)

ORAL **Route of Administration**

Active Ingredient/Active Moiety

ı	Active ingredient, Active Profety					
	Ingredient Name	Basis of Strength	Strength			
	ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	1000 mg in 1 g			

Inactive Ingredients

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

Packaging Marketing End **Marketing Start** # Item Code **Package Description Date Date** 28 g in 1 BOTTLE, PLASTIC; Type 0: Not a NDC:0395-11/13/2017 0527-91 **Combination Product** NDC:0395-227 g in 1 BOTTLE, PLASTIC; Type 0: Not a 11/13/2017 0527-98 **Combination Product**

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M023	01/01/2008	

Labeler - Humco Holding Group. Inc. (825672884)

Registrant - Pharma Nobis, LLC (118564114)

Establishment						
Name	Address	ID/FEI	Business Operations			
Pharma Nobis, LLC		118564114	analysis(0395-0527), pack(0395-0527), label(0395-0527), manufacture(0395-0527)			

Revised: 12/2023 Humco Holding Group. Inc.