

OLISMO 5% MINOXIDIL HAIR GROWTH SERUM- olismo 5% minoxidil hair growth serum liquid
Eubizrival LLC

83462-021

Active Ingredient

Minoxidil 5% w/w

Purpose

Hair regrowth treatment

Use

to regrow hair on the scalp

Warnings

For external use only.

Do not use

- no one in your family has hair loss, but if you have hair loss is sudden or patchy or both.
- you don't know why your hair is falling out.
- you are under 18 years of age. Do not use it on babies and children.
- the scalp becomes red, inflamed, infected, inflamed, and painful.
- you are using other medicines on your scalp.

Stop Use

- Chest pain, rapid heart rate, fainting, and dizziness may occur.
- Sudden, unexplained weight gain.
- Your hands or feet swell
- Inflammation and redness of the scalp occur
- Unwanted hair grows on your face. After 4 months, the hair will stop growing.

Ask Doctor

- Chest pain, rapid heart rate, fainting, and dizziness may occur.
- Sudden, unexplained weight gain.
- Your hands or feet swell
- Inflammation and redness of the scalp occur
- Unwanted hair grows on your face. After 4 months, the hair will stop growing.

Keep Out Of Reach Of Children

If swallowed, get medical help or contact a poison control center right away.

Directions

- Apply 2-3 drops of serum directly to the treated area of the scalp.
- After massaging the scalp with your fingertips, wash your hands thoroughly. Using more of the hair growth serum or using it more often does not improve the results.
- Continued use is required to increase and maintain hair regrowth.
- Discontinuation may lead to hair loss.

Other information

- Read all information on pack before use.
- Save the box. Contains important information.
- Store at controlled room temperature 20-25°C (68-77°F).
- Content under pressure. Do not puncture or burn container. Do not expose to heat or store above 120°F (9°C).

Inactive ingredients

Biotin, Water, Propylene aGlycol, Dimethyl Isosorbide, Acetic Acid, Panthenol, Niacinamide, Polysorbate 20, Sodium Lauroyl Sarcosinate, Aloe Barbadensis Flower Extract, PEG-50 Hydrogenated Castor Oil, Perfume, Hydrolyzed Collagen

PRINCIPAL DISPLAY PANEL



DRUG FACTS / INFO MÉDICAMENT

Active ingredient Minoxidil 5% w/w
Purpose Hair regrowth treatment
Ingredient actif Minoxidil 5% p/p
Indice Traitement de la repousse des cheveux

Use to regrow hair on the scalp
Usage Pour faire repousser les cheveux sur le cuir chevelu

Warnings
 For external use only.
 Mises en garde Pour usage externe uniquement.

Do not use if
 ■ You or one in your family has had heart failure, but if you have had heart failure or angina or stroke.
 ■ You are under 18 years of age. Do not use it on babies and children.
 ■ The scalp becomes red, inflamed, infected, inflamed and painful.
 ■ You are using other medicines on your scalp.


Ne pas utiliser si
 ■ Vous êtes dans votre famille ne souffrez de partie de cheveux, mais si vous avez une partie de cheveux inconnus. Scalds ou des éruptions.
 ■ Vous ne savez pas pourquoi vos cheveux tombent.
 ■ Vous avez moins de 18 ans. Ne pas utiliser sur les bébés et les enfants.
 ■ Le cuir chevelu devient rouge, enflammé, infecté et douloureux.
 ■ Vous utilisez d'autres médicaments sur votre cuir chevelu.

Precautions for use
 ■ Do not apply to other parts of the body.
 ■ Avoid making eye contact. In case of accidental eye contact, flush eyes with copious amounts of cold tap water.
 ■ Takes time for the hair to grow back. He may need to use this product twice daily for at least 4 months to see results. The amount of hair that grows varies from person to person.
 ■ This product may not work for everyone.

Precautions d'utilisation
 ■ Ne pas appliquer sur d'autres parties du corps.
 ■ Éviter tout contact avec les yeux. En cas de contact accidentel avec les yeux, rincer abondamment avec de l'eau froide du robinet.
 ■ Prendre du temps pour que les cheveux repoussent. Il peut être nécessaire d'utiliser ce produit deux fois par jour pendant au moins 4 mois pour voir des résultats. La quantité de cheveux qui repoussent varie d'une personne à l'autre.
 ■ Ce produit peut ne pas fonctionner pour tout le monde.

Discontinue use if necessary and ask a doctor
 ■ Chest pain, rapid heart rate, fainting, and dizziness may occur.
 ■ Sudden, unexplained weight gain.
 ■ Your hands or feet swell

MAIN INGREDIENT
5% MINOXIDIL
BIOTIN



MINOXIDIL



BIOTIN

Distributed by
EUBIZRIVAL LLC
 477 MADISON AVE. 6TH FLOOR
 NEW YORK, NY 10022



Minoxidil
 Hair Growth Serum

OLISMO

Minoxidil
 Hair Growth Serum

5% Minoxidil
 with Biotin

#1
 DERMATOLOGIST
 RECOMMENDED
 ACTIVE INGREDIENT

- Restore Top of Scalp Hair Loss
- Grow Thicker-Looking Hair
- Revitalize Hair Follicles

30ml/1oz

DRUG FACTS (CONTINUED) / INFO MÉDICAMENT(SUITE)

■ Inflammation and redness of the scalp occur
 ■ Regrown hair grows on your face. After 4 months, the hair will stop growing.

Arrêter l'utilisation si nécessaire et consulter un médecin
 ■ Inflammation et rougeurs de la peau du cuir chevelu.
 ■ Les cheveux repoussent sur votre visage. Après 4 mois, la repousse des poils s'arrête.

Directions
 ■ Apply 2-3 drops of serum directly to the treated area of the scalp.
 ■ After massaging the scalp with your fingertips, wash your hands thoroughly. Using more of the hair growth serum or using it more often does not improve the results.
 ■ Continued use is required to increase and maintain hair regrowth.
 ■ Discontinuation may lead to hair loss.

Other Information
 ■ Read all information on pack before use.
 ■ Store in the box. Contains important information.
 ■ Store at controlled room temperature 20-25°C (68-77°F).
 ■ Content under pressure. Do not puncture or burn container. Do not expose to heat or store above 120°F (49°C).
 ■ Active Ingredients
 ■ See the box for information on Fémalage avant utilisation.
 ■ Conservez la boîte. Elle contient des informations importantes.
 ■ Conservez à une température ambiante contrôlée de 20-25°C (68-77°F).
 ■ Contenu sous pression. Ne pas perforez ou brûler le contenant. Ne pas exposer à la chaleur ni entreposer au-dessus de 68°C (150°F).

Keep out of reach of children
 ■ If swallowed, get medical help or contact a poison control center right away.
 ■ Tenir hors de portée des enfants
 ■ En cas d'ingestion, consulter immédiatement un médecin ou contacter un centre antipoison.

Inactive Ingredients
 Biotin, Water, Propylene Glycol, Dimethyl Isosorbide, Acetic Acid, Pantothenol, Niacinamide, Polyurethane 20, Sodium Lauryl Sarcosinate, Aloe Barbadensis Flower Cellulose, PEG-40 Hydrogenated Castor Oil, Hydrolyzed Collagen.

Ingredients Source
 Biotin, Eau, Propylène Glycol, Diméthyl isosorbide, Acide acétique, Pantothénol, Niacinamide, Polyuréthane 20, Sodium Lauryle Sarcosinate, Extrait de fleur d'Aloe barbadensis, Huile de ricin hydrogénée PEG-40, Collagène hydrolysé

35*35*105mm

OLISMO 5% MINOXIDIL HAIR GROWTH SERUM

olismo 5% minoxidil hair growth serum liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83462-021
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	
PANTHENOL (UNII: WW9CM0067Z)	
POLYOXYL 50 HYDROGENATED CASTOR OIL (UNII: R07D3A9614)	
NIACINAMIDE (UNII: 25X51I8RD4)	
BIOTIN (UNII: 6SO6U10H04)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA FLOWER (UNII: 575DY8C1ER)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
SODIUM LAUROYL SARCOSINATE (UNII: 632GS99618)	
HYDROLYSED MARINE COLLAGEN (ENZYMATIC; 2000 MW) (UNII: 2WD9OCG7P)	
WATER (UNII: 059QF0KO0R)	
ACETIC ACID (UNII: Q40Q9N063P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83462-021-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/02/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209074	11/02/2023	

Labeler - Eubizrival LLC (036572203)

Establishment

Name	Address	ID/FEI	Business Operations
Eubizrival LLC		036572203	label(83462-021) , manufacture(83462-021)

