HUMCO DEWEES CARMINATIVE- magnesium carbonate suspension Humco Holding Group, inc.

Humco Dewee's Carminative

Drug Facts

Active Ingredient

Magnesium Carbonate 250 mg per tsp. (5 mL)

Purpose

Carminative

Use

For the temporary relief of upset stomach or sour stomach, and acid indigestion.

Warnings

Do not use if you have kidney desease.

When sing this product

Do not take more than the maximum recommended daily dose (Adults 8 tsps. - children 4 tsps.), or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

May have laxative effect.

Ask a doctor before use

If you are taking prescription drugs. Antacids may interact with certain prescription drugs.

Keep out of reach of children.

In the case of accidental overdose, seek professional assistance or contact a Poison Control center immediately.

Directions

(Shake well before using)

Follow dosage below or as directed by a doctor.

Adults and children 12 yrs. and older: 2 tsps. every 3 to 4 hrs.

Children under 12 yrs. of age: consult a doctor before use.

Inactive ingredients

Alcohol 5%, Asafetida, Avicel, Benzyl Alcohol, Carrageenan, Glycerin, Microcrystalline Cellulose and Carboxymethylcelloulose Sodium, Purified Water, Simethicone, Sucrose, Xanthan Gum

Labels

Old



New Label

Drug Facts

Active Ingredient **Purpose** Magnesium Carbonate 250mg per tsp. (5mL). .Antacid

Indications = For the relief of upset or sour stomach, and acid indigestion.

Warnings ■ Do not use if you have kidney disease.

When using this product ■ Do not take more than the maximum recommended daily dose (Adults 8 tsps.), or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor. May have laxative effect.

Ask a doctor before use if you are taking prescription drugs. Antacids may interact with certain prescription drugs.

Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

If pregnant or breast feeding ask a health professional before using this product. Continued ▶

GNESIA & ASAFETIDA MIXTURE

HUMCO A trusted name

in home health care

2 fl oz (59 mL)

Safety Sealed

Gastrointestinal

ALCOHOL

Used for:

- Upset
- Antacid

Manufactured by: HUMCO Texarkana, TX 75501 Questions or Comments? **1-800-662-3435**

*WARNING: Do not use if Tamper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or foil seal under cap.

Drug Facts (continued)

Directions (Shake well before using) Follow dosage below or as directed by a doctor.

- Adults and children 12 yrs. and older: 2 tsps. every 3
- Children under 12 yrs. of age: Consult a doctor before use.

Inactive ingredients • Alcohol 5%, Asafetida, Benzyl Alcohol, Carrageenan, Glycerin, Microcrystalline Cellulose and Carboxymethylcellulose Sodium, Purified Water, Simethicone, Sucrose, Xanthan Gum.

Other information ■ Questions? ①1-800-662-3435



New

Drug Facts

Magnesium Carbonate 250mg per tsp. (5mL).

Indications • For the relief of upset or sour stomach.

When using this product Do not take more than the

drugs. Antacids may interact with certain prescription drugs.

Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison

If pregnant or breast feeding ask a health professional before using this product. (Continued ▶

Safety Sealed

Gastrointestinal

ALCOHOL

Used for:

MAGNESIA & ASAFETIDA MIXTURE

HUMCO

A trusted name

in home health care

- Upset Stomach
- Antacid

2 FL oz

(59 mL)

Packed by: HUMCO Texarkana, TX 75501

"WARNING: Do not use if Tamper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or foil seal under cap.

(Drug Facts continued)

Directions (Shake well before using) Follow dosage below or as directed by a doctor.

- Adults and children 12 yrs. and older: 2 tsps. every 3
- Children 2 to 12 yrs. of age: 1 tsp. every 3 to 4 hrs.
- Children under 2 yrs. of age: Consult a doctor before use.

Inactive ingredients

Alcohol 6%, Asafetida. Benzyl Alcohol, Carrageenan, Glycerin, Microcrystalline Cellulose and Carboxymethylcellulose Sodium, Simethicone, Sucrose, Xanthan Gum, Purified Water.

Other information
Questions?
D1-800-662-3435

Questions or Comments? 3 03950 71392

R102117

HUMCO DEWEES CARMINATIVE

magnesium carbonate suspension

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0395-0713

Route of Administration ORAL

Active Ingredient/Active Moiety

Basis of Strength Ingredient Name Strength

MAGNESIUM CARBONATE (UNII: 0E53J927NA) (CARBONATE ION -**MAGNESIUM** 50 mg **CARBONATE** UNII:7UJQ5OPE7D) in 1 mL

03950"71392

Active Ingredient

Purpose Antacid

and acid indigestion

Warnings Do not use if you have kidney disease.

maximum recommended daily dose (Adults 8 tsps. - children 4 tsps.), or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor. May have laxative effect.

Ask a doctor before use if you are taking prescription

Control Center immediately.

| Inactive Ingredients | | | | |
|--|----------|--|--|--|
| Ingredient Name | Strength | | | |
| CARRAGEENAN (UNII: 5C69YCD2YJ) | | | | |
| DIMETHICONOL/TRIMETHYLSILOXYSILICATE CROSSPOLYMER (40/60 W/W; 1000000 PA.S) (UNII: 83D19O7250) | | | | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | | | | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | | | | |
| ASAFETIDA (UNII: W9FZA51AS1) | | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | | |
| SUCROSE (UNII: C151H8M554) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| XANTHAN GUM (UNII: TTV12P4NEE) | | | | |

| ı | Packaging | | | | | | |
|---|------------------------|---|----------------------|-----------------------|--|--|--|
| | # Item Code | Package Description | Marketing Start Date | Marketing End Date | | | |
| | 1 NDC:0395- 0713-92 | 59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 11/13/2017 | | | | |

| Marketing Information | | | | | |
|-----------------------|---|-------------------------|-----------------------|--|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | |
| OTC Monograph Drug | M001 | 03/25/1998 | | | |
| | | | | | |

Labeler - Humco Holding Group, inc. (825672884)

Registrant - Pharma Nobis, LLC (118564114)

| Establishment | | | | | |
|----------------------|---------|-----------|--|--|--|
| Name | Address | ID/FEI | Business Operations | | |
| Pharma Nobis, LLC | | 118564114 | manufacture(0395-0713), analysis(0395-0713), pack(0395-0713), label(0395-0713) | | |

Revised: 12/2023 Humco Holding Group, inc.