CITROMA- magesium citrate liquid CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

ТЕР

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECK RING

Active Ingredient

Magnesium citrate 1.745g per fl oz

Purpose

Saline laxative

use

for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

Warnings

for this product

Do Not use

If you are on a low salt diet

Ask A Doctor

before use if you have

- kidney disease
- a magnesium or sodium restricted diet
- abdorominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist

before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use

and ask a doctor if you have rectal bleeding or failure to have a bowel movement afte use. These could be signs of a serious condition.

if pregnant or breast-feeding

ask health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away

Directions

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz

children under 2 years of age - ask a doctor

discard unused product within 24 hours of opening bottle

other information

- magnesium content 290 mg per 1 fl oz (30 mL)
- sodium content 48 mg per 1 fl oz (30 mL)
- store at temperatures between 46° and 86° F (8° and 30° C)

Inactive ingredients

citric acid, lemon oil, polyethylene glycol, water, sodium bicarbonate, sodium saccharin, sucrose

Adverse Reaction

Distributed By: CVS Pharmacy, Inc One CVS Drive, Woonsocket, RI 02895 www.cvs.com 1-800-shop-CVS

principal display panel

CVS Pharmacy Dye Fre MAGNESIUM CITRATE ORAL SOLUTION Pasteurized Sparkling Saline Laxative Lemon

Flavor

10 FL OZ (296 mL)

CVS pharmacy Dye Free	(panu)	elp or contact a ght away.	a full glass	each uose ngle daily dose or in	6.5 to 10 fl oz, maximum 10 fl oz in 24 hours	3 to 7 fl oz, maximum	7 fl oz in 24 hours	2 to 3 fl oz, maximum 3 fl oz in 24 hours	ask a doctor	within 24 hours of	Other information magnesium content 290 mg per 1 fl oz (30 ml) solum content 45 mo per 1 fl oz (30 ml)	between 46° and 86° F	HILS citric acid, lemon sodium bicarbonate, see, water purified	ray inc. LOO17228
MAGNESIUM CITRATE ORAL SOLUTION	Drug Facts (continued)	overdose, get medical help or contact a Poison Control Center right away.	Directions = drink	to ounces) of liquid wird each upper may be taken as a single daily dose or in divided doses	adults and children 12 years of age and over	children 6 to under	12 years of age	children 2 to under 6 years of age	children under 2 years of age	discard unused product within 24 hours of opening bottle	Other information magnesium content 2 sodium content 45 m	 store at temperatures (8° and 30° C) 	Inactive ingredients circi acid, lemon oil, polyethylene glycol, sodium bicarborate, sodium saccharin, sucrose, water purified	Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 6 2011 CVS/pharmacy www.creacem 1-800-ehon-CVS
Dye Free Dye Hy Dye		f Purpose		USE for relief of occasional constipation irregularity). Generally produces bowel movement of the Bours		Do not use II if you are on a low salt diet	se if you have	e noney asease e a magnesium-or sodium-restricted diet e abdominal pain, nausea,	or veriniting an interced a sourcer change in ocreat habits that persists over a period of 2 weeks a stream resed a lavative for a period honder	societ hefters use if unit	are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.	Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after	s of a senous condition. teeding, ask a health hildren. In case of	#209452
Lemon Flavor 10 FL OZ (296 mL)	cts	Active ingredient	1.745 g per fl oz	USE for relief of occasional constituation (irregularity). Generally produces bowel m	Warnings	Do not use II if you a	Ask a doctor before us	sodium-restricted diet	by voluting a nurvey a habits that persists over already used a lavativ	than 1 week	are taking any other dr. more hours before or aft may affect how other dr.	Stop use and ask a do bleeding or failure to have	use, mese courd be signs of a semous condition. If pregnamt or breast-feeding, ask a health professional before use, Keep out of reach of children, in case of	0-50428-79894-2 000000000000000000000000000000000000

CITROMA

magesium citrate liquid

Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-667			
Route of Administration	ORAL					

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO2601T9V) (MAGNESIUM CATION - UNII: T6 V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients					
Ingredient Name	Strength				
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)					
LEMON OIL (UNII: 19 GRO 824LL)					
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)					
WATER (UNII: 059QF0KO0R)					
SODIUM BICARBONATE (UNII: 8 MDF5V39QO)					
SACCHARIN SODIUM (UNII: SB8ZUX40TY)					
SUCROSE (UNII: C151H8M554)					

Packaging						
# Item Code	Package Description	Marketing Start Date	Marketing End Date			
1 NDC:59779-667- 38	296 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/1989				
Marketing Information						
Marketing Categ	ory Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph not	inal part334	07/15/1989				

Labeler - CVS Pharmacy (062312574)

Registrant - Vi-Jon (790752542)

Establishment

Name	Address	ID/FEI	Business Operations			
Vi-Jon		790752542	manufacture(59779-667)			

Revised: 5/2020

CVS Pharmacy