

**SENNOSIDES- sennosides capsule, liquid filled**  
**Softgel Healthcare Pvt Ltd**

-----  
**Sennosides 8.6 mg**

**Active ingredient (in each softgel)**

Sennosides USP 8.6 mg

**Purpose**

Laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally causes a bowel movement in 6-12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- notice a sudden change in bowel habits that continue over a period of 2 weeks

**Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms

**Directions**

- do not take more than directed
- take with full glass of water
- take preferably at bedtime or as directed by a doctor

Age	Starting Dosage	Maximum Dosage
adults and children 12 years of age and over	2 softgels once a day	4 softgels twice a day
children 6 to under 12 years	1 softgel once a day	2 softgels twice a day
children under 6 years of age	ask a doctor	ask a doctor

### Other information

- store at room temperature between 20°C - 25°C (68°F - 77°F)

### Inactive ingredients

ferrosoferric oxide, fumaric acid, gelatin, glycerin, lecithin soybean, methyl paraben, purified water, ferric oxide red, sorbitol 70% solution, soy bean oil, yellow bees wax.

NDC 35916-1936-2

## Sennosides 8.6 mg Capsules

- For constipation relief
- Promotes bowel movements



500 SOFTGELS

<b>Drug Facts</b>	
<b>Active Ingredient (in each softgel)</b> Sennosides USP 8.6 mg	<b>Purpose</b> Laxative
<b>Uses</b> relieves occasional constipation (irregularity) generally causes a bowel movement in 6-12 hours	
<b>Warnings</b> Do not use laxative products for longer than 1 week unless directed by a doctor	
<b>Ask a doctor before use if you have</b> stomach pain ■ nausea ■ vomiting notice a sudden change in bowel habits that continue over a period of 2 weeks	
<b>Stop use and ask a doctor if</b> you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.	
<b>If pregnant or breast-feeding</b> , ask a health professional before use. <b>Keep out of reach of children.</b> In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms	
<b>Directions</b> do not take more than directed ■ take with full glass of water ■ take preferably at bedtime or as directed by a doctor	
<b>Age</b>	<b>Starting Dosage</b>
adults and children 12 years of age and over	2 softgels once a day
children 6 to under 12 years	1 softgel once a day
children under 6 years of age	ask a doctor
<b>Maximum Dosage</b>	
adults and children 12 years of age and over	4 softgels twice a day
children 6 to under 12 years	2 softgels twice a day
children under 6 years of age	ask a doctor
<b>Other information</b> store at room temperature between 20°C - 25°C (68°F - 77°F)	
<b>Inactive ingredients</b> ferrosoferric oxide, fumaric acid, gelatin, glycerin, lecithin soy bean, methyl paraben, purified water, ferric oxide red, sorbitol 70% solution, soy bean oil, yellow bees wax.	

xxxxxxx

Manufactured by:  
**Sofigel Healthcare Pvt. Ltd.**  
Survey No. 201,  
Vandalur-Kelambakkam Road,  
Pudupakkam Village,  
Kannuram Project,  
Tamilnadu - 603 103, India.  
Mfg. Lic. No.: XXXXXXXXXXXXX



Unvarnished Area  
LH - 25x16 mm

## SENNOSIDES

sennosides capsule, liquid filled

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:35916-1936
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>SORBITOL SOLUTION 70%</b> (UNII: 8KW3E207O2)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>FUMARIC ACID</b> (UNII: 88XHZ13131)	

## Product Characteristics

<b>Color</b>	brown (Opaque)	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	901
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:35916-1936-2	500 in 1 BOTTLE; Type 0: Not a Combination Product	06/28/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	06/28/2024	

**Labeler** - Softgel Healthcare Pvt Ltd (676666501)

Revised: 1/2026

Softgel Healthcare Pvt Ltd