VERRUSTAT WART REMOVER- salicylic acid liquid Clinical Therapeutic Solutions

VerruStat Liquid Wart Remover

Active Ingredient

Salicylic Acid 17%

Purpose

wart treatment

Uses:

• For the removal of common and plantar warts. The common wart has a rough 'cauliflower-like' appearance. The plantar wart exists only on the bottom of the foot and interrupts the footprint pattern.

Warnings

For external use only. Do not use this product on irritated skin, on any area that is infected or reddened, if you are a diabetic, or if you have poor blood circulation. If discomfort persists, see your doctor. Do not use on moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. Flammable. Keep away from fire or flame. Cap bottle tightly and store at room temperature away from heat. If product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors.

Directions

- wash or soak the affected area and dry thoroughly
- apply wart remover liquid, with enclosed applicator
- reapply subsequent applications over existing application
- repeat the procedure once or twice daily, until wart is completely removed, for up to 12 weeks

Other Information

• Store between 20 degrees to 30 degrees C (68 degrees to 86 degrees F)

Other Ingredients

VerruStat Liquid Wart Remover 15ml (44577-020-15)

the procedure once or twice daily, until wart is applications over existing application. Repeat enclosed applicator. Reapply subsequent to 12 weeks. Liquid Wart Remover

Salicylic Acid 17% in a penetrating Vitamin A vehicle

PAINLESSLY REMOVES **COMMON & PLANTAR WARTS**

FAST ACTING LIQUID

ADVANCED PENETRATING FORMULA

Dispensed only by Physicians

15 mL

VerruStat™

Methylsulfonylmethane (MSM), Nitrocellulose, **OTHER INGREDIENTS** Butyl Acetate, Ethyl **ACTIVE INGREDIENT** Salicylic Acid 17% Retinyl Palmitate, SD-Alcohol 40B Acetate, Isopropyl Alcohol

and store at room temperature away For external use only. Do not use this product on warts with hair growing from them, genital warts, Flammable. Keep away from fire or flame. Cap reddened, if you are a diabetic, or if you have your doctor. Do not use on moles, birthmarks, poor blood circulation. If discomfort persists, or warts on the face or mucous membranes. irritated skin, on any area that is infected or oottle tightly Warnings:

VerruStat™ Liquid Wart Remover

The plantar wart exists only on the

appearance.

o mottoc

pattern.

the foot and interrupts the footprint

or soak the affected area

Directions: Wash

dry thoroughly. Apply wart remover liquid,

completely removed, for up

The common wart has a rough 'cauliflower-like'

For the removal of common and plantar warts.

Drug Facts

Active Ingredient Salicylic Acid 17%.

Purpose wart treatment

For the removal of common and plantar warts. The common wart has a rough 'cauliflower-like' appearance. The plantar wart exists only on, the bottom of the foot and interrupts the footprint pattern.

Warnings: For external use only. Do not use this product on irritated skin, on any area that is infected or reddened, if you are a diabetic, or if you have poor blood circulation. If discomfort persists, see your doctor. Do not use on moles birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. Flammable. Keep away from fire or flame. Cap bottle tightly and store at room temperature away from heat. If product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors.

- ■wash or soak the affected area and dry
- wash of soak the affected area and or thoroughly
 apply wart remover liquid, with enclosed applicator
 reapply subsequent applications over existing application
 repeat the procedure once or twice
- daily, until wart is completely removed, for up to 12 weeks

Other Information

Store between 20° to 30°C (68° to 86°F)

Other Ingredients: Butyl Acetate, Ethyl Acetate, Isopropyl Alcohol, Methylsulfonylmethane (MSM), Nitrocellulose, Retinyl Palmitate, SD-Alcohol 40B



Salicylic Acid 17% in a penetrating Vitamin A vehicle

PAINLESSLY REMOVES COMMON & PLANTAR WARTS

FAST ACTING LIQUID

PENETRATING FORMULA

15 mL bottle and applicator brush

Dispensed only by Physicians



PO Box 1257 • Wall, NJ • 07719 www.BakoCTS.com







product gets into the eye, flush with

minutes. Avoid inhaling vapors.

15

for

water

rom heat.

in a penetrating Vitamin A vehicle

PAINLESSLY REMOVES **COMMON & PLANTAR WARTS**

FAST ACTING LIQUID

PENETRATING FORMULA

15 mL bottle and applicator brush

Dispensed only by Physicians



PO Box 1257 • Wall NI • 07719 www.BakoCTS.com

ROFESSIONAL PROFESSIONAL

PROFESSIONAL

A Part of bako's Integrated Physician Solution

PO Box 1257 • Wall NI • 07719

www.BakoCTS.com

CLINICAL

THERAPEUTIC

PROFESSIONAL

VERRUSTAT WART REMOVER

salicylic acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:44577-020
--------------	----------------	--------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	170 ma in 1 mL

Inactive Ingredients

mactive migredients		
Ingredient Name	Strength	
BUTYL ACETATE (UNII: 464P5N1905)		
ETHYL ACETATE (UNII: 7684508NMZ)		
ISOPROPYL ALCOHOL (UNII: ND2M416302)		
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)		
PYROXYLIN (UNII: KYR8BR2X6O)		
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)		
ALCOHOL (UNII: 3K9958V90M)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44577- 020-15	1 in 1 BOX	02/06/2017	
1		15 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M028	10/16/2013			

Labeler - Clinical Therapeutic Solutions (078402750)

Revised: 11/2023 Clinical Therapeutic Solutions