

PANOXYL- benzoyl peroxide cream
Crown Laboratories

Panoxyl Acne Foaming Wash

Active ingredient

Benzoyl peroxide 10%

Purpose

Acne medication

Use

- for the treatment of acne

Warnings

For external use only

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if

- irritation becomes severe

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wet area to be cleansed
- apply acne wash and gently massage area for 1-2 minutes
- rinse thoroughly and pat dry
- because excessive drying of the skin may occur, start with 1 application daily, then gradually increase to 2 or 3 times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other information

- Store at 20 ° - 25 °C (68 ° - 77 °F) [see USP Controlled Room Temperature].

Inactive ingredients

carbomer homopolymer type C, carbomer interpolymer type A, decyl glucoside, dimethicone, dioctyl sodium sulfosuccinate, glycerin, palmitic acid, polyacrylate crosspolymer-6, polyoxyl 40 stearate, propanediol, purified water, silica, sodium chloride, sodium citrate, sodium hydroxide, sodium laurylglucosides hydroxypropylsulfonate, sorbitan stearate, sorbitol, stearic acid, t-butyl alcohol, xanthan gum

Questions or comments?

call **1-833-279-6522**

Panoxyl 10% Tube

PanOxyl®

ACNE FOAMING WASH

for Face & Body

10% Benzoyl Peroxide

Acne Treatment Wash

Maximum Strength

Clears existing acne and helps prevent new breakouts

Net wt. 5.5oz (156g)

DERMATOLOGIST RECOMMENDED

Distributed by: Crown Laboratories, Inc. Johnson City, TN 37604

P11536.04

PanOxyl®

Acne Foaming Wash

for Face & Body

10% BENZOYL PEROXIDE
ACNE TREATMENT WASH

MAXIMUM STRENGTH

Clears existing acne
and helps prevent
new breakouts

DERMATOLOGIST
RECOMMENDED

Net wt. 5.5oz (156g)

Drug Facts

Active ingredient

Benzoyl peroxide 10%.....

Purpose

Acne medication

Use • for the treatment of acne

Warnings

For external use only

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if • irritation becomes severe

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wet area to be cleansed
- apply acne wash and gently massage area for 1-2 minutes
- rinse thoroughly and pat dry
- because excessive drying of the skin may occur, start with 1 application daily, then gradually increase to 2 or 3 times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other information

- store at 20°–25°C (68°–77°F) [see USP Controlled Room Temperature].

Inactive ingredients

Aqua, Carbomer Homopolymer Type C, Carbomer Interpolymer Type A, Decyl Glucoside, Dimethicone, Dioctyl Sodium Sulfosuccinate, Glycerin, Oleic Acid, Palmitic Acid, Polyacrylate Crosspolymer-6, Polyoxyl 40 Stearate, Propanediol, Silica, Sodium Chloride, Sodium Citrate, Sodium Hydroxide, Sodium Laurylglucosides Hydroxypropylsulfonate, Sorbitan Stearate, Stearic Acid, Xanthan Gum

Questions? call 1-833-279-6522

Distributed by:
Crown Laboratories, Inc.
Johnson City, TN 37604
P11536.04

Panoxyl 10% Carton

NDC 0316-0228-55

DERMATOLOGIST RECOMMENDED

PanOxyl®

ACNE FOAMING WASH

10% Benzoyl Peroxide

Acne Treatment Wash

Maximum Strength

Clears Existing Acne and Helps Prevent New Breakouts from Forming

Treats Acne on Face and Body

Maximum Strength without a Prescription

Net wt. 5.5oz (156g)

PANOXYL is a registered trademark of Crown Laboratories, Inc.
 Distributed by: Crown Laboratories, Inc. Johnson City, TN 37604
 P11731.04

Drug Facts	
Active ingredient	Purpose
Benzoyl peroxide 10%.....	Acne medication
Use	
• for the treatment of acne	
Warnings	
For external use only	
Do not use if you	
• have very sensitive skin	
• are sensitive to benzoyl peroxide	
When using this product	
• skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.	
• avoid unnecessary sun exposure and use a sunscreen	
• avoid contact with the eyes, lips and mouth	
• avoid contact with hair and dyed fabrics, which may be bleached by this product	
• skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.	
Stop use and ask a doctor if	
• irritation becomes severe	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
• wet area to be cleansed	
• apply acne wash and gently massage area for 1–2 minutes	
• rinse thoroughly and pat dry	
• because excessive drying of the skin may occur, start with 1 application daily, then gradually increase to 2 or 3 times daily if needed or as directed by a doctor	
• if bothersome dryness or peeling occurs, reduce application to once a day or every other day	
• if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.	
Other information	
• store at 20°–25°C (68°–77°F) [see USP Controlled Room Temperature].	
Inactive ingredients	
Aqua, Carbomer Homopolymer Type C, Carbomer Interpolymer Type A, Decyl Glucoside, Dimethicone, Dioctyl Sodium Sulfosuccinate, Glycerin, Oleic Acid, Palmitic Acid, Polyacrylate Crosspolymer-6, Polyoxyl 40 Stearate, Propanediol, Silica, Sodium Chloride, Sodium Citrate, Sodium Hydroxide, Sodium Laurylglucosides Hydroxypropylsulfonate, Sorbitan Stearate, Stearic Acid, Xanthan Gum	
Questions? call 1-833-279-6522	

Distributed by: Crown Laboratories, Inc.
 Johnson City, TN 37604 P11731.04 panoxyl.com

CLEANSE
 MAXIMUM STRENGTH



Helps remove dirt and oil



Unclogs and minimizes the appearance of pores



Contains moisturizers to help prevent dryness



Free from Parabens, Fragrances and Phthalates

NEW LOOK

PanOxyl®

Acne Foaming Wash
 for Face & Body

10% BENZOYL PEROXIDE
 ACNE TREATMENT WASH
 MAXIMUM STRENGTH

Clears existing acne and helps prevent new breakouts

Maximum strength without a prescription

DERMATOLOGIST RECOMMENDED
 No. 1
 BENZOYL PEROXIDE BRAND

Net wt. 5.5oz (156g)

PANOXYL

benzoyl peroxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0316-0228
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	100 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
XANTHAN GUM (UNII: TTV12P4NEE)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DOCUSATE SODIUM (UNII: F05Q2T2JA0)	
PALMITIC ACID (UNII: 2V16EO95H1)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
POLYOXYL 40 STEARATE (UNII: 13A4J4NH9I)	
PROPANEDIOL (UNII: 5965N8W85T)	
SODIUM LAURYLGLUCOSIDES HYDROXYPROPYLSULFONATE (UNII: Z6GFR7R72Y)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0316-0228-01	1 in 1 CARTON	10/12/2022	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0316-0228-03	85 g in 1 TUBE; Type 0: Not a Combination Product	11/12/2022	
3	NDC:0316-0228-55	1 in 1 CARTON	12/01/2018	
3		156 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	03/25/2011	

Labeler - Crown Laboratories (079035945)

Establishment

Name	Address	ID/FEI	Business Operations
Crown Laboratories		079035945	manufacture(0316-0228)

Revised: 7/2024

Crown Laboratories