DUREX LEG PAINT- durex leg paint liniment JACKS MFG INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

DUREX LEG PAINT

INDICATIONS

To be used as an aid in the temporary relief of minor stiffness and soreness caused by overexertion.

Directions

Apply DUREX LEG PAINT freely once a day with brush.

Not necessary to bandage unless a sweat is desired.

In mild cases, keep horse in training.

WARNING

For external use on horses only.

Avoid contact with eyes and mucous membranes.

Do not use on already irritated or broken skin.

Do not use on burns.

Application for several days in a row under wraps may cause blistering of the skin.

If excessive irritation develops, discontinue treatment and consult a Veterinarian.

Not for use on horses intended for food.

Not for Human Use.

Restricted Drug, use only as directed

KEEP OUT OF THE REACH OF CHILDREN

POISON IF TAKEN INTERNALLY. If accidentally ingested contact poison control and seek immediate medical treatment.

Package Label



DUREX LEG PAINT

INDICATIONS:

To be used as an aid in the temporary relief of minor stiffness and soreness caused by overexertion.

DIRECTIONS:

Apply DUREX LEG PAINT freely once a day with brush. Not necessary to bandage unless a sweat is desired. In mild cases, keep horse in training.

ACTIVE INGREDIENTS:

lodine......3.5

INACTIVE INGREDIENTS: Deionized Water, Isopropyl Alcohol, Glycerine, Phenol, Potassium lodide, Povidone Iodine. WARNING:

For external use on horses only. Avoid contact with eyes and mucous membranes. Do not use on already irritated or broken skin. Do not use on browns. Application for several days in a row under wraps may cause blistering of the skin. If excessive irritation develops, discontinue treatment and consult a Veterinarian. Not for use on horses intended for food. Not for Human Use. Restricted Drug, use only as directed.

KEEP OUT OF THE REACH OF CHILDREN

POISON IF TAKEN INTERNALLY.

If accidentally ingested contact poison control and seek immediate medical treatment.

INDICACIONES:

Use para el alivio temporal de rigidez leve y dolor causado por el sobreesfuerzo.

INSTRUCCIONES:

Aplique DUREX LEG PAINT libremente con un pincel una vez al día. No es necesario que venda a menos que desee que el caballo sude. En los casos leves, el caballo puede seguir en el entrenamiento.

INGREDIENTES ACTIVOS:

lodine......3.59

INGREDIENTES INACTIVOS: Deionized Water, Isopropyl Alcohol, Glycerine, Phenol, Potassium Iodide, Povidone Iodine. ADVENTENCIA:

Para uso externo equino solamente. Evite el contacto con los ojos y membranas mucosas. No lo use en heridas profundas o cavidades del cuerpo. No lo use en quemaduras. La aplicación por muchos dias debajo de las vendajes puede causar ampollas en la piel. Si se desarrolla una intación excesiva, discontinue de tratamiento y consulte a un veterinario. No lo use en caballos destinados a la almentación. DROGA RESTRINGIDA. UTILICE ÚNICAMENTE SEGUIN LAS INDICACIÓNES.

MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS

VENENO SI SE TOMA INTERNAMENTE. Si se ingiere accidentalmente péngase en contacto con control de envenenamientos y busca atención médica inmediatamente.



MANUFACTURED IN USA FOR JACKS INC. WASHINGTON C.H. OHIO 43160

DUREX LEG PAINT

durex leg paint liniment

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:61156-111

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.035 g in 1 mL

Inactive Ingredients			
Ingredient Name	Strength		
POTASSIUM IODIDE (UNII: 1C4QK22F9J)	0.0251 g in 1 mL		
ISOPROPYL ALCOHOL (UNII: ND2M416302)	0.36 mL in 1 mL		
GLYCERIN (UNII: PDC6A3C0OX)	0.3 g in 1 mL		
PHENOL (UNII: 339NCG44TV)	0.0258 mL in 1 mL		
WATER (UNII: 059QF0KO0R)	0.366 mL in 1 mL		
POVIDONE (UNII: FZ 989GH94E)	0.019 g in 1 mL		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61156-111-02	12 in 1 BOX		
1		473 mL in 1 BOTTLE		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		07/01/1994		

Labeler - JACKS MFG INC (056741838)

Registrant - JACKS MFG INC (056741838)

Establishment				
Name	Address	ID/FEI	Business Operations	
TENDA HORSE PRODUCTS, LLC		137337247	manufacture, api manufacture	

Establishment				
Name	Address	ID/FEI	Business Operations	
Finish Line Horse Products Inc.		057174393	manufacture	

Revised: 12/2021 JACKS MFG INC