

SUNSCREEN- sunscreen lotion
Old East Main Co.

Studio Selection D50AA/D50.000
Moisturizing Sunscreen Lotion SPF 50

Active ingredients

Avobenzone 3%

Homosalate 12%

Octisalate 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun

- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, diethylhexyl 2,6-naphthalate, butyloctyl salicylate, styrene/acrylates copolymer, aluminum starch octenylsuccinate, glycerin, polyester-7, silica, chlorphenesin, arachidyl alcohol, beeswax, neopentyl glycol diheptanoate, acrylates/C10-30 alkyl acrylate crosspolymer, behenyl alcohol, tocopherol, arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, benzyl alcohol, disodium EDTA, sodium ascorbyl phosphate, fragrance

Disclaimers

May stain or damage some fabrics or surfaces

OCTINOXATE FREE, OXYBENZONE FREE

*This product is not manufactured or distributed by Sun Bum LLC, distributor of Sun Bum Premium Moisturizing Sunscreen Lotion Broad Spectrum SPF 50.

Adverse Reaction

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIGDE

GOODLETTSVILLE, TN 37072

100% Satisfaction Guaranteed!

(888) 309-9030

principal display panel

STUDIO SELECTION ®

SUN

SUNSCREEN LOTION

Broad Spectrum SPF 50

Compare to Sun Bum[®] Sunscreen Lotion Broad Spectrum SPF 50*
SPF 50

Dermatologist-Tested

Hypoallergenic

Water-Resistant (80 minutes)

Banana Scent

6 FL OZ (177 mL)

Drug Facts

| Active Ingredients | Purpose |
|--------------------|-----------|
| Avobenzone 3% | Sunscreen |
| Homosalate 12% | Sunscreen |
| Octisalate 5% | Sunscreen |

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Apply to all skin exposed to the sun
- Reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. to 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive Ingredients water, diethylhexyl 2,6-naphthalate, butylacetyl salicylate, styrene/acrylates copolymer, aluminum starch octylpivaloate, glycerin, polyester-7, silica, chlorphenesin, arachidyl alcohol, beeswax, neopentyl glycol dibenzoate, acrylates/C10-30 alkyl acrylate copolymer, behenyl alcohol, tocopherol, arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, benzyl alcohol, disodium EDTA, sodium ascorbyl phosphate, fragrance

May stain or damage some fabrics or surfaces

OCTINOXATE FREE, OXYBENZONE FREE

*This product is not manufactured or distributed by Sun Bum LLC, distributor of Sun Bum[®] Premium Moisturizing Sunscreen Lotion Broad Spectrum SPF 50.

DISTRIBUTED BY OLD EAST MAIN CO.
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072

100% Satisfaction Guaranteed!
(888) 309-8030 L0021171TA

0 72785 14490 3

STUDIO SELECTION[®]
SUN

SUNSCREEN LOTION
BROAD SPECTRUM SPF 50

Compare to Sun Bum[®] Sunscreen Lotion Broad Spectrum SPF 50*

SPF 50

Dermatologist-Tested
Hypoallergenic
Water-Resistant (80 minutes)
Banana Scent

6 FL OZ (177 mL)

SUNSCREEN

sunscreen lotion

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:75712-950

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 30 mg in 1 mL |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 120 mg in 1 mL |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 50 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| WATER (UNII: 059QF0K00R) | |
| DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E) | |
| ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| POLYESTER-7 (UNII: 0841698D2F) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU) | |
| YELLOW WAX (UNII: 2ZA36H0S2V) | |
| NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X) | |
| ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V) | |
| DOCOSANOL (UNII: 9G1OE216XY) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| ARACHIDYL GLUCOSIDE (UNII: 6JVW35J00J) | |
| GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4) | |
| PEG-100 STEARATE (UNII: YD01N1999R) | |
| POTASSIUM HYDROXIDE (UNII: WZH3C48M4T) | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) | |
| SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:75712-950-30 | 177 mL in 1 TUBE; Type 0: Not a Combination Product | 12/05/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 12/05/2024 | |

Labeler - Old East Main Co. (006946172)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------|---------|-----------|------------------------|
| Nice-Pak Products, LLC | | 119091514 | manufacture(75712-950) |

Revised: 3/2026

Old East Main Co.