

FLUTICASONE PROPIONATE- fluticasone propionate spray, metered

Walgreens

Drug Facts

Active ingredient (in each spray)

Fluticasone propionate (glucocorticoid) 50 mcg.

Purpose

Allergy symptom reliever

Uses

Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- nasal congestion
- runny nose
- sneezing
- itchy nose
- itchy, watery eyes

Warnings

Only for use in the nose. Do not spray into your eyes or mouth.

Do not use

- in children under 4 years of age
- to treat asthma
- if you have an injury or surgery to your nose that is not fully healed
- if you have ever had an allergic reaction to this product or any of the ingredients

Ask a doctor before use if you

have or had glaucoma or cataracts

Ask a doctor or pharmacist before use if you are taking

- medicine for HIV infection (such as ritonavir)
- a steroid medicine for asthma, allergies or skin rash
- ketoconazole pills (medicine for fungal infection)

When using this product

- the growth rate of some children may be slower
- stinging or sneezing may occur for a few seconds right after use
- do not share this bottle with anyone else as this may spread germs
- remember to tell your doctor about all the medicines you take, including this one

Stop use and ask a doctor if

- you have, or come into contact with someone who has, chicken pox, measles or tuberculosis
- your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.
- you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.
- you get an allergic reaction to this product. Seek medical help right away.
- you get new changes to your vision that develop after starting this product
- you have severe or frequent nosebleeds

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- read the Quick Start Guide for how to:
 - prime the bottle
 - use the spray
 - clean the spray nozzle
- shake gently before each use
- use this product only once a day
- do not use more than directed

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

- Week 1 - use 2 sprays in each nostril once daily
- Week 2 through 6 months - use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms
- After 6 months of daily use - ask your doctor if you can keep using

CHILDREN 4 TO 11 YEARS OF AGE

- the growth rate of some children may be slower while using this product. **Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.**
- an adult should supervise use
- use 1 spray in each nostril once daily

CHILDREN UNDER 4 YEARS OF AGE

- **do not use**

Other information

- you may start to feel relief the first day and full effect after several days of regular, once-a-day use
- store between 4°C to 30°C (39° and 86°F)

- keep this label and enclosed materials. They contain important additional information.

Inactive ingredients

0.02% w/w benzalkonium chloride, dextrose, microcrystalline cellulose and carboxymethylcellulose sodium, 0.25% w/w phenylethyl alcohol, polysorbate 80, purified water

Questions or comments?

call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel - Carton

Principal Display Panel - Bottle

Principle Display Panel - Carton

Principal display panel

Compare to the active ingredient in Flonase® Allergy Relief††

24 HOUR RELIEF

Allergy

Nasal Spray

FLUTICASONE PROPIONATE 50 mcg

PER SPRAY / ALLERGY SYMPTOM RELIEVER

(GLUCOCORTICOID)*

24 Hour Non-Drowsy

- Relief of itchy, watery eyes, nasal congestion, runny nose, itchy nose & sneezing
- Allergy relief

Metered Sprays

*Fluticasone propionate is a steroid medicine know as a glucocorticoid.

††This product is not manufactured or distributed by Haleon US Holdings LLC, Distributor of Flonase® Allergy Relief.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED, TORN OR BROKEN OR IF THE SEAL AROUND THE PRODUCT LABELED "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING

DISTRIBUTED BY: **WALGREEN CO.**

DEERFIELD, IL 60015

Package Label - Carton

See Below For Important Information About Use in Children

Drug Facts	Purpose
<p>Active ingredient (in each spray) Fluticasone propionate (glucocorticoid) 50 mcg</p>	<p>Allergy symptom reliever</p>
<p>Uses Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:</p> <ul style="list-style-type: none"> ■ nasal congestion ■ runny nose ■ sneezing ■ itchy nose ■ itchy, watery eyes 	
<p>Warnings Only for use in the nose. Do not spray into your eyes or mouth.</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ in children under 4 years of age ■ to treat asthma ■ if you have an injury or surgery to your nose that is not fully healed ■ if you have ever had an allergic reaction to this product or any of the ingredients <p>Ask a doctor before use if you have or had glaucoma or cataracts</p> <p>Ask a doctor or pharmacist before use if you are taking</p> <ul style="list-style-type: none"> ■ medicine for HIV infection (such as zidovudine) ■ a steroid medicine for asthma, allergies or skin rash ■ ketoconazole pills (medicine for fungal infection) <p>When using this product</p> <ul style="list-style-type: none"> ■ the growth rate of some children may be slower ■ sneezing or sneezing may occur for a few seconds right after use ■ do not share this bottle with anyone else as this may spread germs ■ remember to tell your doctor about all the medicines you take, including this one <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ you have, or come into contact with someone who has chickenpox, measles or tuberculosis ■ your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection. ■ you get a constant whistling sound from your nose. This may be a sign of damage inside your nose. ■ you get an allergic reaction to this product. Seek medical help right away. ■ you get new changes to your vision that develop after starting this product ■ you have severe or frequent nosebleeds <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p>	

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED, TORN OR BROKEN OR IF THE SEAL AROUND THE PRODUCT LABELED "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING

Drug Facts (continued)

Directions

- read the Quick Start Guide for how to:
- prime the bottle
- use the spray
- clean the spray nozzle
- shake gently before each use
- use this product only once a day
- do not use more than directed

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

- Week 1 – use 2 sprays in each nostril once daily
- Week 2 through 6 months – use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms
- After 6 months of daily use – ask your doctor if you can keep using

CHILDREN 4 TO 11 YEARS OF AGE

- the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.
- an adult should supervise use
- use 1 spray in each nostril once daily

CHILDREN UNDER 4 YEARS OF AGE

- do not use

Other information

- you may start to feel relief the first day and full effect after several days of regular, once-a-day use
- store between 4°C and 30°C (39°F and 86°F)
- keep this label and enclosed materials. They contain important additional information.

Inactive ingredients
0.02% w/w benzalkonium chloride, dextrose, microcrystalline cellulose and carbonylmethylcellulose sodium, 0.25% w/w phenylethyl alcohol, polysorbate 80, purified water

Questions or comments?
Call 1-877-753-3835 Monday-Friday 9AM-5PM EST

*Fluticasone propionate is a steroid medicine known as a glucocorticoid.

What problems can Walgreens 24-Hour Allergy Nasal Spray help with?
Walgreens 24-Hour Allergy Nasal Spray helps relieve a broad range of uncomfortable nasal and eye symptoms like congestion and itchy eyes. • Nasal symptoms • Eye symptoms These symptoms can be triggered by outdoor and indoor allergens like pollen, mold, dust or pet dander.
• Outdoor allergens • Animal allergens • Indoor allergens

TWIN PACK NDC 0363-0652-02

FULL PRESCRIPTION STRENGTH

Compare to the active ingredient in **Flonase® Allergy Relief**

24 HOUR RELIEF Allergy Nasal Spray

FLUTICASONE PROPIONATE 50 mcg PER SPRAY / ALLERGY SYMPTOM RELIEVER (GLUCOCORTICOID)*

24 Hour

Non-Drowsy

- Relief of itchy, watery eyes, nasal congestion, runny nose, itchy nose & sneezing
- Allergy relief

2
BOTTLES

2x144
METERED SPRAYS

0.62 FL OZ (18.2 mL) EACH
TOTAL – 1.24 FL OZ (36.4 mL)

*Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
**This product is not manufactured or distributed by Haleon US Holdings LLC, distributor of Flonase® Allergy Relief.

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2025 Walgreen Co. PRODUCT OF INDIA

PLD-4803A F0006501
Empty & Recycle Cans
PAPER BOX GLASS BOTTLE
www.walgreens.com

ITEM 385698 W10589-0925-L

3 11917 03165 1

FULL LINE

NDC 0363-0652-02

ACTUAL SIZE

WALGREENS Allergy Nasal Spray

Principle Display Panel - Carton (72ms)

CARTON LABEL - PRINCIPAL DISPLAY PANEL - 50 mcg per spray

Walgreens NDC 0363-0652-03

Allergy Nasal Spray

Fluticasone Propionate 50 mcg per spray

72 sprays

Allergy Symptom Reliever (Glucocorticoid)

24 Hour Relief of:

- Itchy, Watery Eyes
- Nasal Congestion
- Runny Nose
- Itchy Nose
- Sneezing

1-96512

1-96512

Fluticasone propionate is a steroid medicine known as a glucocorticoid.

Drug Facts (continued)

- remember to tell your doctor about all the medicines you take, including this one
- Stop use and ask a doctor if**
 - you have, or come into contact with someone who has, chicken pox, measles or tuberculosis
 - your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.
 - you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.
 - you get an allergic reaction to this product. Seek medical help right away.
 - you get new changes to your vision that develop after starting this product.
 - you have severe or frequent nosebleeds
- If pregnant or breast-feeding,** ask a health professional before use.
- Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- read the Quick Start Guide for how to:
 - prime the bottle
 - use the spray
 - clean the spray nozzle
- shake gently before each use
- use this product only once a day
- do not use more than directed

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED, TORN OR BROKEN OR IF THE SEAL AROUND THE PRODUCT LABELED "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING

Drug Facts (continued)

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

- Week 1 - use 2 sprays in each nostril once daily
- Week 2 through 6 months - use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms
- After 6 months of daily use - ask your doctor if you can keep using

CHILDREN 4 TO 11 YEARS OF AGE

- the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.
- an adult should supervise use
- use 1 spray in each nostril once daily

CHILDREN UNDER 4 YEARS OF AGE

- do not use

Other information

- you may start to feel relief the first day and full effect after several days of regular, once-a-day use
- store between 4°C and 30°C (39°F and 86°F)
- keep this label and enclosed materials. They contain important additional information.

Inactive ingredients

0.02% w/w benzalkonium chloride, dextrose, microcrystalline cellulose and carboxymethylcellulose sodium, 0.25% w/w phenylethyl alcohol, polysorbate 80, purified water

Questions or comments?

call toll free **1-800-706-5575**, weekdays, 8:30am - 5:00pm Eastern Standard Time

What problems can Walgreens 24-Hour Allergy Nasal Spray help with?

Walgreens 24-Hour Allergy Nasal Spray helps relieve a broad range of uncomfortable nasal and eye symptoms like congestion and itchy eyes. • Nasal symptoms • Eye symptoms

These symptoms can be triggered by outdoor and indoor allergens like pollen, mold, dust or pet dander.

- Outdoor allergens • Animal allergens • Indoor allergens

FULL PRESCRIPTION STRENGTH

NDC 0363-0652-03

Walgreens

Compare to the active ingredient in Flonase® Allergy Relief*

24 HOUR RELIEF Allergy Nasal Spray

FLUTICASONE PROPIONATE 50 mcg PER SPRAY / ALLERGY SYMPTOM RELIEVER (GLUCOCORTICOID)*

24 Hour Non-Drowsy

- Relief of itchy, watery eyes, nasal congestion, runny nose, itchy nose & sneezing
- Allergy relief

72 METERED SPRAYS

0.38 FL OZ (11.1 mL)

See below for important information about use in children.

Drug Facts

Active ingredient (in each spray)	Purpose
Fluticasone propionate (glucocorticoid)	Allergy symptom reliever

Uses

Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- nasal congestion
- sneezing
- runny nose
- itchy nose
- itchy, watery eyes

Warnings

Only for use in the nose. Do not spray into your eyes or mouth.

Do not use

- in children under 4 years of age
- to treat asthma
- if you have an injury or surgery to your nose that is not fully healed
- if you have ever had an allergic reaction to this product or any of the ingredients

Ask a doctor before use if you have or had glaucoma or cataracts

Ask a doctor or pharmacist before use if you are taking

- medicine for HIV infection (such as zidovudine)
- a steroid medicine for asthma, allergies or skin rash
- ketconazole pills (medicine for fungal infection)

When using this product

- the growth rate of some children may be slower
- singing or sneezing may occur for a few seconds right after use
- do not share this bottle with anyone else as this may spread germs

ACTUAL SIZE

ING2212-1

W3OR0821-F

DISTRIBUTED BY: WALGREEN CO.
200 WILLMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com

©2021 Walgreen Co. MADE IN CANADA
ITEM 386695 W00000-0000-0

3 11917 03167 5

PAPER BOX GLASS BOTTLE

Package label (72 ms)

See Below For Important Information About Use In Children

Drug Facts	Purpose
Active ingredient (in each spray) Fluticasone propionate (glucocorticoid) 50 mcg	Allergy symptom reliever

Uses
Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- nasal congestion
- runny nose
- sneezing
- itchy nose
- itchy, watery eyes

Warnings
Only for use in the nose. Do not spray into your eyes or mouth.

Do not use

- in children under 4 years of age
- to treat asthma
- if you have an injury or surgery to your nose that is not fully healed
- if you have ever had an allergic reaction to this product or any of the ingredients

Ask a doctor before use if you have or had glaucoma or cataracts

Ask a doctor or pharmacist before use if you are taking

- medicine for HIV infection (such as ritonavir)
- a steroid medicine for asthma, allergies or skin rash
- ketoconazole pills (medicine for fungal infection)

When using this product

- The growth rate of some children may be slower
- stinging or sneezing may occur for a few seconds right after use
- do not share this bottle with anyone else as this may spread germs
- remember to tell your doctor about all the medicines you take, including this one

Stop use and ask a doctor if

- you have, or come into contact with someone who has chickenpox, measles or tuberculosis
- your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.
- you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.
- you get an allergic reaction to this product. Seek medical help right away.
- you get new changes to your vision that develop after starting this product.
- you have severe or frequent nosebleeds

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

*Fluticasone propionate is a steroid medicine known as a glucocorticoid.

Drug Facts (continued)

Directions

- read the Quick Start Guide for how to:
- prime the bottle
- use the spray
- clean the spray nozzle
- shake gently before each use
- use this product only once a day
- do not use more than directed

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

- Week 1 – use 2 sprays in each nostril once daily
- Week 2 through 6 months – use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms
- After 6 months of daily use – ask your doctor if you can keep using

CHILDREN 4 TO 11 YEARS OF AGE

- the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.
- an adult should supervise use
- use 1 spray in each nostril once daily

CHILDREN UNDER 4 YEARS OF AGE

- do not use

Other information

- you may start to feel relief the first day and full effect after several days of regular, once-a-day use
- store between 4°C and 30°C (39°F and 86°F)
- keep this label and enclosed materials. They contain important additional information.

Inactive ingredients
0.02% w/v butylparaben, 0.01% w/v benzalkonium chloride, dextrose, microcrystalline cellulose and carbonylmethylcellulose sodium, 0.25% w/v phenylethyl alcohol, polysorbate 80, purified water

Questions or comments?
Call 1-877-733-3838 Monday-Friday 9AM-5PM EST

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED, TORN OR BROKEN OR IF THE SEAL AROUND THE PRODUCT IS LABELED "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING.

FULL PRESCRIPTION STRENGTH

NDC 0363-0652-03

Compare to the active ingredient in
Flonase® Allergy Relief*

24 HOUR RELIEF Allergy Nasal Spray

FLUTICASONE PROPIONATE 50 mcg
PER SPRAY / ALLERGY SYMPTOM RELIEVER
(GLUCOCORTICOID)*

24 Hour

Non-Drowsy

- Relief of itchy, watery eyes, nasal congestion, runny nose, itchy nose & sneezing
- Allergy relief

0.38 FL OZ (11.1 mL)

ACTUAL SIZE

What problems can Walgreens 24-Hour Allergy Nasal Spray help with?
Walgreens 24-Hour Allergy Nasal Spray helps relieve a broad range of uncomfortable nasal and eye symptoms like congestion and itchy eyes. • Nasal symptoms • Eye symptoms
These symptoms can be triggered by outdoor and indoor allergens like pollen, mold, dust or pet dander.
• Outdoor allergens • Animal allergens • Indoor allergens

REV-0625
W3ORG0821-F

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2025 Walgreen Co. PRODUCT OF INDIA

P.L.D.-A903A FC038500

WALGREENS Allergy Nasal Spray

FLUTICASONE PROPIONATE

fluticasone propionate spray, metered

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0652
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FLUTICASONE PROPIONATE (UNII: O2GMZ0LF5W) (Fluticasone - UNII: CUT2W21N7U)	FLUTICASONE PROPIONATE	50 ug

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0652-01	1 in 1 CARTON	07/01/2025	
1	NDC:0363-0652-04	144 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
2	NDC:0363-0652-02	2 in 1 CARTON	07/01/2025	
2		144 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
3	NDC:0363-0652-06	4 in 1 CARTON	07/01/2025	
3		144 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
4	NDC:0363-0652-03	1 in 1 CARTON	07/01/2025	
4	NDC:0363-0652-05	72 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA208150	07/01/2025	

Labeler - Walgreens (008965063)

Revised: 10/2025

Walgreens