

**SICK STOPPER - anthracinum, influenzzinum, pyrogenium, bufo rana, aconitum nap., agaricus musc., aralia quinquefolia, baptisia, bryonia, chelidonium majus, eupatorium perf., hepar sulph. calc., lachesis, lycopodium, nux vom., rhus toxicodendron, sanguinaria, sulphur, thuja occ., echinacea liquid**  
**Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Sick Stopper**

**INDICATIONS & USAGE SECTION**

**Sick Stopper** Formulated for symptoms associated with colds and infections. Begin at the onset of symptoms.

**DOSAGE & ADMINISTRATION SECTION**

**Directions: ORAL USE ONLY** - Ages 12 and up, take 6 drops orally (ages 0 to 11, give 3 drops) as needed or as directed by a healthcare professional. Sensitive persons begin with 1 drop and gradually increase to full dose.

**OTC - ACTIVE INGREDIENT SECTION**

Anthracinum 30x, Influenzinum 30x, Pyrogenium 30x, Bufo 15x, Aconitum nap. 10x, Agaricus musc. 10x, Aralia quin. 10x, Baptisia 10x, Bryonia 10x, Chelidonium maj. 10x, Eupatorium perf. 10x, Hepar sulph. calc. 10x, Lachesis 10x, Lycopodium 10x, Nux vom. 10x, Rhus tox. 10x, Sanguinaria 10x, Sulphur 10x, Thuja occ. 10x, Echinacea 3x.

**OTC - PURPOSE SECTION**

Formulated for symptoms associated with colds and infections. Begin at the onset of symptoms.

**INACTIVE INGREDIENT SECTION**

**Inactive Ingredients:** USP Purified Water; USP Gluten-free, non-GMO, organic cane dispensing alcohol 20%.

**QUESTIONS SECTION**

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012  
Questions? 1.800.448.7256

**WARNINGS SECTION**

**Warning:** Do not use if tamper - evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

**OTC - PREGNANCY OR BREAST FEEDING SECTION**

Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for

more than a few days.

## OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

## PACKAGE LABEL

www.newtonlabs.net  
Newton Laboratories, Inc. FDA Est#1051203 • Conyers, GA 30012  
Questions? 800.448.7256  
Statements have not been reviewed by the FDA.  
Warning: Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

NDC#  
55714-8010-1

**Simple SURVIVAL™**  
Homeopathics

**Sick Stopper**  
Formulated for symptoms associated with colds and infections. Begin at the onset of symptoms.

Directions: **ORAL USE ONLY** - Ages 12 and up, take 6 drops orally (ages 0 to 11, give 3 drops) as needed or as directed by a healthcare professional. Sensitive persons begin with 1 drop and gradually increase to full dose.  
Active Ingredients: Anthracinum 30x, Influenzinum 30x, Pyrogenium 30x, Bufo 15x, Aconitum nap. 10x, Agaricus musc. 10x, Aralia quin. 10x, Baptisia 10x, Bryonia 10x, Chelidonium maj. 10x, Eupatorium perf. 10x, Hepar sulph. calc. 10x, Lachesis 10x, Lycopodium 10x, Nux vom. 10x, Rhus tox. 10x, Sanguinaria 10x, Sulphur 10x, Thuja occ. 10x, Echinacea 3x.  
Inactive Ingredients: USP Purified water; USP Gluten-free, non-GMO, organic cane dispensing alcohol 20%.

Stock# 5523 Lot#

**1 fl oz (29.57 ml)**

## SICK STOPPER

anthracinum, influenzae, pyrogenium, bufo rana, aconitum nap., agaricus musc., aralia quinquefolia, baptisia, bryonia, chelidonium majus, eupatorium perf., hepar sulph. calc., lachesis, lycopodium, nux vom., rhus toxicodendron, sanguinaria, sulphur, thuja occ., echinacea liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55714-80 10
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Bacillus Anthracis Immunoserum Rabbit</b> (UNII: 41LZ22DD4N) (Bacillus Anthracis Immunoserum Rabbit - UNII:41LZ22DD4N)	Bacillus Anthracis Immunoserum Rabbit	30 [hp_X] in 1 mL
<b>Influenza A Virus</b> (UNII: R9HH0NDE2E) (Influenza A Virus - UNII:R9HH0NDE2E)	Influenza A Virus	30 [hp_X] in 1 mL
<b>Rancid Beef</b> (UNII: 29SUH5R3HU) (Rancid Beef - UNII:29SUH5R3HU)	Rancid Beef	30 [hp_X] in 1 mL
<b>Bufo Bufo Cutaneous Gland</b> (UNII: Q59QU6N72Q) (Bufo Bufo Cutaneous Gland - UNII:Q59QU6N72Q)	Bufo Bufo Cutaneous Gland	15 [hp_X] in 1 mL

<b>Aconitum Napellus</b> (UNII: U0NQ8555JD) (Aconitum Napellus - UNII:U0NQ8555JD)	Aconitum Napellus	10 [hp_X] in 1 mL
<b>Amanita Muscaria Var. Muscaria Fruiting Body</b> (UNII: DIF093I037) (Amanita Muscaria Var. Muscaria Fruiting Body - UNII:DIF093I037)	Amanita Muscaria Var. Muscaria Fruiting Body	10 [hp_X] in 1 mL
<b>American Ginseng</b> (UNII: 8W75VCV53Q) (American Ginseng - UNII:8W75VCV53Q)	American Ginseng	10 [hp_X] in 1 mL
<b>Baptisia Tinctoria</b> (UNII: 5K1UO2888Y) (Baptisia Tinctoria - UNII:5K1UO2888Y)	Baptisia Tinctoria	10 [hp_X] in 1 mL
<b>Bryonia Alba Root</b> (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	10 [hp_X] in 1 mL
<b>Chelidonium Majus</b> (UNII: 7E889U5RNN) (Chelidonium Majus - UNII:7E889U5RNN)	Chelidonium Majus	10 [hp_X] in 1 mL
<b>Eupatorium Perfoliatum Flowering Top</b> (UNII: 1W0775VX6E) (Eupatorium Perfoliatum Flowering Top - UNII:1W0775VX6E)	Eupatorium Perfoliatum Flowering Top	10 [hp_X] in 1 mL
<b>Calcium Sulfide</b> (UNII: 1MBW07J51Q) (Calcium Sulfide - UNII:1MBW07J51Q)	Calcium Sulfide	10 [hp_X] in 1 mL
<b>Lachesis Muta Venom</b> (UNII: VSW71SS07I) (Lachesis Muta Venom - UNII:VSW71SS07I)	Lachesis Muta Venom	10 [hp_X] in 1 mL
<b>Lycopodium Clavatum Spore</b> (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479)	Lycopodium Clavatum Spore	10 [hp_X] in 1 mL
<b>Strychnos Nux-vomica Seed</b> (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919)	Strychnos Nux-vomica Seed	10 [hp_X] in 1 mL
<b>Toxicodendron Pubescens Leaf</b> (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A)	Toxicodendron Pubescens Leaf	10 [hp_X] in 1 mL
<b>Sanguinaria Canadensis Root</b> (UNII: N9288CD508) (Sanguinaria Canadensis Root - UNII:N9288CD508)	Sanguinaria Canadensis Root	10 [hp_X] in 1 mL
<b>Sulfur</b> (UNII: 70FD1KFU70) (Sulfur - UNII:70FD1KFU70)	Sulfur	10 [hp_X] in 1 mL
<b>Thuja Occidentalis Leafy Twig</b> (UNII: 1NT28V9397) (Thuja Occidentalis Leafy Twig - UNII:1NT28V9397)	Thuja Occidentalis Leafy Twig	10 [hp_X] in 1 mL
<b>Echinacea, Unspecified</b> (UNII: 4N9P6CC1DX) (Echinacea, Unspecified - UNII:4N9P6CC1DX)	Echinacea, Unspecified	3 [hp_X] in 1 mL
<b>Influenza B Virus</b> (UNII: 1314JZ2X6W) (Influenza B Virus - UNII:1314JZ2X6W)	Influenza B Virus	30 [hp_X] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>Alcohol</b> (UNII: 3K9958V90M)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-8010-1	29.57 mL in 1 BOTTLE, GLASS		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/15/2014	

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-8010)

Revised: 4/2014

Newton Laboratories, Inc.