TRAVEL EASE- dimenhydrinate tablet Best Choice (Valu Merchandisers Company)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dimenhydrinate 50 mg DELISTED

Drug Facts

Active Ingredient (in each tablet)

Dimenhydrinate 50 mg

Purpose

Antiemetic

Uses

for the prevention and treatmeant of nausea, vomiting, or dizziness associated with motion sickness.

Warnings

Do not use

for children under 2 years of age unless directed by a doctor.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to an enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• to prevent motion sickness, the first dose should be taken ½ to 1 hour before starting activity

5	1 to 2 tablets every 4-6 hours; not to exceed 8 tablets in 24 hours	
and over	or as directed by a doctor	
children 6 to under 12 years	1/2 to 1 tablet every 6-8 hours; not to exceed 3 tablets in 24 hours or as directed by a doctor	
children 2 to under 6 years	1/4 to 1/2 tablet every 6 to 8 hours; not to exceed 1- 1/2 tablets in 24 hours or as directed by a doctor.	

Other information

- each tablet contains; calcium 30 mg
- store at room temperature 20°-25°C (68°-77°F)

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose.

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9 AM- 5 PM EST

Principal Display Panel

Compare to the Active Ingredient in Dramamine® Original Formula*

Motion Sickness Relief

Dimenhydrinate 50 mg

Antiemetic

- Treats symptoms on the spot
- Prevents nausea, dizziness and vomiting

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS AVE

KANSAS CITY, KS 66106

Product Label

^{*}This product is not manufactured or distributed by Prestige Brands, Inc., owner of the registered trademark Dramamine®Original Formula.

COMPARE TO THE ACTIVE INGREDIENT IN DRAMAMINE® ORIGINAL FORMULA*

ness R



EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Date Lot No.: 쫎

Actual Size

12 TABLETS

50 mg Each

Dimenhydrinate 50 mg Antiemetic

PLD-B51F FC001721

- Treats Symptoms on the Spot
- Prevents Nausea, Dizziness and Vomiting

*This product is not manufactured or distributed by Prestige Brands, Inc., owner of the registered trademark Dramamine® Original Formula.

> Best Choice. 100% Guaranteed

PROUDLY DISTRIBUTED BY: VALU MERCHANDISERS, CO. 5000 KANSAS AVE KANSAS CITY, KS 66106



QUESTIONS OF COMMENTS? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST Inactive ingredients croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose Other Information = each tablet contains: calcium 30 mg = store at room temperature 20°-25°C (68°-77°F) 1/4 to 1/2 tablet every 6-8 hours; not to exceed 1-1/2 tablets in 24 hours, or as directed by children 2 to under 6 years 1/2 to 1 tablet every 6-8 hours; not to exceed 3 tablets in 24 hours, or as directed by a doctor children 6 to under 12 years T to 2 tablets every 4-6 hours; not to exceed 8 tablets in 24 hours, or as directed by a doctor adults and children 12 years DIFECTIONS • to prevent motion sickness, the first dose should be taken 1/2 to 1 hour before starting activity if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Polson Control Center right away. ■ use caution when driving a motor vehicle or operating machinery ■ slcohol, sedatives, and tranquilizers may increase drowsiness ■ marked drowsiness may occur
■ avoid alcoholic drinks When using this product Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. ■ qitticulty in urination due to an enlargement of the prostate gland ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma Ask a doctor before use if you have Do not use for children under 2 years of age unless directed by a doctor. Warnings USBS for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness. Antiemetic Dimenhydrinate 50 mg. Active ingredient (in each tablet) Purpose Drug Facts

Best Choice Motion Sickness Relief

TRAVEL EASE

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-630	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DIMENHYDRINATE (UNII: JB937PER5C) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIMENHYDRINATE	50 mg	

Inactive Ingredients			
Ingredient Name	Strength		
CROSCARMELLOSE SODIUM (UNII: M28 O L1HH48)			
CALCIUM PHO SPHATE, DIBASIC, ANHYDRO US (UNII: L11K75P92J)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)			

Product Characteristics			
Color	WHITE	Score	2 pieces
Shape	ROUND	Size	9 mm
Flavor		Imprint Code	1006;1006
Contains			

]	Packaging					
3	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
:	NDC:63941-630-12	1 in 1 CARTON	08/10/2010	08/10/2020		
:	L	12 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part336	08/10/2010	08/10/2020

Labeler - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 7/2019 Best Choice (Valu Merchandisers Company)