SANNUO 5% MINOXIDIL HAIR GROWTH TREATMENT- hair growth spray spray Shenzhen Baixingchen Technology Co., Ltd.

Minoxidil 5%

Ask a Doctor before use if you have Heart disease.

Warnings

-For external use only.

-Keep away from fire and flame.

-Avoid contact with eyes.

Do not use

-You have no family history of hair loss, hair loss is sudden and/orpatchy.

-You do not know the reason for your hair loss.

-You are under 18 years of age.

Do not use it on babies and children.

-Your scalp is red, inflamed, infect-edirritated, or painful.

-You use other medicines on the scalp.

When using

-Do not apply on other parts of the body.

-void contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

-It takes time to regrow hair. You may need to use this product 2 times a day for a least 4 months before you see results, The amount of hair regrowth is different for each person

Stop use and ask doctor if

-chest pain,rapid heart beat,faintness,or dizziness occurs sudden, unexplained weight gain occurs your hands or feet swell scalp irritation or redness occurs -May be harmful when pregnant or breast-feeding

Keep Out of Reach of Children

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Hair Regrowth Treatment

Other information -Before use, read all information on the carton. -Store at controlled room temperature 20 to 25 °C (68 to 77°F)

Directions

-Apply 1ml (7 Sprays) twice a day.

Once in the morning and another time in the evening before bed.


-Spray directly on top of the scalp in the area to be treated.

-Using more than directed or more often will not improve results.

-Continued use is necessary to increase and then maintain your hair regrowth.

-Discontinuing use may result in hair loss.

Inactive ingredients Propylene Glycol, Ethyl Alcohol, Aqua. Use to regrow hair on the top of the scalp.



SANNUO 5% MINOXIDIL HAIR GROWTH TREATMENT

hair growth spray spray

Pr	roduct Infor	mation						
Pr	oduct Type	Pe HUMAN OTC DRUG Item Code (Source)		e (Source)	NDC:83648-004			
Ro	oute of Admini	istration	TOPICAL					
Ac	tive Ingredi	ient/Active	Moiety					
Ingredient Name Basis of Stre					Basis of Streng	gth	Strength	
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1) MINO					MINOXIDIL		5 g in 100 mL	
						Strength		
In	active Ingre	dients						
							Strength	
		(00E 8) (00M)	ingreuient Name				Strength	
	COHOL (UNII: 3K						Strength	
WA	ATER (UNII: 059Q	F0KO0R)					Strength	
WA		F0KO0R)					Strength	
WA	ATER (UNII: 059Q	F0KO0R)					Strength	
W <i>A</i> PR	ATER (UNII: 059Q	F0KO0R)					Strengtn	
W <i>A</i> PR	ATER (UNII: 059Q Opylene Glyc	FOKOOR) OL (UNII: 6DC90		•	Narketing Start Date		Strength arketing Enc Date	
WA PRO Pa #	ATER (UNII: 059Q OPYLENE GLYC Ackaging Item Code	PFOKOOR) OL (UNII: 6DC94 Pa	Q167V3)	tion	-		arketing Enc	
WA PRO Pa #	ATER (UNII: 0590 OPYLENE GLYC Ackaging Item Code NDC:83648-004-	F0K00R) OL (UNII: 6DC90 Pa 60 mL in 1 B0	Q167V3) ckage Description	tion	Date		arketing Enc	
PROPRO	ATER (UNII: 0590 OPYLENE GLYC ACKAGING Item Code NDC:83648-004- 01	POKOOR) OL (UNII: 6DC90 Pa 60 mL in 1 BO Product	Q167V3) ckage Description TTLE; Type 0: Not a Combina	tion	Date		arketing Enc	
WA PR Pa #	ATER (UNII: 0590 OPYLENE GLYC Ackaging Item Code NDC:83648-004-	POKOOR) OL (UNII: 6DC90 Pa 60 mL in 1 BO Product	Q167V3) ckage Description TTLE; Type 0: Not a Combina	tion	Date		arketing End	
PR PR	ATER (UNII: 0590 OPYLENE GLYC ACKAGING Item Code NDC:83648-004- 01	POKOOR) OL (UNII: 6DC90 Pa 60 mL in 1 BO Product	Q167V3) ckage Description TTLE; Type 0: Not a Combina	ation 04/	Date	Ma	arketing Enc	

Labeler - Shenzhen Baixingchen Technology Co., Ltd. (411899311)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Baixingchen Technology Co., Ltd.		411899311	manufacture(83648-004)

Revised: 4/2024

Shenzhen Baixingchen Technology Co., Ltd.