

**ACETAMINOPHEN EXTRA STRENGTH - acetaminophen tablet  
WALMART INC.**

-----

***Drug Facts***

**Active ingredient (in each gelcap)**

Acetaminophen USP 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - backache
  - minor pain of arthritis
  - the common cold
  - toothache
  - premenstrual and menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"> <li>• take 2 gelcaps every 6 hours while symptoms last</li> <li>• do not take more than 6 gelcaps in 24 hours, unless directed by a doctor</li> <li>• do not use for more than 10 days unless directed by a doctor</li> </ul>
children under 12 years	ask a doctor

**Other information**

- store between 20° to 25°C (68° to 77°F). Avoid high humidity

- **Do not use if printed foil seal under cap is torn or missing**

***Inactive ingredients***

ammonium hydroxide, black iron oxide, colloidal silicon dioxide, FD&C blue #1, FD&C red #3, FD&C red #40, gelatin, hydroxypropyl cellulose, magnesium stearate, polyethylene glycol, pregelatinized starch (maize), propylene glycol, shellac glaze, sodium starch glycolate, talc and titanium dioxide.

***Questions or comments?***

call **1-888-287-1915**

**DISTRIBUTED BY: Walmart Inc.,  
Bentonville, AR 72716**

PRODUCT OF INDIA

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 500 mg (225 Gelcaps Container Label)**

**equate™**

**NDC 79903-268-23**

**Compare to  
Extra Strength  
Tylenol® Rapid  
Release Gels  
active  
ingredient\***

**EXTRA STRENGTH  
Pain Reliever  
Acetaminophen  
500 mg**

**Pain Reliever/Fever Reducer**

***THIS PACKAGE IS FOR HOUSEHOLDS  
WITHOUT YOUNG CHILDREN***

**500  
mg  
EACH**

**225  
GELCAPS**


**equate™**

NDC 79903-268-23



**EXTRA STRENGTH**

# Pain Reliever Acetaminophen 500 mg



Actual Size

Pain Reliever/Fever Reducer

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

500 mg EACH

225 GELCAPS

Do not use if printed foil seal under cap is torn or missing.

### Drug Facts

#### Active ingredient (in each gelcap)

Acetaminophen USP 500 mg.....Pain reliever/fever reducer

#### Purpose

#### Uses

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - backache
  - minor pain of arthritis
  - the common cold
  - toothache
  - premenstrual and menstrual cramps
- temporarily reduces fever

#### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening

**DISTRIBUTED BY:** Walmart Inc., Bentonville, AR 72716  
PRODUCT OF INDIA

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Extra Strength Tylenol® Rapid Release Gels.

how2recycle.info  
Satisfaction guaranteed - Or we'll buy it or give you your money back. For more information or to report an unlisted reaction or side effect, please call 1-888-287-1915.



1 94346 26621 0

PEEL BACK HERE

P1434529

LM-5845

### Drug Facts (continued)

- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have liver disease**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

#### Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
  - fever gets worse or lasts more than 3 days
  - new symptoms occur
  - redness or swelling is present
- These could be signs of a serious condition.

LM-5845

P1434529

### Drug Facts (continued)

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### Directions

**do not take more than directed (see overdose warning)**

adults and children  
12 years and over

- take 2 gelcaps every 6 hours while symptoms last
- do not take more than 6 gelcaps in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

children under 12 years

ask a doctor

#### Other information

- store between 20° to 25°C (68° to 77°F). Avoid high humidity
- Do not use if printed foil seal under cap is torn or missing.**

HINGE

### Drug Facts (continued)

#### Inactive ingredients

ammonium hydroxide, black iron oxide, colloidal silicon dioxide, FD&C blue #1, FD&C red #3, FD&C red #40, gelatin, hydroxypropyl cellulose, magnesium stearate, polyethylene glycol, pregelatinized starch (maize), propylene glycol, shellac glaze, sodium starch glycolate, talc and titanium dioxide.

**Questions or comments?** call 1-888-287-1915

HINGE

P1434529

LM-5845

# ACETAMINOPHEN EXTRA STRENGTH

acetaminophen tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79903-268
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

## Inactive Ingredients

Ingredient Name	Strength
AMMONIA (UNII: 5138Q19F1X)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	RED (and Blue with Grey Band)	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	J;1
<b>Contains</b>			

## Packaging

#	Item Code	Packaging Description	Marketing Start	Marketing End
---	-----------	-----------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:79903-268-23	225 in 1 BOTTLE; Type 0: Not a Combination Product	06/28/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/28/2024	

**Labeler** - WALMART INC. (051957769)

**Registrant** - Aurohealth LLC (078728447)

## Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	ANALYSIS(79903-268) , MANUFACTURE(79903-268)

Revised: 7/2024

WALMART INC.