CEREUSSAN- bacillus cereus suppository sanPharmacy Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

CereusSAN Suppositories

For liver toxification

Relieves symptoms of liver toxification, chronic respiratory or rheumatic inflammation and gastrointestinal disorders

insert 1 suppository rectally one to two times a week

Bacillus cereus 6X

sodium chloride, mono-, di-, triglycerides (hard fat)

Manufactured in the USA for:

sanPharmacy Inc. 350 Fifth Avenue STE 5220 New York NY 10118-5220

Liability statement

These statements or claims are based upon traditional homeopathic practice. They have not been reviewed by the Food & Drug Administration

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of ingestion call Poison Control Center hotline immediately at 1-800-222-1222.

For rectal use only.

When using this product

do not use more than directed

If symptoms persist more than 5 days, contact a licensed practitioner.

Tamper Evident: Use this product only if inner blister pack is intact. To report adverse events, contact MEDsan Inc. at 1-855-462-6334.

Keep out of reach of children. In case of ingestion call Poison Control Center hotline immediately at 1-800-222-1222

CereusSAN

Homeopathic Medicine

For liver toxification

10 Suppositories sanPharmacy biological health solutions 10 Suppositories For liver toxification Homeopathic Medicine < **CereusSAN Drug Facts Drug Facts** (continued) SanPharmacy biological health solutions Active ingredients Purpose Bacillus cereus 6X Relieves symptoms of Inactive liver toxification, chronic ingredients respiratory or rheumatic sodium chloride, inflammation and mono-, di-, gastrointestinal disorders triglycerides (hard fat) Uses These statements For relief of symptoms of or claims are based liver disorders caused by dysbacteria upon traditional chronic gastritis homeopathic chronic respiratory or rheumatic inflammation minor skin irritations practice. They have not been reviewed dermatitis eczema by the Food & Drug Administration. Warnings If pregnant or breast-feeding, ask a health professional before use Keep out of reach of children. In case of ingestion call Poison Control Center hotline immediately at 1-800-222-1222. For rectal use only. When using this product do not use more than directed CereusSAN If symptoms persist more than 5 days, contact a licensed practitioner. Homeopathic Medicine Tamper Evident: Use this product only if inner blister pack is intact. To report adverse events, contact MEDsan Inc. at 1-855-462-6334. For liver toxification Directions insert 1 suppository rectally one to two times Manufactured in the USA for: sanPharmacy Inc. 350 Fifth Avenue STE 5220 New York NY 10118-5220 a week Other information • protect from light and heat 10 Suppositories NDC: 73479-014-05

CEREUSSAN

bacillus cereus suppository

Product	Information
---------	-------------

Product Type HUMAN OTC DRUG Item Code (Source) NDC:73479-014

Route of Administration

RECTAL

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength
7VC1E1NO2L\ (DACILLIC CEDELIC	LINIU-7VC1E1NIO2L\	DACILLUC CEDELIC	C Iba VI

BACILLUS CEREUS (UNII: 7YC151N82L) (BACILLUS CEREUS - UNII:7YC151N82L) BACILLUS CEREUS

Inactive Ingredients

Ingredient Name	Strength	
HARD FAT (UNII: 8334LX7S21)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		

Packaging Marketing Start Marketing End Item Code **Package Description** Date Date NDC:73479-014- 1 in 1 CARTON; Type 0: Not a Combination Product 04/25/2024

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		04/25/2024		
nomeopathic				

Labeler - sanPharmacy Inc. (117235152)

Establishment				
Name	Address	ID/FEI	Business Operations	
MEDsan Inc.		004326784	manufacture(73479-014)	

Revised: 4/2024 sanPharmacy Inc.