STOOL SOFTENER LAXATIVE- docusate sodium, sennosides tablet Good Sense (Geiss, Destin & Dunn, Inc.)

DRUG FACTS

Active ingredients (in each tablet)

Docusate sodium 50 mg Sennosides 8.6 mg

Purpose

Stool softener

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Other information

- each tablet contains: calcium 30 mg
- each tablet contains: sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F), excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&c blue #2 aluminum lake, FD&C red # 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Overnight Relief

Stimulant Laxative Plus

Stool Softener

Docusate sodium 50 mg

Sennosides 8.6 mg

†Compare to active ingredients in Colace® 2-IN-1


TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

Distributed by: Geiss, Destin & Dunn, Inc.,

Peachtree City, GA 30269

Product Label



■ each tablet contains: calcium 30 mg
■ each tablet contains: sodium 6 mg VERY LOW SODIUM ■ take only by mouth. Doses may be taken as a single cellulose, polyethylene glycol, silicon dioxide, talc, titanium store at 25°C (77°F); excursions permitted between Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. aluminum lake, FD&C red #40 aluminum lake Inactive ingredients croscarmellose sodium dibasic calcium phosphate dihydrate, FD&C blue #2 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away These may indicate a serious condition. noticed a sudden change in bowel habits that lasts ■ stomach pain
■ nausea
■ vomiting Ask a doctor before use if you have **Drug Facts** (continued) Call 1-877-753-3935 Monday-Friday 9AM-5PM EST nypromellose, magnesium stearate, microcrystalline Questions or comments? Other information efore use. pregnant or breast-feeding, ask a health professional over a period of 2 weeks daily dose, preferably in the evening, or in divided doses children under 2 children 2 to under 6 12 years and over adults and children 15-30°C (59-86°F) years of age 12 years of age children 6 to under take up to 1 tablet daily take 2-4 tablets daily ask a doctor take 1-2 tablets daily

GOOD SENSE Stool Softener

STOOL SOFTENER LAXATIVE

docusate sodium, sennosides tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50804-855
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

Product Characteristics			
Color	red	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	PSD21
Contains			

l	P	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
		NDC:50804- 855-10	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/30/2020		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	06/30/2020	

Labeler - Good Sense (Geiss, Destin & Dunn, Inc.) (076059836)

Revised: 4/2024 Good Sense (Geiss, Destin & Dunn, Inc.)