

**FEXOFENADINE HCL- fexofenadine hcl tablet**  
**Meijer, Inc.**

-----

**Fexofenadine HCl Tablets, USP 180mg**

**Antihistamine**

**INDOOR / OUTDOOR ALLERGY RELIEF:**

**Sneezing**

**Runny Nose**

**Itchy, Watery Eyes**

**Itchy Nose or Throat**

**Active Ingredient (in each tablet)**

Fexofenadine HCl USP, 180mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

□ runny nose □ itchy, watery eyes □ sneezing □ itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

**Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,**

ask a health professional before use

**Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

adults and children 12 years of age and over take one 180 mg tablet  
with water once a day;  
do not take more than 1  
tablet in 24 hours

children under 12 years of age do not use

adults 65 years of age ask a doctor  
and older

consumers with kidney ask a doctor  
disease

**Other information**

- ☐ safety sealed: do not use if imprinted foil under bottle cap is opened or torn
- ☐ store between 20° and 25°C (68° and 77°F)
- ☐ protect from excessive moisture

**Inactive ingredients**

colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, lactose monohydrate, macrogol, magnesium stearate, microcrystalline cellulose, pregelatinized starch, titanium dioxide


**Questions or comments?**

contact **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

**Principal Display Panel**

1 5/8  
1 3/4

1 5/8  
1



FEXOFENADINE HCL			
fexofenadine hcl tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-6230
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE -		FEXOFENADINE	180 mg

UNII:E6582LOH6V)	HYDROCHLORIDE	100 mg
------------------	---------------	--------

### Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
GELATIN (UNII: 2G86QN327L)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I3O)	
STARCH, CORN (UNII: O8232NY3SJ)	
POLYETHYLENE GLYCOL 6000 (UNII: 30IQX730WE)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	

### Product Characteristics

Color	gray (White band in the middle)	Score	no score
Shape	OVAL (capsule shaped tablet)	Size	20mm
Flavor		Imprint Code	G18
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-6230-6	60 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2024	
2	NDC:79481-6230-2	24 in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211075	07/01/2024	

**Labeler -** Meijer, Inc. (006959555)