SALICYCLIC ACID 3% GEL- salicyclic acid 3% gel FORREAL PHARMACEUTICALS LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Forreal Pharmaceuticals, LLC - SALICYLIC ACID 3% GEL

ACTIVE INGREDIENT

SALICYLIC ACID 3%

PURPOSE

PSORIASIS, SEBORRHEIC DERMATITIS

USES

HELPS STOP THESE SYMPTOMS OF PSORIASIS, SEBORRHEIC DERMATITIS AND DANDRUFF

- FLAKING
- SCALING
- REDNESS
- IRRITATION
- ITCHING

WARNINGS

FOR EXTERNAL USE ONLY

ASK A DOCTOR BEFORE USE IF CONDITION COVERS A LARGE AREA OF THE BODY

WHEN USING THIS PRODUCT

• DO NOT GET INTO EYES. IF CONTACT OCCURS, RINSE EYES THOROUGHLY WITH WATER. IF IRRITATION PERSISTS, CONSULT A DOCTOR.

STOP USE AND CONSULT A DOCTOR IF CONDITION WORSENS OR DOES NOT IMPROVE AFTER REGULAR USE.

KEEP OUT OF REACH OF CHILDREN. IN CASE OF ACCIDENTAL INGESTION, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

FLAMMABLE

DIRECTIONS

 APPLY TO AFFECTED AREA ONE TO FOUR TIMES DAILY OR AS DIRECTED BY A DOCTOR.

INACTIVE INGREDIENTS

PROPYLENE GLYCOL, SD-40 ALCOHOL (21%), WATER, HYDROXYPROPYLCELLULOSE

PRINCIPAL DISPLAY PANEL

NDC 81877-727-30

Salicylic Acid 3% Gel

Forreal Pharmaceuticals

YOUR SOLUTION TO BETTER HEALTHCARE.

NET WT 1 OZ (28.4 g)



PRINCIPAL DISPLAY PANEL

NDC 81877-727-30

Salicylic Acid 3% Gel

Forreal Pharmaceuticals

YOUR SOLUTION TO BETTER HEALTHCARE.

NET WT 1 OZ (28.4 g)

Salicylic Acid 3% Gel



NET WT 1 OZ (28.4 g)

Drug Facts (continued)

Stop use and consult a doctor if condition worsens or does not improve after regular use.

Keep out of reach of children. In case of accidental ingestion, get medical help or contact a Poison Control Center right away. **Flammable**

Directions

Apply to affected area one to four times daily or as directed by a doctor.

Inactive ingredients propylene glycol, SD-40 alcohol (21%), water, hydroxypropylcellulose

Drug Facts

Active ingredient Purpose Salicylic acid 3%.....

Uses Helps stop these symptoms of psoriasis, seborrheic dermatitis and dandruff flaking scaling redness irritation itching

Warnings

For external use only

Ask a doctor before use if condition covers a large area of the body

When using this product

do not get into eyes. If contact occurs, rinse eyes thoroughly with water. If irritation persists, consult a doctor.

Salicylic Acid 3% Gel



Manufactured For: Forreal Phrmaceuticals, LLC Royal Oak, MI 48067 Questions or Comments Please Call: 877-367-3250

SALICYCLIC ACID 3% GEL

salicyclic acid 3% gel

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:81877-727

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	3 g in 100 g

Inactive Ingredients		
Ingredient Name	Strength	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
ALCOHOL (UNII: 3K9958V90M)		
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)		

WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81877-727-	28.4 g in 1 TUBE; Type 0: Not a Combination	09/15/2025	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
Unapproved drug other		09/15/2025		

Labeler - FORREAL PHARMACEUTICALS LLC (118029197)

Revised: 9/2025 FORREAL PHARMACEUTICALS LLC