

MUCORSAN- mucor racemosus capsule
sanPharmacy Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

MucorSAN Capsules

Indications

For symptoms of circulatory disorders

Purpose

Relieves symptoms of circulatory disorders and other blood related conditions

Dosage

1 capsule three times a week, taken at least 1 hour before eating

Mucor racemosus 4X

mannitol

Warnings

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

When using this product

- do not use more than directed

If symptoms persist more than 5 days, contact a licensed practitioner.

Tamper Evident: Do not use product if tamper evident strip is broken. To report adverse events, contact MEDsan Inc. at 1-855-462-6334.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222

Tamper Evident

Tamper Evident: Do not use product if tamper evident strip is broken. To report adverse events, contact MEDsan Inc. at 1-855-462-6334

Manufactured in the USA for:
sanPharmacy Inc.

350 Fifth Avenue STE 5220
New York NY 10118-5220

protect from light and heat

Liability statement

These statements or claims are based upon traditional homeopathic practice. They have not been reviewed by the Food & Drug Administration.


PRINCIPAL DISPLAY PANEL

MucorSAN

Homeopathic Medicine

For symptoms of circulatory disorders

30



MucorSAN

Homeopathic Medicine 

For symptoms of circulatory disorders

30 Capsules

sanPharmacy
biological health solutions

Capsules

sanPharmacy

Drug Facts	Purpose Relieves symptoms of circulatory disorders and other blood related conditions
	Active ingredients Mucor racemosus 4X
Warnings see outer packaging	
Directions	<ul style="list-style-type: none"> 1 capsule three times a week, taken at least 1 hour before eating
Inactive ingredients	mannitol

Manufactured in the USA for:
sanPharmacy Inc.
350 Fifth Avenue STE 5220
New York NY 10118-5220
NDC: 73479-021-02

MUCORSAN

mucor racemosus capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73479-021
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MUCOR RACEMOSUS (UNII: 17RH99LQ7G) (MUCOR RACEMOSUS - UNII:17RH99LQ7G)	MUCOR RACEMOSUS	4 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
MANNITOL (UNII: 3OWL53L36A)	

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE	Size	19mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73479-021-02	1 in 1 CARTON	04/25/2024	
1		30 in 1 CAN; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/25/2024	

Labeler - sanPharmacy Inc. (117235152)

Establishment

Name	Address	ID/FEI	Business Operations
MEDsan Inc.		004326784	manufacture(73479-021)

Revised: 4/2024

sanPharmacy Inc.