

**OXYGEN - oxygen gas**  
**Cranston Welding Supply Company**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**OXYGEN COMPRESSED LABEL**

OXYGEN COMPRESSED U.S.P. UN 1072 OXYGEN-2

WARNING: SECURE ALL CYLINDERS WHILE IN STORAGE AND IN USE. FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET AND SAFETY PRECAUTIONS RECOMMENDED BY SUPPLIER. PRODUCED BY AIR LIQUEFACTION.



**PRODUCT WARNINGS AND PRECAUTIONS**

WARNING! UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER LONG DURATIONS WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL.

DO NOT REMOVE THIS PRODUCT LABEL.

**REFRIGERATED LIQUID LABEL**  
OXYGEN REFRIGERATED LIQUID, U.S.P.  
UN 1073 (CRYOGENIC LIQUID)

Produced by Air Liquefaction  
OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications Rx only. Warning: Caution Federal Law Prohibits Dispensing without Prescription. First Aid IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT

INFORMATION.

WARNING! EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

WARNING!

Uninterrupted use of high concentrations of oxygen over long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Use in accordance with Material Safety Data Sheet.

Part #DB-USP

Printed by ratermann MFG inc.



## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:23021-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:23021-001-01	164 L in 1 CYLINDER		
2	NDC:23021-001-02	240 L in 1 CYLINDER		
3	NDC:23021-001-03	400 L in 1 CYLINDER		
4	NDC:23021-001-04	625 L in 1 CYLINDER		
5	NDC:23021-001-05	660 L in 1 CYLINDER		
6	NDC:23021-001-06	3450 L in 1 CYLINDER		
7	NDC:23021-001-07	6900 L in 1 CYLINDER		
8	NDC:23021-001-08	8490 L in 1 CYLINDER		
9	NDC:23021-001-09	180 L in 1 DEWAR		
10	NDC:23021-001-10	200 L in 1 DEWAR		
11	NDC:23021-001-11	240 L in 1 DEWAR		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1946	

**Labeler** - Cranston Welding Supply Company (018534271)**Registrant** - Cranston Welding Supply Company (018534271)**Establishment**

Name	Address	ID/FEI	Business Operations
Cranston Welding Supply Company		018534271	manufacture

Revised: 1/2010

Cranston Welding Supply Company