2 TO 12 YEARS CHILDRENS COLD AND MUCUS- euphrasia stricta, silicon dioxide, rumex crispus root, anemone pulsatilla, goldenseal, sodium chloride, phosphorus, onion, bryonia alba root, matricaria chamomilla, arabica coffee bean, calcium sulfide and sulfur Rite Aid Hdgrts Corp

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

2 to 12 YEARS CHILDREN'S COLD & MUCUS DAY & NIGHT TIME

LOOSENS MUCUS IN CHEST, THROAT AND NOSE

DAYTIME

Drug Facts

Active ingredients	Purposes
Bryonia Alba 6X HPUSyellowish mucus	stubborn mucus in throat, cough with
Euphrasia Officinalis 6X HPUS	cough with mucus in chest
Hepar Sulph Calc 12X HPUSstubborn mucus in chest	cough up mucus, mucus rattle with cough,
Natrum Muriaticum 30X HPUS	accumulation of mucus in throat, cough up
mucus	
Phosphorus 30X HPUSmucus, chest congestion	cough with expectoration of yellow
Pulsatilla 6X HPUSyellowish mucus, loose cough	accumulation of mucus, discharge of thick
Rumex Crispus 6X HPUS	runny nose, sneezing
Silicea 12X HPUS	

"HPUS" indicates that the active ingredients are in the official Homeopathic Pharmacopoeia of the United States.

LOOSENS MUCUS IN CHEST, THROAT AND NOSE

Uses

 Temporarily relieves the symptoms of colds including accumulation of mucus in chest, throat and nose; cough with expectoration of thick, discolored mucus; runny nose, sneezing and nasal congestion.

Warnings

As with any drug, ask a doctor before use if pregnant or breast-feeding.

Consult a physician if:

- symptoms persist for more than 7 days or worsen.
- inflammation, fever or infection develops.
- symptoms are accompanied by a high fever (over 101°F).
- cough tends to recur or is accompanied by a high fever, rash or persistent headache.

Keep this and all medications out of the reach of children. In case of accidental overdose, contact a medical professional or Poison Control Center immediately.

Do not use this product for persistent or chronic cough such as asthma, smoking or emphysema or if cough is accompanied by excessive phlegm (mucus), unless directed by a licensed health care professional.

A persistent cough may be a sign of a serious condition.

Sore throat warning

Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly.

In case of emergency, contact a medical professional or Poison Control Center immediately.

Drug Facts (continued)

Directions

- Measure only with the dosing cup provided
- Do not use dosing cup with other products
- On dosing cup, mL = milliliter, tsp = teaspoon

Children 2 years	1 teaspoon or 5 mL up to
to under 6 years	6 times per day (every 4 hours)
Children 6 years	2 teaspoons or 10 mL up to
to under 12 years	6 times per day (every 4 hours)
Adults and children	3 teaspoons or 15 mL up to
12 years and over	6 times per day (every 4 hours)

Inactive ingredients

Citric Acid, Glycerin, Glycyrrhiza Extract, Purified Water, Sodium Benzoate.

NIGHTTIME

Active ingredients	Purposes	
Bryonia Alba 6X HPUS	runny nose with mucus, hacking cough, sore throa stubborn mucus in throat, cough wilh yellowish	ıt
mucus		
Chamomilla 3X HPUS	irritabilily, fussiness, occasional sleeplessness	
Collea Cruda 3X HPUS	occasional sleeplessness, restlessness	
Euphrasia Officinalis 6X HPUS	5 cough with mucus in chest	
Hepar Sulph Calc 12X HPUS.	cough up mucus, mucus rattle with cough.	

stubborn mucus in chest
Hydrastis 6X HPUS cough with mucus, dry, sore throat, occasional
sleeplessness due to mucus in throat
Natrum Muriaticum 6X HPUS accumulation of mucus in throat, cough up mucus
Phosphorus 30X HPUS cough with expectoration of yellow mucus, chest
congestion
Pulsatilla 6X HPUS accumulation of mucus, discharge of thick yellowish
mucus, loose cough
Rumex Crispus 6X HPUS runny nose, sneezing
Silicea 12X HPUS nasal congestion
Sulphur 12X HPUS cough with thick mucus, chest congestion, nasal
congestion

"HPUS" indicates that the active ingredients are in the official Homeopathic Pharmacopœia of the United States.

LOOSENS MUCUS IN CHEST, THROAT AND NOSE

Uses

• Temporarily relieves the symptoms of the common cold in children especially at mght including accumulation of mucus in chest, throat and nose, cough with mucus, runny nose, sneezing, nasal congestion, and occasional sleeplessness.

Drug Facts (continued)

Warnings

As with any drug, ask a doctor before use if pregnant or breast-feeding.

Consult a physician if:

- symptoms persist for more than 7 days or worsen.
- inflammation, fever or infection develops.
- symptoms are accompanied by a high fever (over 101°F).
- cough tends to recur or is accompanied by a high fever, rash or persistent headache.

Keep this and all medications out of the reach of children. In case of accidental overdose, contact a medical professional or Poison Control Center immediately.

Do not use this product for persistent or chronic cough such as asthma, smoking or emphysema or if cough is accompanied by excessive mucus, unless directed by a licensed health care professional.

A persistent cough may be a sign of a serious condition.

Sore throat warning

Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly.

In case of emergency, contact a medical professional or Poison Control Center immediately.

Directions

- Measure only with the dosing cup provided
- Do not use dosing cup with other products
- On dosing cup, mL = milliliter, tsp = teaspoon

Children 2 years	1 teaspoon or 5 mL up to	
to under 6 years	6 times per day (every 4 hours)	
Children 6 years	2 teaspoon or 10 mL up to	
to under 12 years	6 times per day (every 4 hours)	
Adults and children	3 teaspoon or 15 mL up to	
12 years and over	6 times per day (every 4 hours)	

Inactive ingredients

Citric Acid, Glycerin, Glycyrrhiza Extract, Purified Water, Sodium Benzoate.

Ouestions or comments?

Call 1-866-254-3900.

- THIS INFORMATION IS BASED UPON TRADITIONAL HOMEOPATHIC PRACTICE. THESE HAVE NOT BEEN REVIEWED BY FOOD AND DRUG ADMINISTRATION
- TAMPER-EVIDENT: DO NOT USE IF IMPRINTED SHRINK BAND OR SEAL UNDER CAP IS BROKEN OR MISSING
- This product is not manufactured or distributed by Hyland's

Distributed by:

RITE AID, 30 HUNTER LANE, CAMP HILL, PA 17011 www.riteaid.com

Principal Display Panel

CHILDREN'S COLD & MUCUS

Sugar Free, Dye Free

Alcohol free

DAYTIME

Runny Nose Mucus & Congestion Cough

NIGHTTIME

Runny Nose Mucus & Congestion Occasional Sleeplessness Cough

TWO - 4 FL. OZ. (118 mL) Bottles (1 Day, 1 Night)

HOMEOPATHIC



2 TO 12 YEARS CHILDRENS COLD AND MUCUS

euphrasia stricta, silicon dioxide, rumex crispus root, anemone pulsatilla, goldenseal, sodium chloride, phosphorus, onion, bryonia alba root, matricaria chamomilla, arabica coffee bean, calcium sulfide and sulfur kit

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11822-2234

F	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822- 2234-1	1 in 1 CARTON; Type 0: Not a Combination Product	12/29/2021	

Quantity of Parts		
Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	1 BOTTLE	118 mL

Part 1 of 2

2 TO 12 YEARS CHILDRENS COLD AND MUCUS DAY TIME

euphrasia stricta, silicon dioxide, rumex crispus root, anemone pulsatilla, goldenseal, sodium chloride, phosphorus, onion, bryonia alba root, matricaria chamomilla, arabica coffee bean, calcium sulfide and sulfur liquid

Product Information Item Code (Source) NDC:11822-2245 Route of Administration ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
MATRICARIA CHAMOMILLA (UNII: G0R4UBI2ZZ) (MATRICARIA CHAMOMILLA - UNII:G0R4UBI2ZZ)	MATRICARIA CHAMOMILLA	3 [hp_X] in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	6 [hp_X] in 1 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	12 [hp_X] in 1 mL
RUMEX CRISPUS ROOT (UNII: 9N1RM2S62C) (RUMEX CRISPUS ROOT - UNII:9N1RM2S62C)	RUMEX CRISPUS ROOT	6 [hp_X] in 1 mL
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	6 [hp_X] in 1 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	6 [hp_X] in 1 mL
EUPHRASIA STRICTA (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII: C9642I91WL)	EUPHRASIA STRICTA	6 [hp_X] in 1 mL
GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	6 [hp_X] in 1 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	30 [hp_X] in 1 mL
ARABICA COFFEE BEAN (UNII: 3SW678MX72) (ARABICA COFFEE BEAN - UNII:3SW678MX72)	ARABICA COFFEE BEAN	3 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	12 [hp_X] in 1 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	12 [hp_X] in 1 mL
ANEMONE PULSATILLA (UNII: 176KB35JEV) (ANEMONE PULSATILLA - UNII:176KB35JEV)	ANEMONE PULSATILLA	6 [hp_X] in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
WATER (UNII: 059QF0KO0R)		
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
GLYCERIN (UNII: PDC6A3C0OX)		

ı	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:11822- 2245-4	1 in 1 CARTON		
	1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/29/2021	

Part 2 of 2

2 TO 12 YEARS CHILDRENS COLD AND MUCUS NIGHT TIME

bryonia alba root, euphrasia stricta, calcium sulfide, sodium chloride, phosphorus, anemone pulsatilla, rumex crispus root, and silicon dioxide liquid

Product Information	
Item Code (Source)	NDC:11822-1245
Route of Administration	ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
EUPHRASIA STRICTA (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII: C9642I91WL)	EUPHRASIA STRICTA	6 [hp_X] in 1 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	6 [hp_X] in 1 mL
ANEMONE PULSATILLA (UNII: 176KB35JEV) (ANEMONE PULSATILLA - UNII:176KB35JEV)	ANEMONE PULSATILLA	6 [hp_X] in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	30 [hp_X] in 1 mL
PHOCHARDS (LIMIT 27VILLIZELIAMA (DELOCRECO LIMIT 27VILLIZELIAMA	DITOCULIODITO	30 [hp X]

FINDSFINAND (UINII: 2/1LU/304W) (FINDSFINAND - UINII:2/1LU/304W)	rnusrnukus	in 1 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	12 [hp_X] in 1 mL
RUMEX CRISPUS ROOT (UNII: 9N1RM2S62C) (RUMEX CRISPUS ROOT - UNII:9N1RM2S62C)	RUMEX CRISPUS ROOT	6 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	12 [hp_X] in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
SODIUM BENZOATE (UNII: OJ245FE5EU)		
GLYCERIN (UNII: PDC6A3C0OX)		
WATER (UNII: 059QF0KO0R)		
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)		

F	Packaging			
#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822- 1245-4	1 in 1 CARTON		
1	_	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
unapproved homeopathic		12/29/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/29/2021	

Labeler - Rite Aid Hdgrts Corp (014578892)

Registrant - Seaway Pharma Inc. (117218785)

Establishment			
Name	Address	ID/FEI	Business Operations
Bhargava Phytolab		872292596	manufacture(11822-2234, 11822-1245, 11822-2245)

Revised: 12/2021 Rite Aid Hdgrts Corp