DIPHENHYDRAMINE HCL- diphenhydramine hcl tablet Innovida Pharmaeutique Corporation

Active Ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

temporarily relieves these symptoms due to the common cold:

- runny nose
- sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- each tablet contains: calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- use by expiration date on package


Inactive Ingredients

corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or Comments? 1-888-462-4166

Product label

PEEL HEREFOR MORED RUG FACTS



161:8884624166

Corporation, Phoenix, A Z85040 Imovida Pharmaceutique

difficulty in unination due to enlargement of the prostate

pioucpite · dancoma

 s preathing problem such as emphysema or chronic Ask a doctor before use if you have

e ven on eu sed o n skun

with any other product containing diphenhydramine, Do not use · to make a child sleepy

sburu.re M

Burzeaus · esou Auuru ·

com mon cold:

femborarily relieves these symptoms due to the

 Itching of the nose or throat Burzeeus 4

ru nny nose • itchy, watery eyes

o copper up per respiratory allergies:

femboranly relieves these symptoms due to hay tever

əsad.m.d

Diphenhydramin e HCl 25 mg............... Active ingredient (in each tablet)

Drug Facts

SEAL UNDER CAP IS MISSING OR BROKEN TAMPER EVIDENT: DO NOT USE IF IMPRINTED

NDC:71800-048-01

Jiphenhydramine

Relieves Sneezing, Runny Nose, Itchy Throat and Itchy, Watery Eyes

ORAL

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- · marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness . avoid alcoholic beverages
- · use caution when driving a motor vehicle or operating machinery
- · excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- . do not take more than directed
- . take every 4 to 6 hours, or as directed by a doctor
- · do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets	
	1 tablet	
children under 6 years	do not use	

Other information

- · each tablet contains: calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- · protect from moisture
- · use by expiration date on package

Inactive ingredients

com starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or Comments? 1-888-462-4166

DIPHENHYDRAMINE HCL

diphenhydramine hcl tablet

Route of Administration

Product Information Product Type HUMAN OTC DRUG **Item Code (Source)** NDC:71800-048

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients		
Ingredient Name	Strength	
STARCH, CORN (UNII: O8232NY3SJ)		
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)		
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
TALC (UNII: 7SEV7J4R1U)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:71800-048- 01	100 in 1 BOTTLE; Type 0: Not a Combination Product	02/10/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/10/2025	

Labeler - Innovida Pharmaeutique Corporation (080892908)

Revised: 2/2025 Innovida Pharmaeutique Corporation