

**THYRO SUPPORT- sarcolacticum acidum, viscum album, iodum, fucus vesiculosus, galium aparine, natrum oxalaceticum, thyroidinum (suis), dhea (dehydroepiandrosterone), phenyl isothiocyanate, tyramine, adenosinum triphosphoricum dinatrum, alpha-ketoglutaricum acidum, fumaricum acidum, malicum acid, colchicum autumnale, conium maculatum, funiculus umbilicalis suis, hepar suis, medulla ossis suis, pineal gland (suis), spleen (suis), thymus (suis), calcarea fluorica, pulsatilla (pratensis), spongia tosta, cortisone aceticum, liquid**

**Pro Weight Loss Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **DRUG FACTS:**

### **ACTIVE INGREDIENTS:**

Sarcolacticum Acidum 3X, Viscum Album 3X, Iodium 3X, 6X, 12X, 30X, Fucus Vesiculosus 6X, Galium Aparine 6X, Natrum Oxalaceticum 6X, Thyroidinum (Suis) 6X, 12X, 30X, DHEA (Dehydroepiandrosterone) 6X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Phenyl Isothiocyanate 6X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Tyramine 6X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Adenosinum Triphosphoricum Dinatrum 7X, alpha-Ketoglutaricum Acidum 7X, Fumaricum Acidum, 7X Malic Acidum 7X, Colchicum Autumnale 8X, Conium Maculatum 8X, Funiculus Umbilicalis Suis 8X, 12X, 30X, Hepar Suis 8X, 12X, 30X, Medulla Ossis Suis 8X, 12X, 30X, Pineal Gland (Suis) 8X, 12X, 30X, Spleen (Suis) 8X, 12X, 30X, Thymus (Suis) 8X, 12X, 30X, Calcarea Fluorica 12X, Pulsatilla (Pratensis) 12X, Spongia Tosta 12X, Cortisone Aceticum 30X, Mercurius Corrosivus 60X, 100X, 200X, Gaertner Bacillus (Bach) 30C, Mutabile Bacillus (Bach) 30C, Triiodothyronine 30C, 60C, 200C.

### **HOMEOPATHIC INDICATIONS:**

For temporary relief of symptoms related to the thyroid system.\*\*

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

### **WARNINGS:**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**If pregnant or breast-feeding, ask a health professional before use.**

Tamper seal: "*Sealed for Your Protection.*" Do not use if seal is broken or missing.

### **KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

1-10 drops under the tongue, 3 times a day or as directed by your health professional. Consult a physician for use in children under 12 years of age.

**HOMEOPATHIC INDICATIONS:**

For temporary relief of symptoms related to the thyroid system.\*\*

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

**INACTIVE INGREDIENTS:**

demineralized water, 25% ethanol

**QUESTIONS:**

Distributed by

Pro Weight Loss Inc., 94 Boylston Cir.

Shrewsbury, MA 01545 • 877-323-0107

**PACKAGE LABEL DISPLAY:**

NDC 70558-0009-1

**Pro** Weight Loss

**HOMEOPATHIC**

**THYRO SUPPORT**

**1 FL OZ (30 ml)**

**WARNINGS:**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. **If pregnant or breast-feeding, ask a healthcare professional before use.** Tamper seal: *sealed for your protection.* Do not use if seal is broken or missing.

**DIRECTIONS:**

1-10 drops under the tongue, 3 times a day or as directed by your health professional. Consult a physician for use in children under 12 years of age.

**HOMEOPATHIC INDICATIONS:**

For temporary relief of symptoms related to the thyroid system.\*\*

## Distributed by

Pro Weight Loss Inc., 94 Boylston Cir.  
Shrewsbury, MA 01545 • 877-323-0107

NDC 70558-0009-1


**HOMEOPATHIC**

# Thyro Support

**1 FL OZ (30 ml)**

INACTIVE INGREDIENTS: demineralized water, 25% ethanol

**ACTIVE INGREDIENTS:**

Sarcosolacticum Ac, Viscum 3X. Iodium 3X, 6X, 12X, 30X. Fucus, Galium, Natrum Oxalaceticum 6X. Thyroidinum 6X, 12X, 30X. DHEA, Phenyl Isothiocyanate, Tyramine 6X, 12X, 30X, 200X, 12C, 30C, 60C, 200C. alpha-Ketoglutaric Ac, ATP, Fumaricum Ac, Malic Ac 7X. Colchicum, Conium 8X. Funiculus Umbilicalis Suis, Hepar Suis, Medulla Ossis Suis, Pineal Gland, Spleen, Thymus 8X, 12X, 30X. Calc Fluor, Pulsatilla, Spongia 12X. Cortisone Aceticum 30X. Merc Corros 60X, 100X, 200X. Gaertner Bacillus, Mutabile Bacillus 30C. Triiodothyronine 30C, 60C, 200C.

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

LOT:

## THYRO SUPPORT

sarcosolacticum acidum, viscum album, iodium, fucus vesiculosus, galium aparine, natrum oxalaceticum, thyroidinum (suis), dhea (dehydroepiandrosterone), phenyl isothiocyanate, tyramine, adenosinum triphosphoricum dinatrium, alpha-ketoglutaricum acidum, fumaricum acidum, malicum acid, colchicum autumnale, conium maculatum, funiculus umbilicalis suis, hepar suis, medulla ossis suis, pineal gland (suis), spleen (suis), thymus (suis), calcarea fluorica, pulsatilla (pratensis), spongia tosta, cortisone aceticum, liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70558-0009
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LACTIC ACID, L-</b> (UNII: F9S9FFU82N) (LACTIC ACID, L- - UNII:F9S9FFU82N)	LACTIC ACID, L-	3 [hp_X] in 1 mL
<b>VISCUM ALBUM FRUITING TOP</b> (UNII: BK9092J5MP) (VISCUM ALBUM FRUITING TOP - UNII:BK9092J5MP)	VISCUM ALBUM FRUITING TOP	3 [hp_X] in 1 mL
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	3 [hp_X] in 1 mL
<b>FUCUS VESICULOSUS</b> (UNII: 535G2ABX9M) (FUCUS VESICULOSUS - UNII:535G2ABX9M)	FUCUS VESICULOSUS	6 [hp_X] in 1 mL
<b>GALIUM APARINE WHOLE</b> (UNII: Z4B6561488) (GALIUM APARINE - UNII:Z4B6561488)	GALIUM APARINE WHOLE	6 [hp_X] in 1 mL
<b>SODIUM DIETHYL OXALACETATE</b> (UNII: 6CA025Y4FG) (DIETHYL OXALACETATE - UNII:15S56468G7)	SODIUM DIETHYL OXALACETATE	6 [hp_X] in 1 mL
<b>THYROID</b> (UNII: 6RV024OAUQ) (SUS SCROFA THYROID - UNII:6RV024OAUQ)	THYROID	6 [hp_X] in 1 mL
<b>PRASTERONE</b> (UNII: 459AG36T1B) (PRASTERONE - UNII:459AG36T1B)	PRASTERONE	6 [hp_X] in 1 mL
<b>PHENYL ISOTHIOCYANATE</b> (UNII: 0D58F84LSU) (PHENYL ISOTHIOCYANATE	PHENYL ISOTHIOCYANATE	6 [hp_X]

- UNII:0D58F84LSU)	FRONTALISOTRI OCTANATE	in 1 mL
<b>TYRAMINE</b> (UNII: X8ZC7V0OX3) (TYRAMINE - UNII:X8ZC7V0OX3)	TYRAMINE	6 [hp_X] in 1 mL
<b>ADENOSINE TRIPHOSPHATE DISODIUM</b> (UNII: 5L51B4DR1G) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE DISODIUM	7 [hp_X] in 1 mL
<b>.ALPHA.-KETOGLUTARIC ACID</b> (UNII: 8ID597Z82X) (.ALPHA.-KETOGLUTARIC ACID - UNII:8ID597Z82X)	.ALPHA.-KETOGLUTARIC ACID	7 [hp_X] in 1 mL
<b>FUMARIC ACID</b> (UNII: 88XHZ13131) (FUMARIC ACID - UNII:88XHZ13131)	FUMARIC ACID	7 [hp_X] in 1 mL
<b>MALIC ACID</b> (UNII: 817L1N4CKP) (MALIC ACID - UNII:817L1N4CKP)	MALIC ACID	7 [hp_X] in 1 mL
<b>COLCHICUM AUTUMNALE BULB</b> (UNII: 993QHL78E6) (COLCHICUM AUTUMNALE BULB - UNII:993QHL78E6)	COLCHICUM AUTUMNALE BULB	8 [hp_X] in 1 mL
<b>CONIUM MACULATUM FLOWERING TOP</b> (UNII: Q28R5GF371) (CONIUM MACULATUM FLOWERING TOP - UNII:Q28R5GF371)	CONIUM MACULATUM FLOWERING TOP	8 [hp_X] in 1 mL
<b>SUS SCROFA UMBILICAL CORD</b> (UNII: 118OYG6W3H) (SUS SCROFA UMBILICAL CORD - UNII:118OYG6W3H)	SUS SCROFA UMBILICAL CORD	8 [hp_X] in 1 mL
<b>PORK LIVER</b> (UNII: 6EC706HI7F) (PORK LIVER - UNII:6EC706HI7F)	PORK LIVER	8 [hp_X] in 1 mL
<b>SUS SCROFA BONE MARROW</b> (UNII: VP2CN2G7Y8) (SUS SCROFA BONE MARROW - UNII:VP2CN2G7Y8)	SUS SCROFA BONE MARROW	8 [hp_X] in 1 mL
<b>SUS SCROFA PINEAL GLAND</b> (UNII: 050QZ2EDK7) (SUS SCROFA PINEAL GLAND - UNII:050QZ2EDK7)	SUS SCROFA PINEAL GLAND	8 [hp_X] in 1 mL
<b>SUS SCROFA SPLEEN</b> (UNII: 92AMN5J79Y) (SUS SCROFA SPLEEN - UNII:92AMN5J79Y)	SUS SCROFA SPLEEN	8 [hp_X] in 1 mL
<b>SUS SCROFA THYMUS</b> (UNII: 7B69B0BD62) (SUS SCROFA THYMUS - UNII:7B69B0BD62)	SUS SCROFA THYMUS	8 [hp_X] in 1 mL
<b>CALCIUM FLUORIDE</b> (UNII: Q3B55K4YKI) (FLUORIDE ION - UNII:Q80VPU408O)	CALCIUM FLUORIDE	12 [hp_X] in 1 mL
<b>PULSATILLA PRATENSIS WHOLE</b> (UNII: 8E272251DI) (PULSATILLA PRATENSIS WHOLE - UNII:8E272251DI)	PULSATILLA PRATENSIS WHOLE	12 [hp_X] in 1 mL
<b>SPONGIA OFFICINALIS SKELETON, ROASTED</b> (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)	SPONGIA OFFICINALIS SKELETON, ROASTED	12 [hp_X] in 1 mL
<b>CORTISONE ACETATE</b> (UNII: 883WKN7W8X) (CORTISONE - UNII:V27W9254FZ)	CORTISONE ACETATE	30 [hp_X] in 1 mL
<b>MERCURIC CHLORIDE</b> (UNII: 53GH7MZT1R) (MERCURIC CATION - UNII:ED30FJ8Y42)	MERCURIC CHLORIDE	60 [hp_X] in 1 mL
<b>SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS</b> (UNII: Y3V16D4PV4) (SALMONELLA ENTERICA ENTERICA SEROVAR ENTERITIDIS - UNII:Y3V16D4PV4)	SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS	30 [hp_C] in 1 mL
<b>ESCHERICHIA COLI</b> (UNII: 514B9K0L10) (ESCHERICHIA COLI - UNII:514B9K0L10)	ESCHERICHIA COLI	30 [hp_C] in 1 mL
<b>LIOETHYRONINE</b> (UNII: 06LU7C9H1V) (LIOETHYRONINE - UNII:06LU7C9H1V)	LIOETHYRONINE	30 [hp_C] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70558-0009-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	09/29/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/29/2020	

**Labeler** - Pro Weight Loss Inc. (080166665)

**Registrant** - Apotheca Company (844330915)

## Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(70558-0009) , api manufacture(70558-0009) , label(70558-0009) , pack(70558-0009)

Revised: 1/2025

Pro Weight Loss Inc.