

GREEN GUARD CHEWABLE ASPIRIN 81 MG- aspirin tablet, chewable
Unifirst First Aid Corporaiton

Green Guard Chewable Aspirin 81 mg Tablets

Drug Facts

Drug Facts

Active ingredient

Active ingredient (in each tablet)

Aspirin 81 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Purpose

Pain reliever

Uses

Uses

for the temporary relief of minor aches and pains or as recommended by your doctor

Warnings

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert:

Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Stomach bleeding warning:

This product contains an NSAID, which may cause severe stomach bleeding. The chance

is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcohol drinks every day while using this product
- take more or for a longer time than directed

Do not use

Do not use

- if you are allergic to aspirin or to any other pain reliever/fever reducer
- this product for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are taking a prescription drug for

Ask a doctor or pharmacist before use if you are taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:

- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- ringing in the ears or loss of hearing occurs
- redness or swelling is present
- new symptoms occur

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Keep out of reach of children

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Directions

- drink a full glass of water with each dose

Adults and children 12 years and over:

take 4 or 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor

Children under 12 years:

consult a doctor

Other information

Other information

- store at room temperature
- tamper evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

Inactive ingredients

corn starch, dextrans, FD&C yellow # 6 aluminum lake, orange flavor, saccharin sodium

Questions or comments

Questions or comments?

1-800-634-7680

Green Guard Chewable Low Dose Aspirin 81 mg

CHEWABLE

LOW DOSE ASPIRIN 81 MG

tablets

COMPARE ACTIVE

INGREDIENT TO

Bayer® Chewable

Low Dose Aspirin†

Pain Reliever (NSAID*)

*nonsteroidal anti-inflammatory drug

**Talk to your doctor or other healthcare provider

before using this product for your heart.

GREEN GUARD®

Distributed by Green Guard®

St Louis, MO 63045

24 Packets of 1 Tablet

Order #2144

Drug Facts (continued)	Drug Facts (continued)
Other information <ul style="list-style-type: none">■ Store at room temperature■ Longer shelf-life sealed packets■ Do not use any opened or torn packets	Inactive ingredients <ul style="list-style-type: none">■ corn starch, dextrans, FD&C yellow #6 aluminum lake, orange flavor, saccharin sodium Questions or comments? 1-800-634-7680

Drug Facts	Drug Facts (continued)
Active ingredient (in each tablet) Aspirin (NSAID)* 81 mg Purpose Pain reliever nonsteroidal anti-inflammatory drug	Stomach bleeding warning: This product contains an NSAID, which may cause serious stomach bleeding. The chance is higher if you: <ul style="list-style-type: none">■ are age 60 or older■ have had stomach ulcers or bleeding problems■ take a blood thinner (anticoagulant) or steroid drug Caution: <ul style="list-style-type: none">■ Take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)■ Take 3 or more alcoholic drinks every day while using this product■ Take more or for a longer time than directed Control use: <ul style="list-style-type: none">■ If you are allergic to aspirin or any other pain reliever■ If you are taking or will take aspirin, aspirin-containing, or oral surgery unless directed by a doctor <small>(continued on inside panel)</small>

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Drug Facts (continued)	Drug Facts (continued)
Ask a doctor before use if: <ul style="list-style-type: none">■ stomach bleeding (vomiting, applies to you)■ you have a history of stomach problems such as heartburn■ you have high blood pressure, heart disease, liver problems, or kidney disease■ you are taking a diuretic■ you have asthma Ask a doctor or pharmacist before use if you are taking prescription drug for: <ul style="list-style-type: none">■ gout■ diabetes■ arthritis Stop use and ask a doctor if: <ul style="list-style-type: none">■ an allergic reaction occurs. Seek medical help right away.■ you experience any of the following signs of stomach bleeding: ■ bee feces ■ vomit blood ■ nose bloody or black stools■ black stools■ severe stomach pain that does not get better■ dark pain worse or lasts more than 10 days■ redness or swelling is present■ new symptoms appear Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center! 1-800-525-1222 (weekend).	Directions <ul style="list-style-type: none">■ Drink a full glass of water with each dose■ Adults and children 12 years and over: ■ Take 4 to 8 tablets every 4 to 6 hours as needed, up to 24 hours unless directed by a doctor■ Children under 12 years: ■ Consult a doctor Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center! 1-800-525-1222 (weekend).

GREEN GUARD CHEWABLE ASPIRIN 81 MG

aspirin tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-039
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
DEXTRATES (UNII: G263MI44RU)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	7mm
Flavor	ORANGE	Imprint Code	AZ013
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-039-64	24 in 1 CARTON	04/29/2024	
1	NDC:47682-039-46	1 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/29/2024	

Labeler - Unifirst First Aid Corporaiton (832947092)

Establishment

Name	Address	ID/FEI	Business Operations
Prestige Packaging		080667761	pack(47682-039)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Revised: 4/2024

Unifirst First Aid Corporaiton