

**HONGO KILLER- tolnaftate aerosol, powder**  
**Efficient Laboratories Inc**

-----  
**Drug Facts**

**Active Ingredients:**                      **Purpose**  
**Tolnaftate 1% W/W..... Antifungal**

**Purpose:** Antifungal

**Uses**

Proven clinically effective in the treatment of most:

- athlete's foot (tinea pedis)
- jock itch (tinea cruris)
- ringworm (tinea corporis)

Clinically proven to prevent most athlete's foot with dautly use

Relieves

- itching
- cracking
- burning
- scaling
- discomfort

**Warnings**

**For external use only**

**Flammable:**Contents under pressure. Do not puncture or incinerate or store at a temperature above 120 degrees F. Use only as directed. intentional misuse by deliberately concentrating and inhaling aerosol products can be harmful or fatal. Do not use near flame or spark or while smoking.

**Do not use** on children under 2 years of age

**When using this product** avoid contact with eyes

**Stop use and ask a doctor if** irritation occurs or if there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch)

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- clean the affected area and dry thoroughly
- shake can well before use: Hold can about 6 inches from the area to be treated.

- apply a thin layer over the affected area twice daily (morning and night), or as directed by a doctor
- supervise children in the use of this product

Athlete's Foot and Ringworm - use daily for 4 weeks

Jock Itch - use daily for 2 weeks

- to prevent most athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

**For athlete's foot:**

- pay special attention to the spaces between the toes
- wear well-fitting, ventilated shoes, and change shoes and socks at least once a day

**Questions or comments?**

Please Call 305-805-3456 (M-F 9:00-5:00 pm EST)

**Inactive ingredients** Alcohol SD-40-B (14% w/w), BHT, PPG-12-Buteth-16, Kaolin, Zea Mays (Corn) Starch, Isobutane

wrap-lock 4 shoulder

19 mm Top Flange Distance

37 mm Top Flange Dia

Full Coverage Area (Do not retransmit)

150 mm Flange Length

16 mm Flange Dia

164.504 mm (50 mm diameter can)

77.502 mm (Flange Area)

77.502 mm (Flange Area)

CAN ORIENTATION

Drug Facts	Información General
<p><b>Active Ingredient</b> Tolnaftate 1%</p> <p><b>Purpose</b> Antifungal</p> <p><b>Uses</b> Tolnaftate is effective in the treatment of yeast; athlete's foot (tinea pedis); tinea manuum (tinea corporis); ringworm (tinea corporis). Tolnaftate is intended to prevent athlete's foot with daily use. Tolnaftate is effective in treating athlete's foot with daily use.</p> <p><b>Warnings</b> For external use only. Flammable: Contains flammable propellant. Do not puncture or expose to flame or heat above 120°F. Use only as directed. Intentional misuse by deliberately concentrating and inhaling aerosol products can be harmful or fatal. Do not use near fire or open flame or smoking. Do not use on children under 2 years of age. When using this product, avoid contact with the eyes. Do not use and do not use in the eyes or if there is an improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for tinea manuum) stop use of this product. If needed, get medical help or contact a Poison Control Center for advice.</p> <p><b>Directions</b> Wash the affected area and dry thoroughly. Then apply a thin layer of powder to the affected area, twice daily (morning and night), or as directed by a doctor. In severe cases, use daily for 4 weeks (for athlete's foot and ringworm) and daily for 2 weeks (for tinea manuum). Do not use on athlete's foot, apply once or twice daily (morning and night). This product is not effective on the scalp or nails. Pay special attention to the spaces between the toes in warm, wet, ill-fitting, ventilated shoes, and change shoes and socks at least once daily.</p> <p><b>Other Information</b> Use at room temperature.</p> <p><b>Important Ingredients</b> ED Alcohol 40-50%, PVP 10-15%, 1,4-Dioxane, Zeta Plus (Cetyl Stearyl Alcohol), Isobutane.</p> <p><b>Questions or comments?</b> 1-800-866-8468 (M-F 9:00am - 5:00pm EST)</p>	<p><b>Ingredientes Activos</b> Tolnaftato 1%</p> <p><b>Propósito</b> Antifúngico</p> <p><b>Usos</b> El tolnaftato es eficaz en el tratamiento de la micosis de: el pie de atleta (tinea pedis); el tinea manuum (tinea corporis); el tinea (tinea corporis). El tolnaftato está destinado a prevenir la micosis del pie de atleta con el uso diario. El tolnaftato es eficaz en el tratamiento de la micosis del pie de atleta con el uso diario.</p> <p><b>Advertencias</b> Para uso externo solamente. Inflamable: Contiene gas propelente inflamable. No perforar, ni exponer a una temperatura superior a 120°F. Úsese sólo como se indica. El uso intencional deliberado de concentrar o inhalar productos del aerosol puede ser perjudicial o fatal. No use cerca de una llama, fuego o cualquier cosa que arda. No use en niños menores de 2 años de edad. Evite el contacto con los ojos cuando use este producto. No use y no use en los ojos o si la condición no mejora en 4 semanas para el (pie de atleta o tinea) y 2 semanas para el tinea y micosis de la mano. Si necesita ayuda o consejo, consulte al médico o al farmacéutico. Evite el contacto con los ojos cuando use este producto.</p> <p><b>Indicaciones</b> Lave bien la zona afectada y séquela bien. Aplique una capa delgada de polvo a la zona afectada, dos veces al día (por la mañana y por la noche), o como se indique por el médico. En casos graves, use diariamente durante 4 semanas (para el pie de atleta o tinea) y 2 semanas (para la tinea manuum). No use en el cuero cabelludo o en las uñas. Preste especial atención a los espacios entre los dedos en zapatos húmedos y calientes y cambie los zapatos y las medias con frecuencia.</p> <p><b>Información adicional:</b> Almacene en temperatura ambiente.</p> <p><b>Ingredientes importantes:</b> ED Alcohol 40-50%, Polivinilpirrolidona 10-15%, 1,4-Dioxano, Almidón de Zea Mays (Maíz), Isobutano.</p> <p><b>¿Preguntas o comentarios?</b> 1-800-866-8468 (L-V 9:00am - 5:00pm EST)</p>

Manufactured by Monstabelle Laboratories, Inc., Miami, FL 33176 USA www.monstabelle.com

Pat. 60621

**Monstabelle**

Customer Name - Product Name - Customer Product Code

March 17, 2021 - Dimensions: 83 mm x 100 mm (wrap-lock 4 shoulder)

Please verify and read carefully all elements and decisions pertaining to this artwork before signing.

**Color Chart**  
Applied on name

**Color Chart**  
Applied on name

One mark / do not use as a color

**LARGE AREAS, SMALL TEXT AND COLORS OF SOME COLORS WILL BE SPLIT ON DIFFERENT PLATES FOR BETTER PRINTABILITY. EXTERNAL PLATE CHARGES WILL APPLY.**

**OUR INKS ARE TRANSPARENT, PRINTING ON A DARK BASE COLOR THAT IS NOT WHITE WILL EFFECT THE MATCHING OF THE INKS.**

**\*\*CHANGES ARE COSTLY AND WILL CAUSE ADDITIONAL COSTS AND DELAYS\*\***

Customers are strongly encouraged to attend a press approval for the first production run of a new artwork. Should the customer not be on-site for a press approval, the order cannot be rejected for color variances that meet our TAGC book requirements. An overline line will be present on side of tube/can for artwork containing wrap-around images and/or elements. The above approval is for artwork and colour separation only and may not accurately reflect actual production colours. Please proofread this artwork carefully for the correctness of its content before signing and returning to Monstabelle's (Miami) offices/printing plates will be made before receipt of signed approval. Monstabelle will not be responsible for any errors, changes or omissions after your approval of this proof. By preparing artwork, film, printing plates, and/or proofs Monstabelle Packaging assumes no responsibility for any conflict with rights of third parties in connection with trademarks, designs, labels, copyrights or unfair competition. Art plates and digital files are subject to destruction if inactive for a period greater than 7 years.

# HONGO KILLER

tolnaftate aerosol, powder

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58593-285	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)		TOLNAFTATE	0.1 g in 10 g	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
ALCOHOL (UNII: 3K9958V90M)				
STARCH, CORN (UNII: 08232NY3SJ)				
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
ISOBUTANE (UNII: BXR49TP611)				
KAOLIN (UNII: 24H4NWX5CO)				
PPG-12-BUTETH-16 (UNII: 58CG7042J1)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:58593-285-04	130 g in 1 CANISTER; Type 0: Not a Combination Product	03/01/2002	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC Monograph Drug	M005	03/01/2002		

**Labeler** - Efficient Laboratories Inc (969044932)

Revised: 10/2025

Efficient Laboratories Inc