

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 17 NEUTRAL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 21 WARM- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 27 NEUTRAL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 20 WARM- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM DEEP 45 NEUTRAL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 05 COOL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM 30 WARM- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 51 NEUTRAL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 10 NEUTRAL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM DEEP 46 NEUTRAL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 21 NEUTRAL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 22 WARM- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM DEEP 43 NEUTRAL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 15 COOL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM DEEP 46 COOL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM DEEP 46 WARM- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 26 COOL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 27 COOL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM 30 COOL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 51 WARM- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM 37 WARM- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 56 COOL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM DEEP 40 NEUTRAL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 25 COOL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 28 NEUTRAL- zinc oxide lotion

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 50 NEUTRAL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 55 WARM- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM 32 COOL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM 35 WARM- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 10 WARM- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 21 COOL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 12 COOL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 65 NEUTRAL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 15 NEUTRAL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 57 NEUTRAL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 15 WARM- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM DEEP 40 WARM- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM 30 NEUTRAL- zinc oxide lotion
BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 61 COOL- zinc oxide lotion
Orveon Global US LLC

Drug Facts

Zinc Oxide 6.2%

Active Ingredients Purpose

Zinc Oxide 6.2% Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
- apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m • wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor


Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsiloxysilicate, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, isododecane, sorbitan isostearate, dimethicone/vinyl dimethicone crosspolymer, bis-hydroxyethoxypropyl dimethicone/ipdi copolymer ethylcarbamate, boron nitride, punica granatum pericarp extract, glycerin, polysilicone-11, phenoxyethanol, sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disteardimonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin. may contain: iron oxides (CI 77491,CI 77492,CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free **1-888-795-4747**



GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110, DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

13/8

1/32

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

1/64

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110, DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

1 25/64

3/16

1/64 R

1/32

1 25/64

1 23/64

9/16

1 1/8

1 3/8

1 1/32

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylcarbamate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC

Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE

CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110, DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64


1/16

1/32

13/8

1/4

9/16 R



GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauridodecane, sorbitan lauroylate, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

- CRUELTY-FREE
- VEGAN
- PARABEN-FREE
- FORMALDEHYDE-FREE
- SULFATE-FREE
- SYNTHETIC FRAGRANCE-FREE
- PETROLATUM-FREE
- PHTHALATE-FREE
- PROPYLENE GLYCOL-FREE
- GLUTEN-FREE

WE ARE COMMITTED TO LESS PLASTIC
Visit our website to learn about our sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT
BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOC
STAMPED ON UPC
1.25 x .31 mm clearance

12737299
7/16

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110, DIST.

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2 % | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethyl, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, laurodecane, sorbitan lauroylate, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexylate, boron nitride, punica granatum ptericarp extract, glycerin, polydimethylsiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium tetraborate, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

- CRUELTY-FREE
- VEGAN
- PARABEN-FREE
- FORMALDEHYDE-FREE
- SULFATE-FREE
- SYNTHETIC FRAGRANCE-FREE
- PETROLATUM-FREE
- PHTHALATE-FREE
- PROPYLENE GLYCOL-FREE
- GLUTEN-FREE

WE ARE COMMITTED TO LESS PLASTIC

Visit our website to learn about our sustainability efforts.



0.005

27/64 R

9/16

24 HR MATTE COMFORT LIQUID FOUNDATION

FT 03 AFFIXED LABEL

1/64 R

1/32

125/64

123/64

bareMinerals

PDP

BAREPRO

24HR WEAR

SKIN-PERFECTING MATTE LIQUID FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20 MINERAL SUNSCREEN

30 ml / 1 fl. oz.

12/37299

9/16

CLEAN WITHOUT COMPROMISING PERFORMANCE

CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

1/32

MADE IN ITALY

BAREMINERALS NEW YORK, NY 10110, DIST.

1/4

1/8

125/64

1/64

1/4

1/16

12/37299

9/16

12737299

1/16


12737299

1/16

FT 03 AFFIXED LABEL

1.25 x .31 mm clearance

50% FSC PPD C00000



GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

- CRUELTY-FREE
- VEGAN
- PARABEN-FREE
- FORMALDEHYDE-FREE
- SULFATE-FREE
- SYNTHETIC FRAGRANCE-FREE
- PETROLATUM-FREE
- PHTHALATE-FREE
- PROPYLENE GLYCOL-FREE
- GLUTEN-FREE

WE ARE COMMITTED TO LESS PLASTIC
Visit our website to learn about our sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

1/16

1/16

1/16

1/16

1/64

1/32

13/8

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexanate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin. may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

13/8

1/32

1/4

127/64

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

- CRUELTY-FREE
- VEGAN
- PARABEN-FREE
- FORMALDEHYDE-FREE
- SULFATE-FREE
- SYNTHETIC FRAGRANCE-FREE
- PETROLATUM-FREE
- PHTHALATE-FREE
- PROPYLENE GLYCOL-FREE
- GLUTEN-FREE

WE ARE COMMITTED TO LESS PLASTIC
Visit our website to learn about our sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

• helps prevent sunburn
• If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:
• apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours
• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses. • children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan lauroylate, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexanate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin. may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110, DIST.

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16


13/8

1/32

1/4

13/8

9/16 R



GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauridodecane, sorbitan lauroylate, dimethicone/Vinyl dimethicone crosspolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexanate, boron nitride, punica granatum ptericarp extract, glycerin, polydimethylsiloxane-11, phenoxyethanol

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprilylsilane, alcohol, di-c12-13 alkyl tartrate, distaldrimonium hecortate, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin. may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

- CRUELTY-FREE
- VEGAN
- PARABEN-FREE
- FORMALDEHYDE-FREE
- SULFATE-FREE
- SYNTHETIC FRAGRANCE-FREE
- PETROLATUM-FREE
- PHTHALATE-FREE
- PROPYLENE GLYCOL-FREE
- GLUTEN-FREE

WE ARE COMMITTED TO LESS PLASTIC

Visit our website to learn about our sustainability efforts.



CLEAN WITHOUT COMPROMISING PERFORMANCE

CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexanate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin. may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110, DIST.

FPOC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

1 25/64

3/16

1/64 R

1/32

1 25/64

1 23/64

9/16

1 1/8

1/16

1 3/8

1 1/32

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, laurisdodecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC

Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110, DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

13/8

1/32

1/4

127/64

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin. may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan lauroylate, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin. may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

1 25/64

3/16

1/64 R

1/32

1 25/64

1 23/64

9/16

1 1/8

1 1/8

1 1/32

1 3/8

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauridodecane, sorbitan lauroylate, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

- CRUELTY-FREE
- VEGAN
- PARABEN-FREE
- FORMALDEHYDE-FREE
- SULFATE-FREE
- SYNTHETIC FRAGRANCE-FREE
- PETROLATUM-FREE
- PHTHALATE-FREE
- PROPYLENE GLYCOL-FREE
- GLUTEN-FREE

WE ARE COMMITTED TO LESS PLASTIC
Visit our website to learn about our sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexanate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin. may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

13/8

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110, DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

13/8

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

13/8

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexanate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hecortonite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110, DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

1/64

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

1 25/64

3/16

1/64 R

1/32

1 25/64

1 23/64

9/16

1 1/8

1/16

1/32

1 3/8

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauridodecane, sorbitan lauroylate, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin. may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

13/8

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:
• apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours

• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2p.m. • wear long-sleeve shirts, pants, hats, and sunglasses. • children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan lauroylate, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?
Call toll free 1-888-795-4747

- CRUELTY-FREE
- VEGAN
- PARABEN-FREE
- FORMALDEHYDE-FREE
- SULFATE-FREE
- SYNTHETIC FRAGRANCE-FREE
- PETROLATUM-FREE
- PHTHALATE-FREE
- PROPYLENE GLYCOL-FREE
- GLUTEN-FREE

WE ARE COMMITTED TO LESS PLASTIC
Visit our website to learn about our sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT
BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110, DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

13/8

1/32

1/4

127/64

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin. may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

13/8

1/32

1/4

127/64

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin. may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

13/8

1/32

1/4

127/64

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauridodecane, sorbitan laurylester, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylacetate, >

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin. may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
St. Paul, MN
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

13/8

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauridodecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylacrylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

13/8

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:
• apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours

• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2p.m. • wear long-sleeve shirts, pants, hats, and sunglasses. • children under 6 months of age: Ask a doctor

Other Information
Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, laurodecane, sorbitan lauroylate, dimethicone/Vinyl dimethicone crosspolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexylate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?
Call toll free 1-888-795-4747

- CRUELTY-FREE
- VEGAN
- PARABEN-FREE
- FORMALDEHYDE-FREE
- SULFATE-FREE
- SYNTHETIC FRAGRANCE-FREE
- PETROLATUM-FREE
- PHTHALATE-FREE
- PROPYLENE GLYCOL-FREE
- GLUTEN-FREE

WE ARE COMMITTED TO LESS PLASTIC
Visit our website to learn about our sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT
BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

1/16

13/8

1/32

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, laurisdodecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexanate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

1 25/64

3/16

1/64 R

1/32

1 25/64

1 23/64

9/16

1 1/8

1/16

1/32

1 3/8

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexanate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110, DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

1/32

13/8

1/4

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauridodecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexanate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin. may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

0.005

27/64 R

9/16

125/64

3/16

1/64 R

1/32

125/64

123/64

9/16

125/64

1/16

13/8

1/32

1/4

127/64

9/16 R

GLUE - NO COATING

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-----------|
| Zinc Oxide 6.2% | Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, dimethicone, trimethylsilyloxyethylsiloxane, caprylyl methicone, butylene glycol, isohexadecane, caprylyl dimethicone ethoxy glucoside, methyl trimethicone, lauradecane, sorbitan laurates, dimethicone/Vinyl dimethicone copolymer, bis-hydroxyethoxypropyl dimethicone/pd copolymer ethylhexanate, boron nitride, punica granatum ptericarp extract, glycerin, polysiloxane-11, phenylsiloxane.

Drug Facts (continued)

sodium chloride, cellulose, polyphenylsilsesquioxane, silica, triethoxycaprylsilane, alcohol, di-c12-13 alkyl tartrate, disodiummonium hectorite, potassium sorbate, sodium dehydroacetate, caprylic/capric triglyceride, tocopheryl acetate, alumina, lauryl dimethicone, c20-24 olefin, may contain iron oxides (CI 77491, CI 77492, CI 77499), titanium dioxide (CI 77891).

Questions?

Call toll free 1-888-795-4747

CRUELTY-FREE
VEGAN

PARABEN-FREE
FORMALDEHYDE-FREE

SULFATE-FREE
SYNTHETIC FRAGRANCE-FREE

PETROLATUM-FREE
PHTHALATE-FREE

PROPYLENE GLYCOL-FREE
GLUTEN-FREE

WE ARE COMMITTED
TO LESS PLASTIC
Visit our website
to learn about our
sustainability efforts.



bareMinerals
PDP

BAREPRO
24HR WEAR

SKIN-PERFECTING
MATTE LIQUID
FOUNDATION

ULTRA-COMFORT

BROAD SPECTRUM SPF 20
MINERAL SUNSCREEN

30 ml / 1 fl. oz.

FPOPC
ST. FRANCIS UPC
1.25 x .31 mm clearance

12737299
716

CLEAN WITHOUT
COMPROMISING
PERFORMANCE
CLINICALLY TESTED

Our #1 clean skin-perfecting long-wearing foundation that blends skin-mimicking pigments and skin-loving ingredients to provide an undetectable, weightless full coverage matte finish and ultra-comfort. Protected with pure mineral broad-spectrum SPF 20.

MADE IN ITALY
BAREMINERALS NEW YORK, NY 10110. DIST.

0.005

27/64 R

9/16

1 25/64

3/16

1/64 R

1/32

1 25/64

1 23/64

9/16

1 1/8


1 1/8

1 1/32

1 3/8

1/4

9/16 R



BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE

LIQUID FOUNDATION FAIR 17 NEUTRAL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-407 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3X09M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-407-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-407-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-407-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 21 WARM

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-411 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |

| |
|--|
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) |
| ALCOHOL (UNII: 3K9958V90M) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-411-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-411-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-411-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 27 NEUTRAL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-416 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |

Packaging

| | Marketing Start | Marketing End |
|--|------------------------|----------------------|
|--|------------------------|----------------------|

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-416-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-416-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-416-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 20 WARM

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-408 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y10) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

| |
|--|
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) |
| ALCOHOL (UNII: 3K9958V90M) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-408-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-408-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-408-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM DEEP 45 NEUTRAL

zinc oxide lotion

Product Information

| | | | |
|---------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-427 |
|---------------------|----------------|---------------------------|---------------|

Route of Administration TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNIQ) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------|---------------------|----------------------|--------------------|
| 1 | NDC:98132- | 1 in 1 CARTON | 05/01/2024 | |

| | | | | |
|---|------------------|--|------------|--|
| 1 | 427-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-427-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-427-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 05 COOL

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-439 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |

| |
|--|
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| WATER (UNII: 059QF0KO0R) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-439-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-439-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-439-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM 30 WARM

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-420 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:98132-420-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132- | 1 in 1 CARTON | 05/01/2024 | |

| | | | |
|---|------------------|--|------------|
| 4 | 420-61 | 1 III I CARTON | 05/01/2024 |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | |
| 3 | NDC:98132-420-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 51 NEUTRAL

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-432 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3X09M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |

| |
|--|
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) |
| BUTYLENE GLYCOL (UNII: 3XUS85KORA) |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQIOGXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-432-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-432-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-432-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 10 NEUTRAL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-401 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| FERROSFERRIC OXIDE (UNII: XMOM87F357) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-401-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-401-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132- | 1.155 g in 1 PACKET; Type 0: Not a Combination | 05/01/2024 | |

| 401-62 | Product | 05/01/2024 | |
|------------------------------|--|----------------------|--------------------|
| Marketing Information | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM DEEP 46 NEUTRAL
zinc oxide lotion

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Information | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-429 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | |
|--|-------------------|---------------------|
| Ingredient Name | Basis of Strength | Strength |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

| Inactive Ingredients | |
|---|----------|
| Ingredient Name | Strength |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |

| | |
|--|--|
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) | |
| TRIMETHYLSILOXSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |

| Packaging | | | | |
|------------------|------------------|--|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:98132-429-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-429-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-429-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

| Marketing Information | | | |
|------------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 21 NEUTRAL
zinc oxide lotion

| Product Information | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-410 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | |
|---|-------------------|---------------------|
| Ingredient Name | Basis of Strength | Strength |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y10) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNVQ) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-410-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-410-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-410-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 22 WARM

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-412 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |

| |
|--|
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-412-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-412-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-412-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM DEEP 43 NEUTRAL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-426 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |

| |
|--|
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| ALCOHOL (UNII: 3K9958V90M) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| WATER (UNII: 059QF0KO0R) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-426-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-426-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-426-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
|--------------------|--|----------------------|--------------------|

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 15 COOL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-404 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |

| | |
|--|--|
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-404-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-404-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-404-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM DEEP 46 COOL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-428 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |

| |
|--|
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| ALCOHOL (UNII: 3K9958V90M) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| WATER (UNII: 059QF0KO0R) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) |

| Packaging | | | | |
|------------------|------------------|--|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:98132-428-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-428-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-428-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

| Marketing Information | | | |
|------------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM DEEP 46 WARM

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-430 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO) | |

C30-38 OLEFIN (UNII: 04DAD0KDZ0)

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-430-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-430-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-430-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 26 COOL

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-414 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |

| |
|--|
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO) |
| ALCOHOL (UNII: 3K9958V90M) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-414-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-414-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-414-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 27 COOL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-415 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-415-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-415-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-415-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM 30 COOL

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-418 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |

| |
|--|
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| WATER (UNII: 059QF0KO0R) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) |
| TRIMETHYLSILOXSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-418-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-418-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-418-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 51 WARM

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-433 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
| | | | | |

| | | | | |
|---|------------------|--|------------|--|
| 1 | NDC:98132-433-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-433-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-433-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM 37 WARM

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-423 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |

| |
|--|
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| WATER (UNII: 059QF0KO0R) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO) |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-423-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-423-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-423-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 56 COOL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-435 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:98132-435-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |

| | | | | |
|---|------------------|--|------------|--|
| 2 | NDC:98132-435-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-435-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM DEEP 40 NEUTRAL

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-424 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |

| |
|--|
| WATER (UNII: 059QF0KO0R) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO) |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-424-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-424-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-424-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 25 COOL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-413 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

| | | |
|---|------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |
|---|------------|---------------------|

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0K00R) | |
| DIMETHICONE (UNII: 92RU3N3Y10) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-413-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-413-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |

| | | | |
|---|------------------|--|------------|
| 3 | NDC:98132-413-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 |
|---|------------------|--|------------|

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 28 NEUTRAL

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-417 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |

| |
|--|
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-417-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-417-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-417-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 50 NEUTRAL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-431 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-431-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-431-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-431-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 55 WARM

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-434 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85KORA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |

| | |
|--|--|
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-434-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-434-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-434-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM 32 COOL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-421 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------------------------|----------|
| ALCOHOL (UNII: 3K9958V90M) | |

| |
|--|
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| WATER (UNII: 059QF0K00R) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO) |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-421-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-421-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-421-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing | Application Number or Monograph | Marketing Start | Marketing End |
|-----------|---------------------------------|-----------------|---------------|
|-----------|---------------------------------|-----------------|---------------|

| Category | Citation | Date | Date |
|--------------------|----------|------------|------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM 35 WARM

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-422 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |

| | |
|---|--|
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNVQ) | |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-422-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-422-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-422-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 10 WARM

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-402 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |

| |
|--|
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| WATER (UNII: 059QF0KO0R) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO) |
| ALCOHOL (UNII: 3K9958V90M) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-402-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-402-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-402-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION LIGHT 21 COOL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-409 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VQN) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |

FERRIC OXIDE RED (UNII: 1K09F3G675)

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-409-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-409-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-409-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 12 COOL

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-403 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |

| |
|--|
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO) |
| ALCOHOL (UNII: 3K9958V90M) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-403-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-403-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-403-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 65 NEUTRAL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-438 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZ4) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) | |

| Packaging | | | | |
|-----------|------------------|--|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:98132-438-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-438-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-438-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

| Marketing Information | | | |
|-----------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 15 NEUTRAL

zinc oxide lotion

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-405 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | |
|--|-------------------|---------------------|
| Ingredient Name | Basis of Strength | Strength |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

| |
|--|
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) |
| ALCOHOL (UNII: 3K9958V90M) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-405-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-405-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-405-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 57 NEUTRAL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-436 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85KORA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) | |

Packaging

| # | Item Code | Package Description | Marketing Start | Marketing End |
|---|-----------|---------------------|-----------------|---------------|
|---|-----------|---------------------|-----------------|---------------|

| # | Item Code | Package Description | Date | Date |
|---|------------------|--|------------|------|
| 1 | NDC:98132-436-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-436-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-436-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION FAIR 15 WARM

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-406 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |

| |
|--|
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) |
| ALCOHOL (UNII: 3K9958V90M) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-406-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-406-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-406-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM DEEP 40 WARM

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-425 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) | |
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:98132-425-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a | | |

| | | | | |
|---|------------------|--|------------|--|
| 1 | | Combination Product | | |
| 2 | NDC:98132-425-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-425-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION MEDIUM 30 NEUTRAL

zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-419 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |

| |
|--|
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| WATER (UNII: 059QF0K00R) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| ISODODECANE (UNII: A8289P68Y2) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ) |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-419-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-419-61 | 1 in 1 CARTON | 05/01/2024 | |
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-419-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

BAREMINERALS BAREPRO 24HR WEAR SKIN-PERFECTING MATTE LIQUID FOUNDATION DEEP 61 COOL

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-437 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 2.1483 g in 34.65 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| C30-38 OLEFIN (UNII: 04DAD0KDZ0) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| DI-C12-13 ALKYL TARTRATE (UNII: 603USX4K0G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| POMEGRANATE FRUIT RIND (UNII: RS999V57DU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:98132-437-60 | 1 in 1 CARTON | 05/01/2024 | |
| 1 | | 34.65 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 2 | NDC:98132-437-61 | 1 in 1 CARTON | 05/01/2024 | |

| | | | | |
|---|------------------|--|------------|--|
| 2 | | 136.29 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| 3 | NDC:98132-437-62 | 1.155 g in 1 PACKET; Type 0: Not a Combination Product | 05/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2024 | |

Labeler - Orveon Global US LLC (118344494)

Revised: 4/2024

Orveon Global US LLC