

NITROGEN- nitrogen gas
ADF Welding & Medical, Inc.

Nitrogen

NITROGEN REFRIGERATED LIQUID LABEL

NITROGEN REFRIGERATED LIQUID

NF UN1977 Contents: _____

Lot Number: _____

NON-FLAMMABLE GAS 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING Rx ONLY

Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects, and the precautions to be taken.

EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Cylinder temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Use a back flow Preventive device in the piping. Use in accordance with the MATERIAL SAFETY DATA SHEET (MSDS).

FIRST AID

IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION.

DO NOT REMOVE THIS PRODUCT LABEL

NITROGEN

REFRIGERATED LIQUID

NF

UN 1977

Contents: _____
Lot Number: _____



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

R_x ONLY

Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, frequency, and duration of administration, and the hazards, contraindications and side effects and the precautions to be taken.

**EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE.
CAN CAUSE RAPID SUFFOCATION.
CAN CAUSE SEVERE FROSTBITE.**

Store and use with adequate ventilation.
Do not get liquid in eyes, on skin or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop. Use hand truck for container movement.
Close valve after each use and when empty.
Use in accordance with the Material Safety Data Sheet (MSDS).



IF INHALED, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION.

DO NOT REMOVE THIS PRODUCT LABEL

NITROGEN

REFRIGERATED LIQUID

NF

UN 1977

Contents: _____
Lot Number: _____



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

R_x ONLY

Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, frequency, and duration of administration, and the hazards, contraindications and side effects and the precautions to be taken.

**EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE.
CAN CAUSE RAPID SUFFOCATION.
CAN CAUSE SEVERE FROSTBITE.**

Store and use with adequate ventilation.
Do not get liquid in eyes, on skin or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop. Use hand truck for container movement.
Close valve after each use and when empty.
Use in accordance with the Material Safety Data Sheet (MSDS).



IF INHALED, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION.

DO NOT REMOVE THIS PRODUCT LABEL

NITROGEN COMPRESSED LABEL

ADF Welding & Medical Inc.

Rome, GA 30161

(706) 295 5772

NITROGEN, COMPRESSED

N.F. UN1066

DO NOT REMOVE THIS PRODUCT LABEL LABEL 14

NON-FLAMMABLE GAS 2

CONTENTS _____ PRESSURE _____

CAUTION: HIGH PRESSURE GAS CAN CAUSE RAPID SUFFOCATION. Store and use with adequate ventilation. User shall secure cylinder in use and in storage. Use in upright position. Use only with equipment designated for Nitrogen service and rated for cylinder pressure. Close valve after each use. Keep valve protective cap in place when not in use if so equipped. Use in accordance with MSDS. **CAUTION:** Federal law prohibits dispensing without prescription. **WARNING:** Administration of Nitrogen may be hazardous or contraindicated. Fore use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. **FIRST AID;** If inhaled remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen, call a physician. CAS 7727-37-9 Return with 25 PSIG



NITROGEN

nitrogen gas

Product Information

| | | | |
|-------------------------|--------------------------|--------------------|---------------|
| Product Type | HUMAN PRESCRIPTION DRUG | Item Code (Source) | NDC:64922-240 |
| Route of Administration | RESPIRATORY (INHALATION) | | |

| Active Ingredient/Active Moiety | | | |
|--|--|--------------------------|-----------------|
| Ingredient Name | | Basis of Strength | Strength |
| NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75) | | NITROGEN | 99 L in 100 L |

| Packaging | | | | |
|------------------|------------------|---|-----------------------------|---------------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:64922-240-01 | 7400 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1990 | |
| 2 | NDC:64922-240-02 | 160 L in 1 DEWAR; Type 0: Not a Combination Product | 01/01/1990 | |
| 3 | NDC:64922-240-03 | 180 L in 1 DEWAR; Type 0: Not a Combination Product | 01/01/1990 | |
| 4 | NDC:64922-240-04 | 20 L in 1 DEWAR; Type 0: Not a Combination Product | 01/01/1990 | |
| 5 | NDC:64922-240-05 | 30 L in 1 DEWAR; Type 0: Not a Combination Product | 01/01/1990 | |

| Marketing Information | | | |
|------------------------------|---|-----------------------------|---------------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| NDA | NDA205766 | 01/01/1990 | |

Labeler - ADF Welding & Medical, Inc. (609900782)

Registrant - ADF Welding & Medical, Inc.ADF Welding & Medical, Inc. (609900782)

| Establishment | | | |
|-----------------------------|----------------|---------------|----------------------------|
| Name | Address | ID/FEI | Business Operations |
| ADF Welding & Medical, Inc. | | 609900782 | manufacture(64922-240) |

Revised: 10/2024

ADF Welding & Medical, Inc.