NICOTINE- nicotine polacrilex gum, chewing McKesson Corporation dba SKY Packaging

Nicotine Polacrilex Gum Coated Ice Mint 4 mg ANDA204833 - Equate

Drug Facts

Active ingredient (in each chewing piece)

Nicotine Polacrilex 2 mg (nicotine)

Purpose

Stop smoking aid

Use

• reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking

Warnings

If you are pregnant or breast-feeding, only use this medicine on the advice of your health care provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Ask a doctor before use if you have

- a sodium-restricted diet
- heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate.
- high blood pressure not controlled with medication. Nicotine can increase blood pressure.
- stomach ulcer or diabetes
- history of seizures

Ask a doctor or pharmacist before use if you are

- using a non-nicotine stop smoking drug
- taking prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.

Stop use and ask a doctor if

- mouth, teeth, or jaw problems occur
- irregular heartbeat or palpitations occur
- you get symptoms of nicotine overdose such as nausea, vomiting, dizziness, diarrhea, weakness, and rapid heartbeat
- you have symptoms of an allergic reaction (such as difficulty breathing or rash)

Keep out of reach of children and pets.

Pieces of nicotine gum may have enough nicotine to make children and pets sick. Wrap used pieces of gum in paper and throw away in the trash. In case of overdose, get medical help or contact a Poison

Directions

- if you are under 18 years of age, ask a doctor before use
- before using this product, read the enclosed User's Guide for complete directions and other important information
- begin using the gum on your quit day
- if you smoke your first cigarette more than 30 minutes after waking up, use 2 mg nicotine gum
- **if you smoke your first cigarette within 30 minutes of waking up,** use 4 mg nicotine gum according to the following 12 week schedule:

Weeks 1 to	Weeks 7 to	Weeks 10 to
6	9	12
1 piece	1 piece	1 piece overy
every		1 piece every 4 to 8 hours
1 to 2 hours	2 to 4 hours	4 10 0 110415

- nicotine gum is a medicine and must be used a certain way to get the best results
- chew the gum slowly until it tingles. Then park it between your cheek and gum. When the tingle is gone, begin chewing again, until the tingle returns.
- repeat this process until most of the tingle is gone (about 30 minutes)
- do not eat or drink for 15 minutes before chewing the nicotine gum, or while chewing a piece
- to improve your chances of quitting, use at least 9 pieces per day for the first 6 weeks
- if you experience strong or frequent cravings, you may use a second piece within the hour. However, do not continuously use one piece after another since this may cause you hiccups, heartburn, nausea or other side effects.
- do not use more than 24 pieces a day
- it is important to complete treatment. If you feel you need to use the gum for a longer period to keep from smoking, talk to your health care provider.

Other information

- each piece contains: calcium 115 mg, sodium 11 mg
- store at 20 25°C (68 77°F)
- protect from light

Inactive ingredients

acacia, acesulfame potassium, butylated hydroxytoluene, carnauba wax, FD&C red #40, gum base, hydroxypropyl cellulose, hypromellose, natural and artificial, cinnamon flavors, sodium bicarbonate, sodium carbonate, sucralose, talc, titanium dioxide and xylitol.

Questions or comments?

Call **1-877-440-7867**

Principal Display Panel

Compare to the active ingredient of Nicorrette® Gum

Nicotine Gum

Nicotine Polacrilex Gum USP, 2 mg (nicotine)

Stop Smoking Aid

FOR THOSE WHO SMOKE THEIR FIRST CIGARETTE WITHIN 30 MINUTES OF WAKING UP

If you smoke your first cigarette <u>MORE THAN</u> 30 MINUTES after waking up, use Nicotine Polacrilex gum, 2 mg

Sugar free coated nicotine gum

COATED CINNAMON FLAVOR

TO INCREASE YOUR SUCCESS IN QUITTING:

1. You must be motivate to quit

- 2. Use Enough Chew at least 9 pieces of Nicotine Polacrilex Gum per day during the first six weeks
- 3. Use long enough Use Nicotine Polacrilex Gum for the full 12 weeks
- 4. Use with a Support Program as directed in the enclosed User's Guide

To remove the gum, tear off single unit

Peel off backing starting at corner with loose edge

Push gum through foil

- not for sale to those under 18 years of age
- proof of age required
- not for sale in vending machines or from any source where proof of age cannot be verified

COATED CINNAMON FLAVOR

SUGAR FREE

*Nicorette is a trademark of GlaxoSmithKline Consumer Healthcare, L.P.

This product is not affiliated GlaxoSmithKline Consumer Healthcare, L.P.


BLISTER PACKAGED FOR YOUR PROTECTION. DO NOT USE IF INDIVIDUAL SEALS ARE OPEN OR TORN.

Distributed by:

McKesson Corporation dba SKY Packaging

4971 Southbridge Blvd. Suite 101, Memphis, TN

Package Label





If you smoke yoor first cigarette WITHIN 30 MINUTES of waking up, ase Nicotine Polecritex Gum USP, 4 mg

 servitas, vorritore or nicettra ovardese auch as nauese, vorritog, dizartess, demine, weaves, and repla hearbest demine normalization or and

bicarbonate, eodium carbonate, sucraioee, taic, thanium dioxide, xyfitol

9U 2NIXAN RƏTJA ZƏTUNIM 0C NAHT ƏROM	Stop use and sak a doctor if stop use and sak a doctor m imgalai hearbeek or pelpitations occur	Inactive ingredien hydroryduore, camater odiuter bronorter o	mug, Oht bon O&OF, gum	kyorgyworbyi ,easd	source where pri	ronnes age to toor	nani jak a
FOR THOSE WHO SMOKE THEIR FIRST CIGARETTE	Asis, a doctor or pharmacist bottor use II you arra a using a concreations as using duci a lasing prescription modules for depression or asthrma. Your prescription dose may nood to bot adjusted	 Other information store at 20 -25°C (66 -7 store at 20 -25°C (66 -7 	i muloa ,gm čtí mulola	6u ()	m not for sale to the m proof of age requ m not for sale in ve	e saujupem Bugue Injueq	Aue woy
Nicotine, Stop Smoking Ald (nicotine, Stop Smoking Ald	An initiative of activity and the activity of activity	stanw grows screekers strain avawoli tuori adi nirthw screekers wan adi nirthw screekers wan adi nirthw screekers wan adi nirthw screekers screeke	or hequent crawings, you do not continueurly use t proces a day day not sondent, it you feel not not sondent to you to yo	renfons hafte sceid eno e zabelhe sbia renfo no sea a nor mug ent eeu of been uoy	100 bieces	10VAJA NOMA 9977 15gu2 1. Martastory Inde Hos 71 Ad Hard Shaka Lukas 1	6w 7
Nicotine	Warmings before the more threat-leading, only use the modelene on the advice of your health can provider. Smoking use actively harm your child Try to belead to be safe than annihised threases the make to your child the function and the statement and the server of the make to modeline are not they userver.	rseufa monostration along a piece monostration along a piece monostration along a piece monostration monostra	ti Xheq nərîTselgırit ti bi tçıs priwerto ritgəci ərop nog si elgirit sitt to taom i niverto srotəd asounim ö	bra viseto ruor cheek and amitra e drope raturas (aronn 05 brock) a finn ro mug antroin art g the ricution art g	Nicotine polac (nicotine), Sta	ISU mug xəlinə	
	980 In recuses withdrawai symptome, including moothers craving, associated with Britiship smelling	1 peace every 1 to 2 hours	sunou e co z Alava eccel L	stant active best stant 8 of + best best	ung	u	
mu0 ^e athanoolN ni	Active Ingreed (active chewing piece) Active Ingreed (active presence of a state of the second and a state of the state of		i cigaratte more three to 1 priverial ert of pribrocce 9 of 7 aview	, qu gnidew vefa etnim 0 , subsche seew 51 g St of 01 soleew	JIN	UI10	Ð
Insibargni evitos anti at aneqmo2"	stoei bud	unitnoo) etoeA gund	(pər				

41 386 70H 0 JAF

^{Бш}

SKY Nicotine 2 mg Cinnamon Flavor

Product Information								
Product T ype	roduct Type HUMAN OTC DRUG Item Code (Source) NDC:6							
Route of Administration	ORAL							
Active Ingredient/Activ	ve Moiety							
	Ingredient Name			Basis of Stren	ngth	Strength		
NICOTINE (UNII: 6M3C89ZY6	6R) (NICOTINE - UNII:6M3	C89ZY6R)		NICOTINE	2	2 mg		
	Ingredi	ent Name				Strength		
Inactive Ingredients								
	Ingredi	ent Name				Strength		
ACACIA (UNII: 5C5403N26O)								
CARNAUBA WAX (UNII: R12C	CBM0EIZ)							
CARNAUBA WAX (UNII: R12C FD&C RED NO.40 (UNII: WZ	CBM0EIZ) B9127XOA)							
CARNAUBA WAX (UNII: R12C FD&C RED NO.40 (UNII: WZ HYDROXYPROPYL CELLUI	CBM0EIZ) B9127XOA) L OSE, UNSPECIFIED (UN)					
CARNAUBA WAX (UNII: R12C FD&C RED NO.40 (UNII: WZ HYDROXYPROPYL CELLUI BUTYLATED HYDROXYTOI	CBM0EIZ) B9127XOA) L OSE, UNSPECIFIED (UN L UENE (UNII: 1P9D0Z171K)					
CARNAUBA WAX (UNII: R12C FD&C RED NO. 40 (UNII: WZ HYDROXYPROPYL CELLUI BUTYLATED HYDROXYTOI SODIUM BICARBONATE (UI	CBM0EIZ) B9127XOA) L OSE, UNSPECIFIED (UN L UENE (UNII: 1P9D0Z171K NII: 8MDF5V39QO))					
CARNAUBA WAX (UNII: R12C FD&C RED NO. 40 (UNII: WZ HYDROXYPROPYL CELLUI BUTYLATED HYDROXYTOI SODIUM BICARBONATE (UNII SODIUM CARBONATE (UNII	CBM0EIZ) B9127XOA) L OSE, UNSPECIFIED (UN L UENE (UNII: 1P9D0Z171K NII: 8MDF5V39QO))					
CARNAUBA WAX (UNII: R12C FD&C RED NO. 40 (UNII: WZ HYDROXYPROPYL CELLUI BUTYLATED HYDROXYTOI SODIUM BICARBONATE (UNII SODIUM CARBONATE (UNII TALC (UNII: 7SEV7J4R1U)	CBM0EIZ) B9127XOA) L OSE, UNSPECIFIED (UN L UENE (UNII: 1P9D0Z171K NII: 8MDF5V39QO) : 45P3261C7T))					
CARNAUBA WAX (UNII: R12C) FD&C RED NO. 40 (UNII: WZ) HYDROXYPROPYL CELLUI BUTYLATED HYDROXYTOI SODIUM BICARBONATE (UNII SODIUM CARBONATE (UNII TALC (UNII: 7SEV7J4R1U) TITANIUM DIOXIDE (UNII: 15	CBM0 EIZ) B9 127XO A) .O SE, UNSPECIFIED (UN L UENE (UNII: 1P9 D0 Z171K NII: 8 MDF5 V39 QO) : 45P326 1C7T) 5FIX9 V2JP))					
CARNAUBA WAX (UNII: R12C FD&C RED NO. 40 (UNII: WZ HYDRO XYPRO PYL CELLUI BUTYLATED HYDRO XYTO I SO DIUM BICARBO NATE (UNII SO DIUM CARBO NATE (UNII TALC (UNII: 7SEV7J4R1U) TITANIUM DIO XIDE (UNII: 15 XYLITOL (UNII: VCQ006KQ	CBM0EIZ) B9127XOA) LOSE, UNSPECIFIED (UN LUENE (UNII: 1P9D0Z171K NII: 8 MDF5V39QO) : 45P3261C7T) SFIX9V2JP) 1E))					
CARNAUBA WAX (UNII: R12C) FD&C RED NO. 40 (UNII: WZ) HYDRO XYPRO PYL CELLUI BUTYLATED HYDRO XYTO I SO DIUM BICARBO NATE (UNII SO DIUM CARBO NATE (UNII TALC (UNII: 7SEV7J4R1U) TITANIUM DIO XIDE (UNII: 15 XYLITOL (UNII: VCQ006KQ) SUCRALOSE (UNII: 96K6UQ)	CBM0 EIZ) B9 127XO A) .O SE, UNSPECIFIED (UN L UENE (UNII: 1P9 D0 Z171K NII: 8 MDF5 V39 QO) : 45P326 1C7T) 5FIX9 V2JP) 1E) 3ZD4)	())					
CARNAUBA WAX (UNII: R12C) FD&C RED NO. 40 (UNII: WZ) HYDRO XYPRO PYL CELLUI BUTYLATED HYDRO XYTO I SO DIUM BICARBO NATE (UNII SO DIUM CARBO NATE (UNII TALC (UNII: 7SEV7J4R1U) TITANIUM DIO XIDE (UNII: 15 XYLITOL (UNII: VCQ006KQ) SUCRALOSE (UNII: 96K6UQ)	CBM0 EIZ) B9 127XO A) .O SE, UNSPECIFIED (UN L UENE (UNII: 1P9 D0 Z171K NII: 8 MDF5 V39 QO) : 45P326 1C7T) 5FIX9 V2JP) 1E) 3ZD4)	())					
ACESULFAME POTASSIUM CARNAUBA WAX (UNII: R12C) FD&C RED NO. 40 (UNII: WZ HYDRO XYPRO PYL CELLUI BUTYLATED HYDRO XYTO I SO DIUM BICARBO NATE (UNII SO DIUM CARBO NATE (UNII TALC (UNII: 7SEV7J4R1U) TITANIUM DIO XIDE (UNII: 15 XYLITOL (UNII: VCQ006KQ SUCRALOSE (UNII: 96K6UQ HYPRO MELLOSE, UNSPECI	CBM0 EIZ) B9 127XO A) .O SE, UNSPECIFIED (UN L UENE (UNII: 1P9 D0 Z171K NII: 8 MDF5 V39 QO) : 45P326 1C7T) 5FIX9 V2JP) 1E) 3ZD4)	())					
CARNAUBA WAX (UNII: R12C) FD&C RED NO. 40 (UNII: WZ) HYDRO XYPRO PYL CELLUI BUTYLATED HYDRO XYTO I SO DIUM BICARBO NATE (UNII SO DIUM CARBO NATE (UNII TALC (UNII: 7SEV7J4R1U) TITANIUM DIO XIDE (UNII: 15 XYLITOL (UNII: VCQ006KQ) SUCRALOSE (UNII: 96K6UQ)	CBM0 EIZ) B9 127XO A) .O SE, UNSPECIFIED (UN L UENE (UNII: 1P9 D0 Z171K NII: 8 MDF5V39 QO) : 45P326 1C7T) 5FIX9 V2JP) 1E) 3ZD4) FIED (UNII: 3NXW29 V3W0	()						

	ins aging	CINNAMON	Imprint Code		
Pack	aging				
# I					
	tem Code	Package Description		Marketing Start Date	Marketing End Dat
1 NDC	2:63739-370-10	100 in 1 CARTON		04/27/2020	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product			
Мак	keting Inf	armation			
	0				
Mark	eting Category	y Application Number or Monogra	ph Citation	Marketing Start Date	Marketing End Date
ANDA		ANDA079216		04/27/2020	

Labeler - McKesson Corporation dba SKY Packaging (140529962)

Revised: 4/2020

McKesson Corporation dba SKY Packaging