

**CHILDRENS MULTI-SYMPATOM COLD DAYTIME - dextromethorphan hbr,
guaifenesin, phenylephrine hcl liquid
Wal-Mart Stores, Inc.**

Children's Multi-Symptom Cold Daytime

ACTIVE INGREDIENT(S)

Dextromethorphan HBr 5mg

Guaifenesin 100 mg

Phenyephine HCl 2.5 mg

PURPOSE

Cough suppressant

Expectorant

Nasal decongestant

USE(S)

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help your child get to sleep
- nasal congestion due to a cold
- stuffy nose

WARNINGS

.

DO NOT USE

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

ASK A DOCTOR BEFORE USE IF THE CHILD HAS

- heart disease
- high blood pressure

- thyroid disease
- diabetes
- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

WHEN USING THIS PRODUCT

- **do not use more than directed**

STOP USE AND ASK A DOCTOR IF

- your child gets nervous, dizzy or sleepless
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache.

These could be signs of a serious illness.

KEEP OUT OF REACH OF CHILDREN.

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

Age	Dose
children 6 years to under 12 years	10 mL every 4 hours
children 4 years to under 6 years	5 mL every 4 hours
children under 4 years	do not use

- mL = milliliter

OTHER INFORMATION

- **each 5 mL contains:** potassium 5 mg, sodium 5 mg
- store between 15-30°C (59-86°F)
- do not refrigerate
- dosing cup provided

INACTIVE INGREDIENT SECTION

citric acid anhydrous, D&C red # 33, dextrose, edetate disodium, FD&C blue #1, FD&C Red #40, flavor, glycerin, methylparaben, potassium sorbate, propyl gallate, propylene glycol, propyl paraben, purified water, saccharin sodium, sodium hydroxide, sorbitol solution, sucralose, xanthan gum.

QUESTIONS OR COMMENTS?

Call 1-888-287-1915

PRINCIPAL DISPLAY PANEL

NDC79903-270-03

equate™

Daytime

Ages 4-12 years

Children's

Multi-Symptom Cold

Dextromethorphan HBr 5 mg -

Cough Suppressant

Guaifenesin 100 mg - Expectorant

Phenylephrine HCl 2.5 mg -

Nasal Decongestant

- **Relieves Stuffy Nose**
- **Soothes Cough**
- Relieves Chest Congestion
- Thins and loosens Mucus

Dosage Cup Included Alcohol Free Very Berry Flavored

4 FL OZ (118 mL)

5"

2.25"

Drug Facts

Active ingredients (in each 5 mL) Purpose
Dextromethorphan HBr 5 mg.....Cough suppressant
Guaifenesin 100 mg.....Expectorant
Phenylephrine HCl 2.5 mg.....Nasal decongestant

Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
■ temporarily relieves: • cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants • the intensity of coughing
• the impulse to cough to help your child get to sleep
• nasal congestion due to a cold • stuffy nose

Warnings

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

NDC 79924-70-65

equate™

Daytime PDP
Ages 4 - 12 years
Children's
Multi-Symptom Cold
Dextromethorphan HBr
Cough Suppressant
Guaifenesin 100mg - Expectorant
Phenylephrine HCl 2.5mg - Nasal Decongestant

- Relieves stuffy nose
- Soothes cough
- Relieves chest congestion
- Thins & loosens mucus

Very Berry Flavored

4 FL OZ (118mL)

Drug Facts (continued)

When using this product ■ do not use more than directed

Directions ■ do not take more than 6 doses in any 24-hour period
■ measure only with dosing cup provided ■ do not use dosing cup with other products ■ dose as follows or as directed by a doctor

Age	Dose
children 6 years to under 12 years	10 mL every 4 hours
children 4 years to under 6 years	5 mL every 4 hours
children under 4 years	do not use

Other information ■ each 5 mL contains: potassium 5 mg, sodium 5 mg ■ store between 15-30°C (59-86°F) ■ do not refrigerate ■ dosing cup provided

DO NOT USE IF SEAL UNDER CAP IMPRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING.

Refer to carton for full labeling information

MFR# 53041 REV 0624

DISTRIBUTED BY:
Walmart Inc.,
Bentonville, AR 72716
381137

Not for Individual Retail Sale.

LOT:

EXP:

UNWARNISHED AREA TO BE LEFT BLANK
FOR LOT & EXP INFORMATION

MULTIPLY BY 5PT

**OPTIONAL COMPARE TO STATEMENT
FOR USE ON THE PDP:**

* Compare to the Active Ingredients
in Mucinex Multi-Symptom Cold

No Coating
Area
COATING FREE AREA

Drug Facts

Active Ingredients (in each 5 mL) Purpose
Dextromethorphan HBr 5 mg..... Cough suppressant
Guaifenesin 100 mg.....Expectorant
Phenylephrine HCl 2.5 mg..... Nasal decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help your child get to sleep
 - nasal congestion due to a cold
 - stuffy nose

Warnings

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- persistent or chronic cough such as occurs with asthma
- cough that occurs with loss of phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- your child gets nervous, dizzy or sleepless
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center right away (1-800-332-1232).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

Drug Facts (continued)

Age	Dose
children 6 years to under 12 years	10 mL, every 4 hours
children 4 years to under 6 years	5 mL, every 4 hours
children under 4 years	do not use

■ mL=milliliter

Other information

- each 5 mL contains: acetaminophen 5 mg, sodium 5 mg
- store between 15-30°C (59-86°F)
- do not refrigerate
- dosing cup provided

Inactive ingredients citric acid anhydrous, D&G red #33, dextrose, acetate diacetate, FD&C blue #1, FD&C red #40, flavor, glycerin, methylparaben, potassium sorbate, propyl galate, propylene glycol, propylparaben, purified water, saccharin sodium, sodium hydroxide, sorbitol solution, sucralose, xanthan gum.

(Questions or comments?)
Call 1-888-287-1915

KEEP BOX FOR COMPLETE INFORMATION

DO NOT USE IF SEAL UNDER CAP IMPRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING

Satisfaction guaranteed - Or we'll reduce it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.

DISTRIBUTED BY: Wal-Mart Inc., Bentonville, AR 72716

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-270-05

Daytime
Ages 4-12 years
Children's
Multi-Symptom Cold

NDC 79903-2

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
DEXTROSE (UNII: IY9XDZ35W2)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	RED	Score	
Shape		Size	
Flavor	BERRY (Very Bery)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-270-03	1 in 1 CARTON	11/14/2024	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	part341	11/14/2024	

Labeler - Wal-Mart Stores, Inc. (051957769)

Establishment

Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	MANUFACTURE(79903-270)

Revised: 11/2025

Wal-Mart Stores, Inc.