

**ZHONG HUA JIU PATCH- menthol patch**  
**Wuhan Chinese Moxibustion Technology Development Co.; Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ZHONG HUA JIU PATCH**

**ACTIVE INGREDIENTS**

MENTHOL 1%

**PURPOSE**

EXTERNAL ANALGESIC

FOR THE TEMPORARY RELIEF OF MINOR ACHES AND PAINS OF MUSCLES AND JOINTS  
DUE TO: ARTHRITIS, STAINS, BRUISES, SPRAINS, SIMPLE BACKACHE.

**WARNINGS**

FOR EXTERNAL USE ONLY.

**DO NOT USE**

ON WOUNDS, IRRITATED OR DAMAGED SKIN, SENSITIVE SKIN

**WHEN USING THIS PRODUCT**

AVOID CONTACT WITH THE EYES

DO NOT BANDAGE TIGHTLY

DO NOT APPLY TO WOUNDS OR DAMAGED SKIN

DO NOT USE ONE HOUR BEFORE OR AFTER BATHING

**STOP USE AND ASK A DOCTOR IF**

CONDITION WORSENS

SYMPTONS PERSIST FOR MORE THAN SEVEN DAYS

SYMPTONS CLEAR UP AND OCCUR AGAIN WITH A FEW DAYS

EXCESSIVE IRRITATION OF THE SKIN OR BURN DEVELOPS

REDNESS IS PRESENT

IF PREGNANT, ASK A HEALTH PROFESSIONAL BEFORE USE

DO NOT USE OTHERWISE AS DIRECTED

KEEP OUT OF REACH OF CHILDREN TO AVOID ACCIDENTAL POISONING

**DIRECTIONS**

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER: REMOVE PATCH FROM THE PROTECTIVE LAYER, APPLY TO THE AFFECTED AREA, AND RUB THE AREA WITH YOUR HAND TO SECURE THE PATCH.

PATCH WILL REMAIN EFFECTIVE FOR 12 HOURS AND WILL BE MORE EFFECTIVE WHEN USED 1 HOUR AFTER BATHING.

DO NOT LEAVE THE PATCH ON THE SAME SPOT FOR MORE THAN 12 HOURS.

DO NOT APPLY TO THE AREA WITH EXCESSIVE HAIR. ADHESIVE PATCH MAY HURT SKIN UPON REMOVAL.

CHILDREN UNDER 12 YEARS OF AGE: DO NOT USE OR CONSULT A DOCTOR.

**OTHER INFORMATION**

STORE AT ROOM TEMPERATURE 20-25 DEGREES CENTIGRADE (68-77 DEGREES FAHRENHEIT)

**INACTIVE INGREDIENTS**

ACTIVATED CHARCOL

ANGELICA BISERRATA ROOT

ARTEMISIA ARGYI LEAF

BOSWELLIA SACRA BARK

IRON

2,4-D SODIUM SALT

WATER

**Questions or comments?**

Please call (626)285-1600 9:00 am - 5:30 pm PST



# ZHONG HUA JIU PATCH

menthol patch

## Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:536 14-001

**Route of Administration**

TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	10 mg in 1000 mg

**Inactive Ingredients**

Ingredient Name	Strength
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10)	110.3 mg in 1000 mg
ANGELICA BISERRATA ROOT (UNII: OJ90180B22)	3 mg in 1000 mg
ARTEMISIA ARGYI LEAF (UNII: 2JYC99Q0WZ)	15.4 mg in 1000 mg
BOSWELLIA SACRA BARK (UNII: 1UK28DX728)	0.5 mg in 1000 mg
IRON (UNII: E1UOL152H7)	683.1 mg in 1000 mg
2,4-D SODIUM SALT (UNII: 2H005922RS)	11 mg in 1000 mg
WATER (UNII: 059QF0KO0R)	166.7 mg in 1000 mg

**Product Characteristics**

Color		Score	2 pieces
Shape	RECTANGLE	Size	10mm
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53614-001-02	1000 mg in 1 PATCH		



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	05/15/2003	

**Labeler** - Wuhan Chinese Moxibustion Technology Development Co., Ltd. (530590157)

**Registrant** - Wuhan Chinese Moxibustion Technology Development Co., Ltd. (530590157)

## Establishment

Name	Address	ID/FEI	Business Operations
Wuhan Chinese Moxibustion Technology Development Co.; Ltd.		530590157	manufacture(53614-001)

Revised: 3/2013

Wuhan Chinese Moxibustion Technology Development Co.; Ltd.